

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 38/360 = 0.105$

LAB^*LCH, LAB^*NCH

D65: hue O

LCH^{*}Ma: 48 83 38

olv^{*}Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^* - L^*_a$	a^*_a	b^*_a	$C^*_{,aba}$	$h^*_{,aba}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
NMa	48.13	75.28	-8.36	75.74	354
WMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

CIELAB lightness L^*



Output: Colorimetric Standard Reflective System SRS18


for hue $h^* = lab^*h = 30/360 = 0.083$

LAB^*LCH, LAB^*NCH

D65: hue O

LCH^{*}Ma: 57 77 30

olv^{*}Ma: 1.0 0.0 0.0



SRS18; adapted (a) CIELAB data

	$L^* - L^*_a$	a^*_a	b^*_a	$C^*_{,aba}$	$h^*_{,aba}$
OMa	56.71	67.03	38.7	77.4	30
YMa	56.71	0.0	77.4	77.4	90
LMa	56.71	-67.02	38.7	77.4	150
CMa	56.71	-67.02	-38.69	77.4	210
VMa	56.71	0.0	-77.39	77.4	270
NMa	56.71	67.03	-38.69	77.4	330
WMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272

%Gamut


$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

CIELAB lightness L^*



NE32-7, 5 step scales for constant CIELAB hue 38/360 = 0.105 (left)

5 step scales for constant CIELAB hue 30/360 = 0.083 (right)

BAM-test chart NE32; Colorimetric systems ORS18 & SRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: olv^{*} setrgbcolor

output: olv^{*} setrgbcolor / w^{*} setgray