

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB}; D65, Y_m=510_770, LABHNU1_79

<i>Code</i> D65	<i>L</i> [*]	<i>A</i> [*]	<i>B</i> [*]	<i>C</i> [*] _{ab}	<i>a</i> [']	<i>b</i> [']	<i>h</i> _{ab}	<i>i</i> _d	<i>λ</i> [*] _d	<i>i</i> _c	<i>λ</i> [*] _c
R _{me} 570_770	66.95	71.73	72.88	102.27	0.1732	−0.0459	45.4	38	592	15	479
Y _{me} 510_770	95.2	−11.33	92.83	93.52	0.1249	−0.0481	96.9	33	567	14	471
G _{me} 470_570	82.65	−80.19	39.11	89.22	0.0893	−0.07	153.9	21	508	9	449
C _m 380_570	83.67	−49.69	−25.9	56.03	0.1051	−0.1028	207.5	16	483	42	613
B _{me} 380_510	41.08	43.03	−96.09	105.29	0.1677	−0.174	294.1	13	467	31	558
M _m 570_470	68.39	109.59	−34.23	114.81	0.1949	−0.1101	342.6	7	438	20	501
R _o 570_440	67.14	88.02	14.15	89.15	0.1829	−0.0813	9.1	−1	488c	17	488
G _o 520_570	77.0	−73.28	74.96	104.83	0.0906	−0.0496	134.3	27	536	12	462
W ₁ 380_770	100.0	0.0	0.0	0.0	0.13	−0.0899	0.0	−1	462c	−1	536c