



## **Proposal for use of available test samples for CIE TC1-69 “Color Rendering”, CIE Division 1 workshop “Colour Rendering”, Sun City**

Klaus Richter, email: klaus.richter@mac.com

Internet: Berlin University of Technology (TUB): <http://130.149.60.45/~farbmetrik>

For recent publications of the TUB group see: <http://130.149.60.45/~farbmetrik/XY91FEN.html>


For this file (17 pages, 250 KB) see: [http://130.149.60.45/~farbmetrik/CIE1\\_TEC\\_11.PDF](http://130.149.60.45/~farbmetrik/CIE1_TEC_11.PDF)

**Status:** Preliminary decision of CIE TC1-69 in Sun City: Selection of colour samples (by end of July)

### **Starting point of this presentation:**

A wish to keep the present colour samples no. 9 to 12 of CIE 13.3.

- No. 9 to 12 represent the “typical” Red, Yellow, Green, Blue (RJGB) of high chroma and different lightness.
- No. 9 to 12 represent the hue angles of the elementary colours according to CIE R1-47:2009. Hue shifts can be easily described.
- No. 9 to 12 and all others of CIE 13.3 are used in ISO/IEC standards, for example ISO/IEC 15775 for colour copiers.



PE010-3

Fig.1: Proposed selection of 45 (=16+24+5) colours based on no. 9 to 12

## **Proposal for a selection of available 45 (and 12 metameric) samples**

1. Use offset colour samples produced with standard offset colours on standard offset paper which is fluorescent free according to ISO/IEC 15775 (long term standard colours used in image technology).
2. Use the offset colours of maximum chroma with the CIELAB hue angles 26, 92, 162 and 272 which are equal in hue angle to no. 9 to 12 of CIE 13.3
3. Use a 16 step elementary colour circle with 3 colour samples between the elementary hues, for example r25j, r50j, r75j.
4. Use three 8 step colour circles of half the chroma compared to the maximum offset chroma: lighter, similar lightness and darker
5. Use 5 or 9 grey steps
6. Add 8 metameric samples of the colour circle with similar lightness
7. Add 5 metameric greys produced by *cm*y only.
8. Add a table with  $rgb_e$  and for example *icu*\* data (relative brilliance, relative chroma, elementary hue text according to DIN 33872-1 to 6)

The spectral reflection of the achromatic colours is flat  
(because of the production method “complete under colour removal”)

Advantage of the proposal:

1. Available colour samples (size 3x3cm) including spectral reflection for the 45/0 geometry.
2. Large contrast range between  $Y=2,5$  and 90 ( $L^*=18$  and 95).
3. Link of the samples to the samples No. 9 to 12 of CIE 13.3
4. Link to image technology by  $rgb_e$  data and relative colour space data of the natural elementary colour system, for example  $icu^*$  (relative brilliance  $i^*$ , relative chroma  $c^*$ , and elementary hue text  $u^*$ )
5. Link to ISO/IEC standards which use the present test colour samples of CIE 13.3 to specify colour reproduction properties by the CRI (for example ISO/IEC 15775, ISO/IEC TR 24705, ISO 9241-306)

***rgb\** and CIE data of a elementary hue circle according to CIE R1-47:2009 for offset print**
**16 step elementary hue circle with intended elementary hues:  $h_{ab} = 25.4, 92.3, 162.2, 271.7$** 

<i>Code</i>	<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>L*</i> <sub>a</sub>	<i>a*</i> <sub>a</sub>	<i>b*</i> <sub>a</sub>	<i>C*</i> <sub>ab,a</sub>	<i>h</i> <sub>ab</sub>	<i>rgb*</i>		
<i>r00j=R</i>	31.4	17.3	6.6	0.566	0.313	48.7	66.5	32.9	48.7	66.7	31.8	73.9	25.4	1.00	0.00	0.00
<i>r25j</i>	34.5	22.5	5.1	0.555	0.361	54.5	52.6	49.2	54.5	52.9	47.9	71.4	42.2	1.00	0.25	0.00
<i>r50j</i>	40.5	31.9	6.2	0.514	0.405	63.2	34.6	59.5	63.2	35.0	58.0	67.8	58.9	1.00	0.50	0.00
<i>r75j</i>	48.6	44.8	7.6	0.48	0.443	72.7	17.1	70.4	72.7	17.6	68.8	71.1	75.5	1.00	0.75	0.00
<i>j00g=J</i>	63.1	68.2	10.2	0.445	0.481	86.1	-4.0	85.1	86.1	-3.3	83.2	83.3	92.3	1.00	1.00	0.00
<i>j25g</i>	41.3	53.0	10.1	0.396	0.507	77.8	-25.6	71.3	77.8	-25.0	69.6	74.0	109.8	0.75	1.00	0.00
<i>j50g</i>	24.2	36.8	9.3	0.344	0.523	67.1	-41.3	55.2	67.1	-40.9	53.7	67.6	127.3	0.50	1.00	0.00
<i>j75g</i>	14.9	27.7	9.8	0.285	0.527	59.6	-56.0	40.7	59.6	-55.6	39.3	68.2	144.7	0.25	1.00	0.00
<i>g00b=G</i>	12.2	24.9	15.6	0.232	0.471	56.9	-61.7	20.9	56.9	-61.5	19.6	64.5	162.2	0.00	1.00	0.00
<i>g25b</i>	15.6	27.3	35.0	0.2	0.35	59.3	-50.8	-7.1	59.3	-50.5	-8.5	51.2	189.5	0.00	1.00	0.50
<i>g50b</i>	19.3	29.6	57.3	0.181	0.279	61.3	-39.4	-28.0	61.3	-39.1	-29.4	49.0	216.9	0.00	1.00	1.00
<i>g75b</i>	18.4	23.9	62.3	0.176	0.228	56.0	-20.9	-41.7	56.0	-20.6	-43.0	47.7	244.3	0.00	0.50	1.00
<i>b00r=B</i>	11.6	12.0	39.6	0.183	0.19	41.2	1.3	-44.0	41.2	1.3	-45.0	45.0	271.7	0.00	0.00	1.00
<i>b25r</i>	7.5	5.3	24.3	0.203	0.142	27.5	27.4	-46.1	27.5	27.2	-46.9	54.2	300.1	0.50	0.00	1.00
<i>b50r</i>	16.8	9.8	24.6	0.327	0.191	37.4	50.1	-29.6	37.4	50.1	-30.6	58.7	328.5	1.00	0.00	1.00
<i>b75r</i>	33.8	17.9	20.9	0.465	0.247	49.4	72.2	-2.5	49.4	72.4	-3.7	72.5	357.0	1.00	0.00	0.50

**5 step equidistant grey scale with intended lightness:  $L^* = 22.2, 40.7, 59.3, 77.8, 96.3$** 

<i>Code</i>	<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>L*</i> <sub>a</sub>	<i>a*</i> <sub>a</sub>	<i>b*</i> <sub>a</sub>	<i>C*</i> <sub>ab,a</sub>	<i>h</i> <sub>ab</sub>	<i>rgb*</i>		
<i>n000w=N</i>	3.5	3.6	3.8	0.317	0.332	22.5	0.2	0.7	22.5	0.0	0.0	0.0	37.9	0.00	0.00	0.00
<i>n025w</i>	11.1	11.7	12.9	0.31	0.327	40.8	-0.3	-0.4	40.8	-0.3	-1.4	1.4	256.8	0.25	0.25	0.25
<i>n050w</i>	25.7	27.2	30.0	0.31	0.328	59.2	-0.6	-0.4	59.2	-0.3	-1.8	1.8	258.1	0.50	0.50	0.50
<i>n075w</i>	49.9	52.9	57.3	0.311	0.33	77.8	-0.8	0.2	77.8	-0.2	-1.4	1.4	259.2	0.75	0.75	0.75
<i>n100w=W</i>	86.0	91.0	95.9	0.315	0.333	96.4	-0.8	2.1	96.4	0.0	0.0	0.0	100.0	1.00	1.00	1.00

KE100-7N, Page 1 /1, %BEG 'KK0X'REM OFFS04 080929 3.TXT

**Fig. 2: *rgb\** data, adapted and standard CIELAB data and CIE data *X, Y, Z, x, y* of a 16 step hue circle and a 5 step grey scale**

Fig 2 shows  $rgb^*$  data and the CIELAB data of the 16 step hue circle and a 5 step grey scale for the standard offset print on the standard *non fluorescent* offset paper.

The data are calculated from a 48 step device hue circle (data see Fig. 3) of a real print. In the example the achromatic colours are printed by only the black offset colorant. In addition Fig. 3 shows the CIE data  $X$ ,  $Y$ ,  $Z$ , the chromaticity coordinates  $x$ ,  $y$ , and the *standard* CIELAB data  $L^*$ ,  $a^*$ , and  $b^*$  for the CIE 2 degree observer, for the CIE standard illuminant D65 and for CIE 45/0 measurement geometry

The equations between standard and adapted CIELAB data use the *relative* CIELAB lightness  $I_r^*$ :

$$I_r^* = (L^* - L_N^*) / (L_W^* - L_N^*)$$

$$L_a^* = L^*$$

$$a_a^* = a^* - a_N^* - I_r^* (a_W^* - a_N^*)$$

$$b_a^* = b^* - b_N^* - I_r^* (b_W^* - b_N^*)$$

Is valid  $(a_N^*, a_N^*) = (a_W^*, a_W^*) = (0, 0)$  and similar for  $b^*$ , see Fig. 3.

***rgb\** and CIE data of a elementary hue circle according to CIE R1-47:2009 for offset print**
**16 step elementary hue circle with intended elementary hues:  $h_{ab} = 25.4, 92.3, 162.2, 271.7$** 

<i>Code</i>	<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>L*</i> <sub>a</sub>	<i>a*</i> <sub>a</sub>	<i>b*</i> <sub>a</sub>	<i>C*</i> <sub>ab,a</sub>	<i>h</i> <sub>ab</sub>	<i>rgb*</i>		
<i>r00j=R</i>	31.4	17.3	6.6	0.566	0.313	48.7	66.5	32.9	48.7	66.7	31.8	73.9	25.4	1.00	0.00	0.00
<i>r25j</i>	34.5	22.5	5.1	0.555	0.361	54.5	52.6	49.2	54.5	52.9	47.9	71.4	42.2	1.00	0.25	0.00
<i>r50j</i>	40.5	31.9	6.2	0.514	0.405	63.2	34.6	59.5	63.2	35.0	58.0	67.8	58.9	1.00	0.50	0.00
<i>r75j</i>	48.6	44.8	7.6	0.48	0.443	72.7	17.1	70.4	72.7	17.6	68.8	71.1	75.5	1.00	0.75	0.00
<i>j00g=J</i>	63.1	68.2	10.2	0.445	0.481	86.1	-4.0	85.1	86.1	-3.3	83.2	83.3	92.3	1.00	1.00	0.00
<i>j25g</i>	41.3	53.0	10.1	0.396	0.507	77.8	-25.6	71.3	77.8	-25.0	69.6	74.0	109.8	0.75	1.00	0.00
<i>j50g</i>	24.2	36.8	9.3	0.344	0.523	67.1	-41.3	55.2	67.1	-40.9	53.7	67.6	127.3	0.50	1.00	0.00
<i>j75g</i>	14.9	27.7	9.8	0.285	0.527	59.6	-56.0	40.7	59.6	-55.6	39.3	68.2	144.7	0.25	1.00	0.00
<i>g00b=G</i>	12.2	24.9	15.6	0.232	0.471	56.9	-61.7	20.9	56.9	-61.5	19.6	64.5	162.2	0.00	1.00	0.00
<i>g25b</i>	15.6	27.3	35.0	0.2	0.35	59.3	-50.8	-7.1	59.3	-50.5	-8.5	51.2	189.5	0.00	1.00	0.50
<i>g50b</i>	19.3	29.6	57.3	0.181	0.279	61.3	-39.4	-28.0	61.3	-39.1	-29.4	49.0	216.9	0.00	1.00	1.00
<i>g75b</i>	18.4	23.9	62.3	0.176	0.228	56.0	-20.9	-41.7	56.0	-20.6	-43.0	47.7	244.3	0.00	0.50	1.00
<i>b00r=B</i>	11.6	12.0	39.6	0.183	0.19	41.2	1.3	-44.0	41.2	1.3	-45.0	45.0	271.7	0.00	0.00	1.00
<i>b25r</i>	7.5	5.3	24.3	0.203	0.142	27.5	27.4	-46.1	27.5	27.2	-46.9	54.2	300.1	0.50	0.00	1.00
<i>b50r</i>	16.8	9.8	24.6	0.327	0.191	37.4	50.1	-29.6	37.4	50.1	-30.6	58.7	328.5	1.00	0.00	1.00
<i>b75r</i>	33.8	17.9	20.9	0.465	0.247	49.4	72.2	-2.5	49.4	72.4	-3.7	72.5	357.0	1.00	0.00	0.50

**5 step equidistant grey scale with intended lightness:  $L^* = 22.2, 40.7, 59.3, 77.8, 96.3$** 

<i>Code</i>	<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>L*</i> <sub>a</sub>	<i>a*</i> <sub>a</sub>	<i>b*</i> <sub>a</sub>	<i>C*</i> <sub>ab,a</sub>	<i>h</i> <sub>ab</sub>	<i>rgb*</i>		
<i>n000w=N</i>	3.5	3.6	3.8	0.317	0.332	22.5	0.2	0.7	22.5	0.0	0.0	0.0	37.9	0.00	0.00	0.00
<i>n025w</i>	11.1	11.7	12.9	0.31	0.327	40.8	-0.3	-0.4	40.8	-0.3	-1.4	1.4	256.8	0.25	0.25	0.25
<i>n050w</i>	25.7	27.2	30.0	0.31	0.328	59.2	-0.6	-0.4	59.2	-0.3	-1.8	1.8	258.1	0.50	0.50	0.50
<i>n075w</i>	49.9	52.9	57.3	0.311	0.33	77.8	-0.8	0.2	77.8	-0.2	-1.4	1.4	259.2	0.75	0.75	0.75
<i>n100w=W</i>	86.0	91.0	95.9	0.315	0.333	96.4	-0.8	2.1	96.4	0.0	0.0	0.0	100.0	1.00	1.00	1.00

KE100-7N, Page 1 /1, %BEG 'KK0X'REM OFFS04 080929 3.TXT

**Fig. 3: *rgb\** data, adapted and standard CIELAB data and CIE data *X, Y, Z, x, y* of a 16 step hue circle and a 5 step grey scale**





48 step circle with interpretation *rgb* -> *ol\** device hue steps of 1080 standard colours

<i>rgb</i> -> <i>ol*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>rgb</i> -> <i>ol*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>rgb</i> -> <i>ol*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>rgb</i> -> <i>ol*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>rgb</i> -> <i>ol*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i>	<i>b*</i>					
1.0 0.0 0.0	31.3	48.4	66.2	40.3	1.0 1.0 0.0	96.2	90.2	-9.6	88.3	0.0 1.0 0.0	152.5	55.8	-65.2	33.9	0.0 1.0 1.0	233.9	63.0	-30.5	-41.9	0.0 0.0 1.0	298.7	27.5	26.0	-47.3	1.0 0.0 1.0	353.0	49.5	73.5	-8.9
1.0 0.12 0.0	38.9	52.8	56.7	45.9	0.87 1.0 0.0	99.9	86.4	-14.5	83.3	0.0 1.0 0.12	159.4	56.7	-62.6	23.5	0.0 0.87 1.0	239.6	59.1	-24.9	-42.6	0.12 0.0 1.0	308.4	29.6	34.0	-42.7	1.0 0.0 0.87	357.1	49.4	72.3	-3.6
1.0 0.25 0.0	47.6	57.4	46.7	51.2	0.75 1.0 0.0	103.4	82.7	-18.9	79.6	0.0 1.0 0.25	167.8	57.5	-59.1	12.7	0.0 0.75 1.0	245.5	55.3	-19.6	-43.1	0.25 0.0 1.0	317.1	31.3	40.8	-37.8	1.0 0.0 0.75	357.1	49.4	72.3	-3.6
1.0 0.37 0.0	58.1	62.8	35.8	57.6	0.62 1.0 0.0	110.2	77.5	-25.5	69.0	0.0 1.0 0.37	179.0	58.5	-54.5	0.8	0.0 0.62 1.0	253.6	50.4	-12.9	-43.9	0.37 0.0 1.0	322.4	35.4	44.8	-34.5	1.0 0.0 0.62	357.1	49.4	72.3	-3.6
1.0 0.5 0.0	68.6	68.6	25.0	64.1	0.5 1.0 0.0	116.8	73.3	-31.7	62.8	0.0 1.0 0.5	190.1	59.3	-50.3	-8.9	0.0 0.5 1.0	262.6	45.7	-5.7	-44.6	0.5 0.0 1.0	331.5	38.3	52.7	-28.5	1.0 0.0 0.5	357.1	49.4	72.3	-3.6
1.0 0.62 0.0	78.2	74.5	14.6	70.8	0.37 1.0 0.0	124.3	68.7	-38.7	56.8	0.0 1.0 0.62	201.4	60.1	-45.8	-18.0	0.0 0.37 1.0	272.8	40.7	2.2	-45.0	0.62 0.0 1.0	339.4	40.9	59.1	-22.2	1.0 0.0 0.37	357.1	49.4	72.3	-3.6
1.0 0.75 0.0	85.6	80.0	5.8	76.6	0.25 1.0 0.0	137.9	62.4	-48.6	43.9	0.0 1.0 0.75	213.2	61.0	-40.8	-26.7	0.0 0.25 1.0	281.3	36.6	9.2	-45.9	0.75 0.0 1.0	343.4	44.9	63.2	-18.7	1.0 0.0 0.25	357.1	49.4	72.3	-3.6
1.0 0.87 0.0	91.4	85.1	-2.0	82.0	0.12 1.0 0.0	145.4	59.3	-56.5	38.9	0.0 1.0 0.87	223.3	61.9	-36.1	-34.0	0.0 0.12 1.0	289.8	32.4	16.8	-46.6	0.87 0.0 1.0	348.3	47.4	68.2	-14.0	1.0 0.0 0.12	357.1	49.4	72.3	-3.6

**RJGB<sub>ton</sub>**: 25.4, 92.3, 162.2, 271.7    **RJGB<sub>all</sub>**: 25.4, 42.1, 58.8, 75.6, 92.3, 109.7, 127.2, 144.7, 162.2, 189.6, 216.9, 244.3, 271.7, 300.1, 328.6, 357.0    **LAB\**Nio***: 22.2, 0.2, 0.6    **LAB\**Wio***: 96.3, -0.8, 2.0

<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>C*</i> <sub>ab,a</sub>	<i>h<sub>ab,a</sub></i>	<i>rgb</i> -> <i>rgb*</i>				
0.134	0.112	0.088	0.073	0.064	0.061	0.06	0.063	0.059	0.053	0.057	0.068	0.07	0.059 0.05 0.047 0.042 #				
0.033	0.029	0.049	0.196	0.476	0.693	0.801	0.846	0.865	0.874	0.88	0.881	0.882	0.882 0.884 0.886 0.886 0.887 #				
0.124	0.1	0.075	0.057	0.045	0.04	0.039	0.041	0.046	0.047	0.046	0.058	0.09	0.118 0.122 0.116 0.114 0.108 #				
0.095	0.086	0.112	0.271	0.534	0.724	0.815	0.852	0.868	0.876	0.881	0.882	0.882	0.884 0.886 0.885 0.887 #				
0.14	0.114	0.086	0.065	0.05	0.044	0.042	0.044	0.052	0.056	0.057	0.079	0.135	0.202 0.233 0.236 0.237 0.232 #				
0.217	0.206	0.235	0.387	0.611	0.761	0.832	0.86	0.873	0.879	0.883	0.884	0.884	0.885 0.886 0.887 0.888 #				
0.158	0.133	0.101	0.074	0.057	0.049	0.046	0.049	0.06	0.066	0.071	0.103	0.191	0.308 0.38	0.401	0.409	0.406 #	
0.393	0.382	0.41	0.537	0.701	0.803	0.849	0.867	0.876	0.882	0.885	0.884	0.885	0.885 0.886 0.887 0.888 #				
0.193	0.164	0.126	0.093	0.07	0.06	0.055	0.059	0.075	0.086	0.095	0.146	0.285	0.487	0.638	0.698	0.721 0.73 #	
0.728	0.728	0.741	0.789	0.837	0.863	0.876	0.882	0.886	0.89	0.892	0.891	0.891	0.892	0.894	0.893	0.894 #	
0.143	0.134	0.113	0.086	0.066	0.056	0.053	0.057	0.074	0.086	0.096	0.15	0.296	0.505	0.646	0.675	0.656 0.619 #	
0.573	0.536	0.512	0.5	0.49	0.483	0.483	0.484	0.488	0.498	0.51	0.517	0.514	0.506	0.495	0.486	0.49	0.513 #
0.098	0.103	0.095	0.076	0.059	0.051	0.049	0.054	0.069	0.081	0.09	0.141	0.279	0.468	0.575	0.568	0.516 0.447 #	
0.373	0.316	0.282	0.265	0.252	0.243	0.241	0.243	0.247	0.258	0.274	0.283	0.28	0.271	0.256	0.245	0.251 0.279 #	
0.074	0.092	0.093	0.079	0.063	0.056	0.054	0.059	0.076	0.088	0.098	0.149	0.283	0.454	0.531	0.499	0.427 0.341 #	
0.254	0.191	0.155	0.137	0.124	0.116	0.115	0.116	0.12	0.131	0.147	0.156	0.153	0.145	0.131	0.12	0.127 0.155 #	
0.076	0.107	0.125	0.121	0.109	0.105	0.107	0.116	0.135	0.149	0.158	0.208	0.331	0.476	0.525	0.476	0.394 0.3 #	
0.207	0.141	0.104	0.086	0.074	0.066	0.065	0.067	0.07	0.081	0.097	0.107	0.104	0.096	0.082	0.072	0.079 0.107 #	
0.106	0.17	0.224	0.252	0.254	0.265	0.285	0.307	0.331	0.346	0.353	0.391	0.475	0.554	0.555	0.489	0.401 0.304 #	
0.209	0.141	0.103	0.085	0.073	0.065	0.064	0.066	0.07	0.081	0.097	0.106	0.104	0.095	0.082	0.072	0.079 0.107 #	
0.137	0.226	0.32	0.387	0.412	0.446	0.495	0.536	0.561	0.573	0.574	0.587	0.613	0.62	0.578	0.498	0.404 0.305 #	
0.208	0.139	0.101	0.083	0.071	0.063	0.063	0.065	0.069	0.08	0.095	0.105	0.102	0.094	0.08	0.071	0.078 0.106 #	
0.137	0.231	0.334	0.417	0.455	0.504	0.567	0.613	0.622	0.615	0.598	0.575	0.543	0.498	0.44	0.371	0.302 0.226 #	
0.152	0.1	0.077	0.072	0.068	0.062	0.062	0.065	0.068	0.079	0.094	0.103	0.101	0.093	0.08	0.07	0.077 0.105 #	
0.1	0.164	0.232	0.283	0.309	0.342	0.384	0.407	0.398	0.374	0.344	0.313	0.281	0.243	0.201	0.164	0.133 0.098 #	
0.063	0.042	0.038	0.049	0.058	0.057	0.057	0.059	0.062	0.072	0.086	0.095	0.092	0.085	0.072	0.063	0.07	0.095 #
0.076	0.119	0.158	0.189	0.205	0.228	0.256	0.265	0.246	0.214	0.18	0.149	0.12	0.091	0.064	0.048	0.038 0.027 #	
0.017	0.015	0.02	0.037	0.054	0.057	0.059	0.06	0.063	0.072	0.086	0.094	0.092	0.085	0.073	0.064	0.07	0.094 #
0.165	0.183	0.199	0.215	0.226	0.244	0.264	0.266	0.245	0.21	0.175	0.144	0.115	0.087	0.062	0.048	0.042 0.033 #	
0.024	0.021	0.033	0.102	0.21	0.273	0.3	0.312	0.32	0.333	0.349	0.358	0.355	0.347	0.334	0.323	0.329 0.356 #	
0.248	0.228	0.211	0.206	0.207	0.215	0.225	0.222	0.203	0.173	0.143	0.119	0.099	0.077	0.057	0.047	0.044 0.039 #	
0.031	0.028	0.05	0.195	0.472	0.689	0.798	0.844	0.864	0.874	0.88	0.881	0.882	0.883	0.884	0.887	0.887 0.888 #	

**5 step equidistant grey scale with intended lightness: *L\** = 22.2, 40.7, 59.3, 77.8, 96.3**

<i>n000w=N</i>	<i>n025w</i>	<i>n050w</i>	<i>n075w</i>	<i>n100w=W</i>												
0.028	0.03	0.031	0.031	0.033	0.033	0.035	0.035	0.036	0.037	0.038	0.039	0.039	0.038	0.037	0.036	0.036 #
0.035	0.035	0.035	0.036	0.036	0.037	0.039	0.04	0.042	0.044	0.046	0.048	0.051	0.054	0.057	0.061	0.063 0.067 #
0.104	0.108	0.111	0.113	0.114	0.116	0.117	0.119	0.12	0.121	0.122	0.122	0.122	0.121	0.119	0.118	0.116 #
0.115	0.114	0.114	0.114	0.115	0.116	0.117	0.119	0.121	0.123	0.126	0.128	0.131	0.134	0.137	0.141	0.144 0.148 #
0.242	0.254	0.259	0.264	0.268	0.271	0.274	0.276	0.278	0.279	0.28	0.281	0.281	0.28	0.279	0.277	0.274 0.272 #
0.27	0.269	0.268	0.267	0.268	0.269	0.27	0.272	0.274	0.277	0.28	0.282	0.284	0.287	0.29	0.294	0.297 0.3 #
0.455	0.478	0.491	0.502	0.51	0.516	0.522	0.527	0.531	0.533	0.535	0.536	0.537	0.537	0.537	0.534	0.532 0.529 #
0.526	0.525	0.524	0.523	0.523	0.524	0.526	0.528	0.53	0.533	0.536	0.537	0.539	0.541	0.544	0.547	0.549 0.552 #
0.737	0.781	0.807	0.83	0.846	0.86	0.872	0.882	0.89	0.895	0.899	0.903	0.906	0.909	0.912	0.911	0.912 0.912 #
0.91	0.913	0.911	0.911	0.91	0.911	0.914	0.916	0.918	0.921	0.923	0.922	0.921	0.92	0.921	0.923	0.923 #

KE070-7N: Measurement: %BEG "KK0X"REM\_OFFS04\_080929\_3.TXTOffset print, model separation cmy6\*. Page 1/1

Fig. 4: Reflectance factor  $R(\lambda)$  between  $\lambda=380$  and  $770\text{nm}$ ,  $rgb^*$  data, and CIE data of Fig. 3 of a 16 step hue circle and a 5 step grey scale



Fig. 4 shows the reflectance factor between  $\lambda = 380$  and  $770\text{nm}$ , the *rgb*\* data, and all the CIE data of Fig. 3 for a 16 step hue circle and a 5 step grey scale

The CIELAB data are calculated for the given interpolated reflectance factors. However, the real output of the elementary colour circle has been measured too. The printed colour circle includes CIELAB data of the standard offset print.

The reflectance factor of the 5 grey steps are approximately flat because only the achromatic colorant of offset has been used for the production.

Another example for a 3 dye photo printer show 3 maxima and minima of the reflectance factor curve for the grey colours (except for white), see

<http://130.149.60.45/~farbmetrik/KE06/KE060-7N.PDF>

Annex A includes the data of a 48 step device hue circle, which is used to interpolate the CIE data and the reflectance factor for the *rgb*\* data.



48 step circle with interpretation <i>rgb</i> -> <i>olv*</i> device hue steps of 1080 standard colours																																			
<i>rgb</i> -> <i>olv*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i> <sub>a</sub>	<i>b*</i> <sub>a</sub>	<i>rgb</i> -> <i>olv*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i> <sub>a</sub>	<i>b*</i> <sub>a</sub>	<i>rgb</i> -> <i>olv*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i> <sub>a</sub>	<i>b*</i> <sub>a</sub>	<i>rgb</i> -> <i>olv*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i> <sub>a</sub>	<i>b*</i> <sub>a</sub>	<i>rgb</i> -> <i>olv*</i>	<i>h<sub>ab,a</sub></i>	<i>L*</i>	<i>a*</i> <sub>a</sub>	<i>b*</i> <sub>a</sub>											
1.0 0.0 0.0	31.3	48.4	66.2	40.3	1.0 1.0 0.0	96.2	90.2	-9.6	88.3	0.0 1.0 0.0	152.5	55.8	-65.2	33.9	0.0 1.0 1.0	233.9	63.0	-30.5	-41.9	0.0 0.0 1.0	298.7	27.5	26.0	-47.3	1.0 0.0 1.0	353.0	49.5	73.5	-8.9						
1.0 0.12 0.0	38.9	52.8	56.7	45.9	0.87 1.0 0.0	99.9	86.4	-14.5	83.3	0.0 1.0 1.2	159.4	56.7	-62.6	23.5	0.0 0.87 1.0	239.6	59.1	-24.9	-42.6	0.12 0.0 1.0	308.4	29.6	34.0	-42.7	1.0 0.0 0.87	357.1	49.4	72.3	-3.6						
1.0 0.25 0.0	47.6	57.4	46.7	51.2	0.75 1.0 0.0	103.4	82.7	-18.9	79.6	0.0 1.0 0.25	167.8	57.5	-59.1	12.7	0.0 0.75 1.0	245.5	55.3	-19.6	-43.1	0.25 0.0 1.0	317.1	31.3	40.8	-37.8	1.0 0.0 0.75	357.1	49.4	72.3	-3.6						
1.0 0.37 0.0	58.1	62.8	35.8	57.6	0.62 1.0 0.0	110.2	77.5	-25.5	69.0	0.0 1.0 0.37	179.0	58.5	-54.5	0.8	0.0 0.62 1.0	253.6	50.4	-12.9	-43.9	0.37 0.0 1.0	322.4	35.4	44.8	-34.5	1.0 0.0 0.62	357.1	49.4	72.3	-3.6						
1.0 0.5 0.0	68.6	68.6	25.0	64.1	0.5 1.0 0.0	116.8	73.3	-31.7	62.8	0.0 1.0 0.5	190.1	59.3	-50.3	-8.9	0.0 0.5 1.0	262.6	45.7	-5.7	-44.6	0.5 0.0 1.0	331.5	38.3	52.7	-28.5	1.0 0.0 0.5	357.1	49.4	72.3	-3.6						
1.0 0.62 0.0	78.2	74.5	14.6	70.8	0.37 1.0 0.0	124.3	68.7	-38.7	56.8	0.0 1.0 0.62	201.4	60.1	-45.8	-18.0	0.0 0.37 1.0	272.8	40.7	2.2	-45.0	0.62 0.0 1.0	339.4	40.9	59.1	-22.2	1.0 0.0 0.37	357.1	49.4	72.3	-3.6						
1.0 0.75 0.0	85.6	80.0	5.8	76.6	0.25 1.0 0.0	137.9	62.4	-48.6	43.9	0.0 1.0 0.75	213.2	61.0	-40.8	-26.7	0.0 0.25 1.0	281.3	36.6	9.2	-45.9	0.75 0.0 1.0	343.4	44.9	63.2	-18.7	1.0 0.0 0.25	357.1	49.4	72.3	-3.6						
1.0 0.87 0.0	91.4	85.1	-2.0	82.0	0.12 1.0 0.0	145.4	59.3	-56.5	38.9	0.0 1.0 0.87	223.3	61.9	-36.1	-34.0	0.0 0.12 1.0	289.8	32.4	16.8	-46.6	0.87 0.0 1.0	348.3	47.4	68.2	-14.0	1.0 0.0 0.12	357.1	49.4	72.3	-3.6						
<b>RJGB<sub>ton</sub></b>	25.4	92.3	162.2	271.7	<b>RJGB<sub>all</sub></b>	25.4	42.1	58.8	75.6	92.3	109.7	127.2	144.7	162.2	189.6	216.9	244.3	271.7	300.1	328.6	357.0	<b>LAB*<i>Nio</i></b>	22.2	0.2	0.6	<b>LAB*<i>Wio</i></b>	96.3	-0.8	2.0						
25.4	42.1	58.8	75.6	92.3	109.7	127.2	144.7	162.2	189.6	216.9	244.3	271.7	300.1	328.6	357.0																				
46	1	3	4	7	10	13	14	17	19	22	25	28	32	35	40																				
15.7 22.0	31.3 38.9	47.6 58.1	58.1 68.6	68.6 78.2	78.2 85.6	85.6 91.4	91.4 99.9	99.9 103.4	103.4 116.8	116.8 124.3	124.3 137.9	137.9 145.4	145.4 152.5	152.5 159.4	159.4 179.0	167.8 179.0	179.0 190.1	190.1 201.4	201.4 213.2	213.2 233.9	233.9 239.6	239.6 253.6	253.6 262.6	262.6 289.8	289.8 298.7	298.7 317.1	317.1 322.4	322.4 348.3	348.3 353.0						
26.9 31.3	47.6 58.1	68.6 78.2	85.6 91.4	99.9 103.4	116.8 124.3	137.9 145.4	152.5 159.4	179.0 190.1	201.4 213.2	233.9 239.6	253.6 262.6	289.8 298.7	317.1 322.4	348.3 353.0																					
0.703	0.369	0.074	0.722	0.183	0.928	0.217	0.908	0.333	0.952	0.369	0.798	0.888	0.144	0.673	0.984																				
651 650	648 657	666 675	675 684	702 711	639 558	396 155	315 234	72 73	74 75	77 78	80 71	53 44	17 8	170 251	575 656																				
649 648	666 675	684 693	693 702	720 639	477 396	234 153	153 72	74 75	76 77	79 80	62 53	35 26	89 170	332 413	655 654																				
507 506	504 531	558 585	585 612	666 693	477 234	468 225	225 702	216 217	218 219	221 222	224 197	143 116	35 8	494 17	269 512																				
505 504	558 585	612 639	639 666	720 477	711 468	702 459	459 216	218 219	220 221	223 224	170 143	89 62	251 494	260 503	511 510																				
<b>16 step elementary hue circle with intended elementary hues: <i>h<sub>ab,a</sub></i> = 25.4, 92.3, 162.2, 271.7</b>																																			
<b><i>r00j=R</i></b>	0.134	0.112	0.088	0.073	0.064	0.061	0.06	0.063	0.059	0.053	0.057	0.068	0.07	0.059	0.05	0.047	0.042	#																	
	0.033	0.029	0.049	0.196	0.476	0.693	0.801	0.846	0.865	0.874	0.88	0.881	0.882	0.882	0.884	0.886	0.886	0.887	#	31.4	17.3	6.6	0.566	0.313	48.7	66.5	32.9	48.7	66.7	31.8	73.9	<b>25.4</b>	<b>1.00</b>	<b>0.00</b>	<b>0.00</b>
<b><i>r25j</i></b>	0.124	0.1	0.075	0.057	0.045	0.04	0.039	0.041	0.046	0.047	0.046	0.058	0.09	0.118	0.122	0.116	0.114	0.108	#	34.5	22.5	5.1	0.555	0.361	54.5	52.6	49.2	54.5	52.9	47.9	71.4	<b>42.2</b>	<b>1.00</b>	<b>0.25</b>	<b>0.00</b>
<b><i>r50j</i></b>	0.14	0.114	0.086	0.065	0.05	0.044	0.042	0.044	0.052	0.056	0.057	0.079	0.135	0.202	0.233	0.236	0.237	0.232	#	40.5	31.9	6.2	0.514	0.405	63.2	34.6	59.5	63.2	35.0	58.0	67.8	<b>58.9</b>	<b>1.00</b>	<b>0.50</b>	<b>0.00</b>
<b><i>r75j</i></b>	0.158	0.133	0.101	0.074	0.057	0.049	0.046	0.049	0.06	0.066	0.071	0.103	0.191	0.308	0.38	0.401	0.409	0.406	#	48.6	44.8	7.6	0.48	0.443	72.7	17.1	70.4	72.7	17.6	68.8	71.1	<b>75.5</b>	<b>1.00</b>	<b>0.75</b>	<b>0.00</b>
<b><i>j00g=J</i></b>	0.193	0.164	0.126	0.093	0.07	0.06	0.055	0.059	0.075	0.086	0.095	0.146	0.285	0.487	0.638	0.698	0.721	0.73	#	63.1	68.2	10.2	0.445	0.481	86.1	-4.0	85.1	86.1	-3.3	83.2	83.3	<b>92.3</b>	<b>1.00</b>	<b>1.00</b>	<b>0.00</b>
	0.728	0.728	0.741	0.789	0.837	0.863	0.876	0.882	0.886	0.89	0.892	0.891	0.892	0.891	0.892	0.894	0.893	0.894	#																
<b><i>j25g</i></b>	0.143	0.134	0.113	0.086	0.066	0.056	0.053	0.057	0.074	0.086	0.096	0.15	0.296	0.505	0.646	0.675	0.656	0.619	#	41.3	53.0	10.1	0.396	0.507	77.8	-25.6	71.3	77.8	-25.0	69.6	74.0	<b>109.8</b>	<b>0.75</b>	<b>1.00</b>	<b>0.00</b>
	0.573	0.536	0.512	0.5	0.49	0.483	0.483	0.484	0.488	0.498	0.51	0.517	0.514	0.506	0.495	0.486	0.49	0.513	#																
<b><i>j50g</i></b>	0.098	0.103	0.095	0.076	0.059	0.051	0.049	0.054	0.069	0.081	0.09	0.141	0.279	0.468	0.575	0.568	0.516	0.447	#	24.2	36.8	9.3	0.344	0.523	67.1	-41.3	55.2	67.1	-40.9	53.7	67.6	<b>127.3</b>	<b>0.50</b>	<b>1.00</b>	<b>0.00</b>
	0.373	0.316	0.282	0.265	0.252	0.243	0.241	0.243	0.247	0.258	0.274	0.283	0.28	0.271	0.256	0.245	0.251	0.279	#																
<b><i>j75g</i></b>	0.074	0.092	0.093	0.079	0.063	0.056	0.054	0.059	0.076	0.088	0.098	0.149	0.283	0.454	0.531	0.499	0.427	0.341	#	14.9	27.7	9.8	0.285	0.527	59.6	-56.0	40.7	59.6	-55.6	39.3	68.2	<b>144.7</b>	<b>0.25</b>	<b>1.00</b>	<b>0.00</b>
	0.254	0.191	0.155	0.137	0.124	0.116	0.115	0.116	0.12	0.131	0.147	0.156	0.153	0.145	0.131	0.12	0.127	0.155	#																
<b><i>g00b=G</i></b>	0.076	0.107	0.125	0.121	0.109	0.105	0.107	0.116	0.135	0.149	0.158	0.208	0.331	0.476	0.525	0.476	0.394	0.3	#	12.2	24.9	15.6	0.232	0.471	56.9	-61.7	20.9	56.9	-61.5	19.6	64.5	<b>162.2</b>	<b>0.00</b>	<b>1.00</b>	<b>0.00</b>
	0.207	0.141	0.104	0.086	0.074	0.066	0.065	0.067	0.07	0.081	0.097	0.107	0.104	0.096	0.082	0.072	0.079	0.107	#																
<b><i>g25b</i></b>	0.106	0.17	0.224	0.252	0.254	0.265	0.285	0.307	0.331	0.346	0.353	0.391	0.475	0.554	0.555	0.489	0.401	0.304	#	15.6	27.3	35.0	0.2	0.35	59.3	-50.8	-7.1	59.3	-50.5	-8.5	51.2	<b>189.5</b>	<b>0.00</b>	<b>1.00</b>	<b>0.50</b>
	0.209	0.141	0.103	0.085	0.073	0.065	0.064	0.066	0.07	0.081	0.097	0.106	0.104	0.095	0.082	0.072	0.079	0.107	#																
<b><i>g50b</i></b>	0.137	0.226	0.32	0.387	0.412	0.446	0.495	0.536	0.561	0.573	0.574	0.587	0.613	0.62	0.578	0.498	0.404	0.305	#	19.3	29.6	57.3	0.181	0.279	61.3	-39.4	-28.0	61.3	-39.1	-29.4	49.0	<b>216.9</b>	<b>0.00</b>	<b>1.00</b>	<b>1.00</b>
	0.208	0.139	0.101	0.083	0.071	0.063	0.063	0.065	0.069	0.08	0.095	0.105	0.102	0.094	0.08	0.071	0.078	0.106	#																
<b><i>g75b</i></b>	0.137	0.231	0.334	0.417	0.455	0.504	0.567	0.613	0.622	0.615	0.598	0.575	0.543	0.498	0.44	0.371	0.302	0.226	#	18.4	23.9	62.3	0.176	0.228	56.0	-20.9	-41.7	56.0	-20.6	-43.0	47.7	<b>244.3</b>	<b>0.00</b>	<b>0.50</b>	<b>1.00</b>
	0.152</																																		

Fig. 5 shows the reflectance factor between  $\lambda = 380$  and  $770\text{nm}$ , the  $rgb^*$  data, and all the CIE data of Fig. 3 for a 16 step hue circle and a 5 step grey scale

The CIELAB data are calculated for the given interpolated reflectance factors. However, the real output of the elementary colour circle has been measured too. The printed colour circle includes CIELAB data of the standard offset print.

The reflectance factor of the 5 grey steps are approximately flat because only the achromatic colorant of offset has been used for the production.

Another example for a 3 dye photo printer show 3 maxima and minima of the reflectance factor curve for the grey colours (except for white), see

<http://130.149.60.45/~farbmetrik/KE06/KE060-7N.PDF>

Annex A includes the data of a 48 step device hue circle, which is used to interpolate the CIE data and the reflectance factor for the  $rgb^*$  data.

## Summary

A method is given how to calculate the spectral reflectance factors  $R(\lambda)$  and many CIE data including CIELAB for a 16 step elementary hue circle in standard offset printing according to ISO/IEC 15775.

For this goal a 48 step device colour scale is used as start output which has 9 step colour series, for example between device Orange red  $O$  and device Yellow  $Y$ .

It is proposed that the spectral reflectance factors  $R(\lambda)$  of the 16 samples and /or the real samples of the elementary hue circle may be used to specify the colour rendition of light sources in CIE TC1-69.

At the same time the linear relations between  $rgb^*$  data and CIELAB data define a device independent  $rgb^*$  system which is based on the human visual *elementary hue angles* in CIELAB, see the report CIE R1-47:2009.

The *Relative Elementary Colour System RECS* shows about 2000 colour samples in standard offset print on standard offset paper according to ISO/IEC 15775. This System includes a realization of the *16 step elementary hue circle* which is proposed here.

## References

Report CIE R1-47:2009, Hue angles of elementary colours (35 pages, 2,1 MB), see the CIE web site under “Meetings”

<http://div1.cie.co.at>

DIN 33872-1 to -6:2010, Information technology - Office machines - Method of specifying relative colour reproduction with YES/NO criteria

For additional information see the PDF file (41 pages, 1,4 MByte) with the title Colorimetric supplement to DIN 33872-1 to -6, see

<http://www.ps.bam.de/D33872-AE.PDF>

For the test charts according to DIN 33872-1 to -6 see for example

<http://www.ps.bam.de/33872E>

or for 8 viewing conditions (of displays and data projectors) according to ISO 9241-306:2008:

<http://130.149.60.45/~farbmetrik/OE76/OE76F1P0.PDF>

ISO 11664-4:2008(E)/CIE S 014-4/E:2007: Joint ISO/CIE Standard: CIE Colorimetry — Part 4: 1976 L\*a\*b\* Colour Space (CIELAB)

ISO/IEC 15775:1999, Information technology – Office machines – Method of specifying image reproduction of colour copying machines by digital and analog test charts – Realization and application

Richter, Klaus (2010a), Efficient Colour Workflow for Display and Printer Output in Offices based on the Hue Angles of Elementary Colours of CIE R1-47, (15 pages, 300 KB), see [http://130.149.60.45/~farbmetrik/CIE\\_ECW\\_10.PDF](http://130.149.60.45/~farbmetrik/CIE_ECW_10.PDF)

Richter, Klaus (2010b), 16 Step Elementary Color Circle:  $olv^*$ ,  $rgb^*$ , and CIE Data for a *sRGB* Display in Offices, (20 pages, 300 KB), see [http://130.149.60.45/~farbmetrik/CIE\\_sRGB\\_10.PDF](http://130.149.60.45/~farbmetrik/CIE_sRGB_10.PDF)

Richter, Klaus (2010c), ISO-CIE trend for the description of colour threshold data by new coordinates based on the device independent elementary colour coordinates of the report CIE R1-47:2009, (18 pages, 500 KB), see [http://130.149.60.45/~farbmetrik/CIE\\_ISO\\_10.PDF](http://130.149.60.45/~farbmetrik/CIE_ISO_10.PDF)

## Annex A

Fig. A.1 and Fig. A.2 show examples of measured reflectance factor of different sample pairs and shows the samples in CIELAB ( $a^*$ ,  $b^*$ ).

These data are here produced by the *start output* using *rgb* input data which are interpreted as device data  $olv^*$ , compare “interpretation” of *rgb* data as  $olv^*$  data (symbol *rgb*  $\rightarrow$   $olv^*$ ) in Fig. 4.

These sample pairs are from the *start output* of the 48 step hue circle.


Always one sample pair is used for the interpolation of the reflectance factor of one sample of the 16 step elementary hue circle.

Fig. A.1 shows the intermediate reflectance factors and the 3 reflectance factors of the three samples  $r00j=R$ ,  $r25j$ , and  $r50j$ .

Fig. A.2 shows the 16 reflectance factors, and the CIE data of all samples of the 16 step elementary colour circle which are also given in Fig. 4.

Fig. A.1 includes the 48 step colour circle in a  $(a^*_a, b^*_a)$  chroma diagram and in addition Fig. A.2 the 16 step colour circle in  $(a^*_a, b^*_a)$ .





**Fig. A.1: Two adjacent start and the interpolated reflectance factors of 3 samples  $r00j=R$ ,  $r25j$ ,  $r50j$ , and CIE data. 48 samples in  $(a^*_a, b^*_a)$**




Fig. A.2: Interpolated reflectance factor of the 16 samples of the 16 step elementary colour circle and CIE data. 16 samples in  $(a^*_a, b^*_a)$