






Monochromatische Elementarfarben und Elementar-Optimalfarben









Monochromatische Elementarfarben und Elementar-Körperfarben



Optimalfarben für CIE Norm-Lichtart D65

X	Y	Z	x	y	A	B	C _r	OYLVCVM_ONW_1
54.8	32.3	0.0	0.628	0.37	24.1	14.0	27.9	%0=JR
76.8	85.2	1.6	0.468	0.52	-4.1	36.4	36.7	%Y=J-JG+JR
22.0	52.9	1.6	0.288	0.69	-28.2	22.4	36.0	%L=JG
27.5	57.3	33.7	0.231	0.483	-27.0	11.4	29.3	%G
40.0	62.6	108.8	0.185	0.312	-24.1	-14.0	27.9	%C=L+V
18.1	14.7	107.2	0.129	0.105	4.1	-36.4	36.7	%V=B-BR+BG
72.9	47.0	107.2	0.321	0.206	28.2	-22.4	36.0	%M=V+0
58.0	34.9	19.3	0.516	0.311	24.8	7.4	25.9	%R
54.8	32.3	0.0	0.628	0.37	24.1	14.0	27.9	%0=JR
0.0	0.1	0.1	0.311	0.327	0.0	0.0	0.0	%0(β=0,001)
95.0	100.0	100.0	0.312	0.329	0.0	0.0	0.0	%W1(β=1,000)



Optimalfarben für CIE Norm-Lichtart A

X	Y	Z	x	y	A	B	C _r	OYLVCVM_ONW_1
83.5	46.7	0.0	0.64	0.358	32.1	6.6	32.8	%0=JR
104.3	92.5	1.2	0.526	0.467	2.7	12.6	12.9	%Y=J-JG+JR
20.0	45.8	1.1	0.307	0.675	-29.4	6.0	30.0	%L=JG
22.5	48.0	11.4	0.274	0.585	-30.2	2.2	30.3	%G
36.2	53.2	35.5	0.228	0.462	-32.1	-6.6	32.8	%C=L+V
5.4	7.4	34.3	0.115	0.157	-2.7	-12.6	12.9	%V=B-BR+BG
88.9	54.1	34.4	0.501	0.305	29.4	-6.0	30.0	%M=V+0
84.4	48.0	6.2	0.608	0.346	31.6	4.3	31.9	%R
83.5	46.7	0.0	0.64	0.358	32.1	6.6	32.8	%0=JR
0.1	0.0	0.0	0.445	0.405	0.0	0.0	0.0	%0(β=0,001)
109.8	99.9	35.5	0.447	0.407	0.0	0.0	0.0	%W1(β=1,000)

Siehe Original/Kopie: http://web.me.com/klaus.richter/MG17/MG17L0N1.TXT / PS
 Technische Information: http://www.ps.bam.de oder http://130.149.60.45/~farbmeterik

TUB-Registrierung: 20101101-MG17/MG17L0N1.TXT / PS
 Anwendung für Messung von Drucker- oder Monitorsystemen

TUB-Material: Code=th4ta