

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


HIC^*_-

hue text for the colours of this page:

H^*_- = R00Y_, R25Y_, ..., B75R_

ORS20a; adapted (a) CIELAB data



H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS18a; adapted (a) CIELAB data

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_.,Ma	47.9	65.3	50.5	82.6
Y_.,Ma	90.3	-10.2	91.7	92.3
G_.,Ma	50.9	-62.8	34.9	71.9
C_.,Ma	58.6	-30.3	-45.0	54.2
B_.,Ma	25.7	31.0	-44.4	54.2
M_.,Ma	48.1	75.2	-8.3	75.7
N_.,Ma	18.0	0.0	0.0	0.0
W_.,Ma	95.4	0.0	0.0	0.0
R_.,CIE	39.9	58.7	27.9	65.0
Y_.,CIE	81.2	-2.8	71.5	71.6
G_.,CIE	52.2	-42.4	13.6	44.5
B_.,CIE	30.5	1.4	-46.4	46.4



SE050-7N
 TUB-test chart SE05; 16 hues, offset standard paper APCO
 Test chart according to DIN 33872

input: *rgb/cmyk* -> *rgb/cmyk*
 output: no change



see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


HIC^*_e

hue text for the colours of this page:

$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$

ORS20a; adapted (a) CIELAB data



H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	66.3	31.6	73.4
R25Y_100_100_e	53.4	52.6	45.8	69.7
R50Y_100_100_e	62.5	34.1	56.6	66.1
R75Y_100_100_e	72.7	16.2	69.0	70.9
Y00G_100_100_e	85.1	-3.3	83.7	83.7
Y25G_100_100_e	77.6	-23.7	70.5	74.4
Y50G_100_100_e	67.2	-38.9	51.1	64.2
Y75G_100_100_e	57.9	-53.6	36.3	64.8
G00B_100_100_e	51.7	-69.1	22.1	72.6
G25B_100_100_e	54.0	-55.4	-9.3	56.2
G50B_100_100_e	56.3	-41.9	-31.5	52.4
G75B_100_100_e	51.1	-21.9	-45.6	50.6
B00R_100_100_e	36.7	1.4	-46.6	46.6
B25R_100_100_e	26.2	26.8	-46.1	53.3
B50R_100_100_e	34.9	50.0	-30.5	58.6
B75R_100_100_e	47.3	72.7	-10.1	73.5



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e, Ma}$	47.6	66.3	31.6	73.4
$Y_{e, Ma}$	85.1	-3.3	83.7	83.7
$G_{e, Ma}$	51.7	-69.1	22.1	72.6
$C_{e, Ma}$	56.3	-41.9	-31.5	52.4
$B_{e, Ma}$	36.7	1.4	-46.6	46.6
$M_{e, Ma}$	34.9	50.0	-30.5	58.6
$N_{e, Ma}$	18.5	0.0	0.0	0
$W_{e, Ma}$	96.3	0.0	0.0	0
$R_{e, CIE}$	39.9	58.7	27.9	65.0
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6
$G_{e, CIE}$	52.2	-42.4	13.6	44.5
$B_{e, CIE}$	30.5	1.4	-46.4	46.4



see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05L0FP.PDF /.PS
 application for measurement of offset print output, separationcmykn6* (CMYK)
 TUB material: code=rh4ta



I-113130-L0 SE050-73
 TUB-test chart SE05; 16 hues, offset standard paper APCO
 Test chart according to DIN 33872, 3D=1, de=1, cmyk*





input: $rgb/cmyk \rightarrow rgb_{de}$
 output: 3D-linearization to $cmyk^*_{de}$





see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separationcmykn6* (CMYK)




I-113230-L0 SE050-73
TUB-test chart SE05; 16 hues, offset standard paper APCO input: *rgb/cmyk* -> *rgb_{de}*
Test chart according to DIN 33872, 3D=1, de=1, *cmyk** output: 3D-linearization to *cmyk**_{de}







see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separationcmykn6* (CMYK)

Input and Output: Offset Reflective System ORS18a
Data for any device (d) or elementary (e) colour:
 HIC_e^*
hue text for the colours of this page:
 $H_e^* = R00Y_e, R25Y_e, \dots, B75R_e$




%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



I=113330-L0 SE050-73
TUB-test chart SE05; 16 hues, offset standard paper APCO
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$



Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


$$HIC^*_e$$

hue text for the colours of this page:



$$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$$

see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05L0FP.PDF /.PS
application for measurement of offset print output, separationcmykn6* (CMYK)
TUB material: code=rh4ta



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



I-113430-L0 SE050-73
TUB-test chart SE05; 16 hues, offset standard paper APCO
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


HIC^*_e

hue text for the colours of this page:

$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$

ORS20a; adapted (a) CIELAB data



H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	66.3	31.6	73.4
R25Y_100_100_e	53.4	52.6	45.8	69.7
R50Y_100_100_e	62.5	34.1	56.6	66.1
R75Y_100_100_e	72.7	16.2	69.0	70.9
Y00G_100_100_e	85.1	-3.3	83.7	83.7
Y25G_100_100_e	77.6	-23.7	70.5	74.4
Y50G_100_100_e	67.2	-38.9	51.1	64.2
Y75G_100_100_e	57.9	-53.6	36.3	64.8
G00B_100_100_e	51.7	-69.1	22.1	72.6
G25B_100_100_e	54.0	-55.4	-9.3	56.2
G50B_100_100_e	56.3	-41.9	-31.5	52.4
G75B_100_100_e	51.1	-21.9	-45.6	50.6
B00R_100_100_e	36.7	1.4	-46.6	46.6
B25R_100_100_e	26.2	26.8	-46.1	53.3
B50R_100_100_e	34.9	50.0	-30.5	58.6
B75R_100_100_e	47.3	72.7	-10.1	73.5



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e, Ma}$	47.6	66.3	31.6	73.4
$Y_{e, Ma}$	85.1	-3.3	83.7	83.7
$G_{e, Ma}$	51.7	-69.1	22.1	72.6
$C_{e, Ma}$	56.3	-41.9	-31.5	52.4
$B_{e, Ma}$	36.7	1.4	-46.6	46.6
$M_{e, Ma}$	34.9	50.0	-30.5	58.6
$N_{e, Ma}$	18.5	0.0	0.0	0
$W_{e, Ma}$	96.3	0.0	0.0	0
$R_{e, CIE}$	39.9	58.7	27.9	65.0
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6
$G_{e, CIE}$	52.2	-42.4	13.6	44.5
$B_{e, CIE}$	30.5	1.4	-46.4	46.4



see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05L0FP.PDF /PS
 application for measurement of offset print output, separationcmykn6* (CMYK)
 TUB material: code=rh4ta



I-113530-L0 SE050-73
 TUB-test chart SE05; 16 hues, offset standard paper APCO
 Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
 output: 3D-linearization to $cmyk^*_{de}$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 89.4 \ 89.6 \ 96.0$
 $LAB^*_d = 89.4 \ -9.5 \ 89.0$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 51.6 \ 73.1 \ 161.6$
 $LAB^*_d = 51.6 \ -69.3 \ 23.0$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 57.8 \ 55.3 \ 234.6$
 $LAB^*_d = 57.8 \ -31.9 \ -45.1$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 47.5 \ 76.0 \ 30.4$
 $LAB^*_d = 47.5 \ 65.5 \ 38.4$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 48.2 \ 74.7 \ 353.2$
 $LAB^*_d = 48.2 \ 74.2 \ -8.7$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 24.9 \ 53.0 \ 295.6$
 $LAB^*_d = 24.9 \ 22.9 \ -47.8$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 85.1 \ 83.7 \ 92.3$
 $LAB^*_e = 85.1 \ -3.3 \ 83.7$
 $rgb^*_{de} = 1.0 \ 0.868 \ 0.0$

G_e green

$LCH^*_e = 51.7 \ 72.6 \ 162.2$
 $LAB^*_e = 51.7 \ -69.1 \ 22.1$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.011$

C_e blue-green

$LCH^*_e = 56.3 \ 52.4 \ 216.9$
 $LAB^*_e = 56.3 \ -41.9 \ -31.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.712$

B_e blue

$LCH^*_e = 36.7 \ 46.6 \ 271.7$
 $LAB^*_e = 36.7 \ 1.4 \ -46.6$
 $rgb^*_{de} = 0.0 \ 0.358 \ 1.0$

R_e red

$LCH^*_e = 47.6 \ 73.4 \ 25.4$
 $LAB^*_e = 47.6 \ 66.3 \ 31.6$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.131$

M_e blue-red

$LCH^*_e = 34.9 \ 58.6 \ 328.6$
 $LAB^*_e = 34.9 \ 50.0 \ -30.5$
 $rgb^*_{de} = 0.42 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 82.9 \ 81.0 \ 90.0$
 $LAB^*_s = 82.9 \ 0.0 \ 81.0$
 $rgb^*_{ds} = 1.0 \ 0.812 \ 0.0$

G_s green

$LCH^*_s = 56.4 \ 65.7 \ 150.0$
 $LAB^*_s = 56.4 \ -56.9 \ 32.8$
 $rgb^*_{ds} = 0.117 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 55.5 \ 52.6 \ 210.0$
 $LAB^*_s = 55.5 \ -45.6 \ -26.3$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.63$

R_s red

$LCH^*_s = 47.5 \ 75.8 \ 30.0$
 $LAB^*_s = 47.5 \ 65.6 \ 37.9$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.01$

M_s blue-red

$LCH^*_s = 35.6 \ 59.1 \ 330.0$
 $LAB^*_s = 35.6 \ 51.2 \ -29.5$
 $rgb^*_{ds} = 0.443 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 37.5 \ 46.4 \ 270.0$
 $LAB^*_s = 37.5 \ 0.0 \ -46.4$
 $rgb^*_{ds} = 0.0 \ 0.38 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_{de} produce the output of the device-independent elementary hues

I-113630-L0

SE050-73

LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

Output: Offset standard print; separation cmy6*, D65, page 7/33

TUB-test chart SE05; 16 hues, offset standard paper APCO input: $rgb/cmyk \rightarrow rgb_{de}$
 48 step hue circles; $rgb-LabCh^*$ tables, 3D=1, de=1, $cmyk^*$ output: 3D-linearization to $cmyk^*_{de}$


I-113630-F0

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /PS
 application for measurement of offset print output, separationcmy6* (CMYK)
 TUB material: code=rha4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a*, d_d64M, LAB*_{ddx64M} (x=LabCh), r_{gb}^a*, d_dx361M, LAB*_{ddx361M} (x=LabCh), r_{gb}^a*, d_sx361M, LAB*_{dsx361M} (x=LabCh), r_{gb}^a*, d_sx361M, LAB*_{dex361M} (x=LabCh), r_{gb}^a*, d_sx361M, LAB*_{dex361M} (x=LabCh). Rows contain numerical data for 60 different color patches.



see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /PS
application for measurement of offset print output, separationcmykn6* (CMYK)
TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separationcmyk6* (CMYK)
TUB material: code=rh4t4

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2; Six hue angles of the elementary colours RYGBM_c: h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb[*]_{dd64M}</i>	<i>LAB[*]_{ddx64M}</i>	<i>x=LabCh</i>	<i>30.4</i>	<i>96.1</i>	<i>161.6</i>	<i>234.7</i>	<i>295.7</i>	<i>353.2</i>	<i>rgb[*]_{dex361M}</i>	<i>LAB[*]_{dex361M}</i>	<i>30.4</i>	<i>96.1</i>	<i>161.6</i>	<i>234.7</i>	<i>295.7</i>	<i>353.2</i>	<i>rgb[*]_{dd}</i>	<i>rgb[*]_{ds}</i>	<i>rgb[*]_{de}</i>
30.4	30.0	25.4	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4		1.0	0.0	0.131	47.7	66.3	31.6	73.5	25			
37.2	37.5	33.8	1.0	0.125	0.0	51.5	56.6	43.1	71.2	37.2		1.0	0.052	0.0	49.2	61.9	40.6	74.0	33			
47.2	45.0	42.1	1.0	0.25	0.0	56.6	45.8	49.4	67.4	47.2		1.0	0.187	0.0	54.1	51.4	46.6	69.4	42			
58.6	52.5	50.5	1.0	0.375	0.0	62.3	34.4	56.4	66.1	58.6		1.0	0.28	0.0	58.0	43.2	51.4	67.1	49			
69.1	60.0	58.8	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1		1.0	0.378	0.0	62.5	34.2	56.6	66.1	58			
80.3	67.5	67.2	1.0	0.625	0.0	74.9	12.1	71.5	72.5	80.3		1.0	0.471	0.0	66.8	26.6	61.7	67.1	66			
87.4	75.0	75.6	1.0	0.75	0.0	80.5	3.4	78.0	78.1	87.4		1.0	0.572	0.0	72.1	17.5	68.2	70.4	75			
92.5	82.5	83.9	1.0	0.875	0.0	85.4	-3.7	84.0	84.0	92.5		1.0	0.679	0.0	77.4	8.6	74.5	75.0	83			
96.0	90.0	92.3	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0		1.0	0.868	0.0	85.2	-3.3	83.7	83.8	92			
99.5	97.5	101.0	0.875	1.0	0.0	86.7	-13.9	82.7	83.8	99.5		1.0	0.842	1.0	0.0	85.9	-14.9	81.3	82.6	100		
102.9	105.0	109.7	0.75	1.0	0.0	83.7	-17.7	77.1	79.2	102.9		1.0	0.598	1.0	0.0	77.0	-24.8	69.2	73.5	109		
107.9	112.5	118.5	0.625	1.0	0.0	77.9	-23.1	71.3	75.0	107.9		1.0	0.477	1.0	0.0	72.4	-31.4	59.4	67.3	117		
116.4	120.0	127.2	0.5	1.0	0.0	73.1	-30.2	60.8	67.9	116.4		1.0	0.35	1.0	0.0	67.3	-38.8	51.1	64.3	127		
124.5	127.5	136.0	0.375	1.0	0.0	68.8	-36.5	53.0	64.4	124.5		1.0	0.276	1.0	0.0	62.5	-45.4	44.8	63.9	135		
138.2	135.0	144.7	0.25	1.0	0.0	60.8	-47.5	42.4	63.7	138.2		1.0	0.176	1.0	0.0	58.4	-52.7	37.3	64.6	144		
149.2	142.5	153.4	0.125	1.0	0.0	56.7	-56.1	33.3	65.2	149.2		1.0	0.088	1.0	0.0	55.2	-60.1	30.8	67.6	152		
161.6	150.0	162.2	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6		1.0	0.0	1.0	0.011	51.7	-69.0	22.2	72.6	162		
168.3	157.5	169.0	0.0	1.0	0.125	52.3	-66.1	13.6	67.5	168.3		1.0	0.129	52.4	-65.9	13.3	67.3	67.3	168			
176.2	165.0	175.9	0.0	1.0	0.25	53.0	-61.8	4.0	61.9	176.2		1.0	0.244	53.0	-62.0	4.4	62.2	175				
186.9	172.5	182.7	0.0	1.0	0.375	53.8	-56.5	-6.8	56.9	186.9		1.0	0.321	53.5	-59.0	-2.3	59.1	182				
198.8	180.0	189.6	0.0	1.0	0.5	54.6	-50.8	-17.3	53.7	198.8		1.0	0.403	54.0	-55.4	-9.3	56.2	189				
209.5	187.5	196.4	0.0	1.0	0.625	55.4	-45.8	-25.9	52.6	209.5		1.0	0.47	54.5	-52.3	-14.9	54.5	195				
220.1	195.0	203.2	0.0	1.0	0.75	56.6	-40.0	-33.7	52.4	220.1		1.0	0.552	55.0	-48.9	-21.0	53.3	203				
227.6	202.5	210.1	0.0	1.0	0.875	57.2	-36.1	-39.6	53.6	227.6		1.0	0.627	55.5	-45.7	-26.0	52.7	209				
234.6	210.0	216.9	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6		1.0	0.713	56.3	-41.8	-31.5	52.5	216				
238.7	217.5	223.8	0.0	0.875	1.0	54.9	-27.5	-45.3	53.0	238.7		1.0	0.804	56.9	-38.4	-36.3	52.9	223				
244.0	225.0	230.6	0.0	0.75	1.0	51.3	-22.1	-45.6	50.7	244.0		1.0	0.929	57.5	-34.4	-41.9	54.4	230				
250.7	232.5	237.5	0.0	0.625	1.0	47.2	-16.0	-45.9	48.7	250.7		1.0	0.927	1.0	56.1	-29.3	-45.2	54.0	237			
260.4	240.0	244.3	0.0	0.5	1.0	42.3	-7.7	-46.3	46.9	260.4		1.0	0.745	1.0	51.2	-21.8	-45.6	50.6	244			
270.4	247.5	251.2	0.0	0.375	1.0	37.3	0.3	-46.4	46.4	270.4		1.0	0.625	1.0	47.3	-16.0	-45.9	48.7	250			
280.2	255.0	258.0	0.0	0.25	1.0	32.7	8.5	-47.0	47.8	280.2		1.0	0.531	1.0	43.6	-9.7	-46.3	47.4	258			
289.3	262.5	264.8	0.0	0.125	1.0	28.1	16.7	-47.6	50.4	289.3		1.0	0.45	1.0	40.3	-4.4	-46.5	46.8	264			
295.6	270.0	271.7	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6		1.0	0.358	1.0	36.7	1.4	-46.5	46.7	271			
305.9	277.5	278.8	0.125	0.0	1.0	27.8	31.4	-43.4	53.6	305.9		1.0	0.274	1.0	33.7	6.9	-47.0	47.6	278			
311.7	285.0	285.9	0.25	0.0	1.0	29.9	36.0	-40.4	54.1	311.7		1.0	0.172	1.0	29.9	13.6	-47.5	49.5	285			
325.9	292.5	293.0	0.375	0.0	1.0	33.7	47.7	-32.2	57.5	325.9		1.0	0.061	1.0	26.5	19.9	-47.7	51.8	292			
333.2	300.0	300.1	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2		1.0	0.055	0.0	1.0	26.3	26.8	-46.0	53.3	300		
339.6	307.5	307.2	0.625	0.0	1.0	40.2	59.7	-22.1	63.7	339.6		1.0	0.144	0.0	1.0	28.2	32.2	-42.9	53.7	306		
346.7	315.0	314.3	0.75	0.0	1.0	43.3	66.7	-15.7	68.5	346.7		1.0	0.273	0.0	1.0	30.7	38.3	-39.1	54.8	314		
350.3	322.5	321.4	0.875	0.0	1.0	45.9	70.7	-12.0	71.7	350.3		1.0	0.332	0.0	1.0	32.5	43.9	-35.4	56.4	321		
353.2	330.0	328.6	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2		1.0	0.42	0.0	1.0	35.0	50.0	-30.4	58.6	328		
356.1	337.5	335.7	1.0	0.0	0.875	48.2	73.1	-4.9	73.3	356.1		1.0	0.538	0.0	1.0	38.1	55.8	-25.6	61.4	335		
359.3	345.0	342.8	1.0	0.0	0.75	48.1	72.1	-0.7	72.1	359.3		1.0	0.681	0.0	1.0	41.6	63.0	-19.4	65.9	342		
364.0	352.5	349.9	1.0	0.0	0.625	48.0	70.7	4.9	70.9	364.0		1.0	0.844	0.0	1.0	45.3	69.7	-12.9	70.9	349		
369.2	360.0	357.0	1.0	0.0	0.5	47.8	69.7	11.3	70.6	369.2		1.0	0.949	0.0	1.0	47.3	72.8	-10.1	73.5	352		
375.0	367.5	364.1	1.0	0.0	0.375	47.8	68.2	18.3	70.6	375.0		1.0	1.0	0.0	0.737	48.1	72.0	-0.1	72.0	359		
380.8	375.0	371.2	1.0	0.0	0.25	47.8	67.0	25.4	71.7	380.8		1.0	0.210	0.0	0.512	47.9	69.8	10.8	70.7	368		
385.7	382.5	378.3	1.0	0.0	0.125	47.6	66.2	31.9	73.5	385.7		1.0	0.0	0.342	47.9	68.0	20.2	70.9	376			
390.4	390.0	385.4	1.0	0.0	0.0	47.5	65.5	38.4	76.0	390.4		1.0	0.0	0.131	47.7	66.3	31.6	73.5	385			

Data of Maximum color M in colorimetric system Offset standard print; separation cmycn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dtx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* de361Mi	R _e	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi
30	30	25	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30	R _d	1.0 0.0 0.011	47.5 65.7 37.9 75.8 30	R _s	1.0 0.0 0.0	1.0 0.0 0.131	47.7 66.3 31.6 73.5 25	R _e	1.0 0.0 0.0	0.0
31	31	26	1.0 0.016 0.0	48.0 64.4 39.2 75.4 31		1.0 0.011 0.0	47.9 64.8 39.0 75.6 31		1.0 0.017 0.0	1.0 0.0 0.102	47.6 66.2 33.1 74.0 26		1.0 0.017 0.0	0.0
32	32	27	1.0 0.033 0.0	48.5 63.2 39.8 74.7 32		1.0 0.029 0.0	48.5 63.6 39.7 74.9 32		1.0 0.033 0.0	1.0 0.0 0.072	47.6 66.1 34.7 74.6 27		1.0 0.033 0.0	0.0
33	33	28	1.0 0.05 0.0	49.1 62.0 40.5 74.1 33		1.0 0.047 0.0	49.0 62.3 40.4 74.2 33		1.0 0.05 0.0	1.0 0.0 0.043	47.6 65.9 36.3 75.2 28		1.0 0.05 0.0	0.0
34	34	29	1.0 0.066 0.0	49.6 60.8 41.1 73.5 34		1.0 0.065 0.0	49.6 61.0 41.1 73.5 34		1.0 0.067 0.0	1.0 0.0 0.013	47.5 65.7 37.8 75.8 29		1.0 0.067 0.0	0.0
34	35	31	1.0 0.083 0.0	50.2 59.6 41.7 72.8 34		1.0 0.084 0.0	50.2 59.7 41.8 72.8 35		1.0 0.083 0.0	1.0 0.012 0.0	47.9 64.8 39.0 75.6 31		1.0 0.083 0.0	0.0
35	36	32	1.0 0.1 0.0	50.7 58.4 42.3 72.1 35		1.0 0.102 0.0	50.8 58.3 42.4 72.1 36		1.0 0.1 0.0	1.0 0.032 0.0	48.6 63.3 39.8 74.8 32		1.0 0.1 0.0	0.0
36	37	33	1.0 0.116 0.0	51.2 57.2 42.8 71.5 36		1.0 0.12 0.0	51.4 57.0 43.0 71.4 37		1.0 0.117 0.0	1.0 0.052 0.0	49.2 61.9 40.6 74.0 33		1.0 0.117 0.0	0.0
37	38	34	1.0 0.133 0.0	51.8 55.9 43.6 70.9 37		1.0 0.134 0.0	51.9 55.9 43.7 71.0 38		1.0 0.133 0.0	1.0 0.073 0.0	49.9 60.5 41.4 73.3 34		1.0 0.133 0.0	0.0
39	39	35	1.0 0.15 0.0	52.5 54.5 44.5 70.4 39		1.0 0.147 0.0	52.4 54.8 44.4 70.6 39		1.0 0.15 0.0	1.0 0.093 0.0	50.5 59.0 42.1 72.5 35		1.0 0.15 0.0	0.0
40	40	36	1.0 0.166 0.0	53.2 53.1 45.5 69.9 40		1.0 0.159 0.0	52.9 53.8 45.1 70.2 40		1.0 0.167 0.0	1.0 0.113 0.0	51.2 57.5 42.8 71.7 36		1.0 0.167 0.0	0.0
41	41	37	1.0 0.183 0.0	53.9 51.7 46.3 69.4 41		1.0 0.172 0.0	53.5 52.7 45.8 69.8 41		1.0 0.183 0.0	1.0 0.131 0.0	51.8 56.2 43.5 71.1 37		1.0 0.183 0.0	0.0
43	42	38	1.0 0.2 0.0	54.5 50.2 47.2 68.9 43		1.0 0.185 0.0	54.0 51.6 46.5 69.4 42		1.0 0.2 0.0	1.0 0.145 0.0	52.4 55.0 44.3 70.6 38		1.0 0.2 0.0	0.0
44	43	39	1.0 0.216 0.0	55.2 48.7 48.0 68.4 44		1.0 0.197 0.0	54.5 50.5 47.1 69.0 43		1.0 0.217 0.0	1.0 0.159 0.0	52.9 53.8 45.1 70.2 39		1.0 0.217 0.0	0.0
45	44	41	1.0 0.233 0.0	55.9 47.3 48.7 67.9 45		1.0 0.21 0.0	55.0 49.4 47.7 68.7 44		1.0 0.233 0.0	1.0 0.173 0.0	53.5 52.6 45.8 69.8 41		1.0 0.233 0.0	0.0
47	45	42	1.0 0.25 0.0	56.6 45.8 49.4 67.4 47		1.0 0.222 0.0	55.5 48.3 48.3 68.3 45		1.0 0.25 0.0	1.0 0.187 0.0	54.1 51.4 46.6 69.4 42		1.0 0.25 0.0	0.0
48	46	43	1.0 0.266 0.0	57.3 44.3 50.5 67.2 48		1.0 0.235 0.0	56.0 47.2 48.8 67.9 46		1.0 0.267 0.0	1.0 0.201 0.0	54.6 50.2 47.3 68.9 43		1.0 0.267 0.0	0.0
50	47	44	1.0 0.283 0.0	58.1 42.8 51.5 67.0 50		1.0 0.247 0.0	56.5 46.1 49.4 67.5 47		1.0 0.283 0.0	1.0 0.215 0.0	55.2 48.9 47.9 68.5 44		1.0 0.283 0.0	0.0
51	48	45	1.0 0.3 0.0	58.9 41.4 52.5 66.9 51		1.0 0.259 0.0	57.0 45.1 50.1 67.4 48		1.0 0.3 0.0	1.0 0.229 0.0	55.8 47.7 48.6 68.1 45		1.0 0.3 0.0	0.0
53	49	46	1.0 0.316 0.0	59.6 39.8 53.5 66.7 53		1.0 0.27 0.0	57.5 44.1 50.7 67.2 49		1.0 0.317 0.0	1.0 0.243 0.0	56.3 46.5 49.2 67.7 46		1.0 0.317 0.0	0.0
54	50	47	1.0 0.333 0.0	60.4 38.3 54.3 66.5 54		1.0 0.281 0.0	58.0 43.1 51.4 67.1 50		1.0 0.333 0.0	1.0 0.256 0.0	56.9 45.3 49.9 67.4 47		1.0 0.333 0.0	0.0
56	51	48	1.0 0.35 0.0	61.2 36.7 55.2 66.3 56		1.0 0.292 0.0	58.5 42.2 52.1 67.0 51		1.0 0.35 0.0	1.0 0.268 0.0	57.5 44.2 50.7 67.2 48		1.0 0.35 0.0	0.0
57	52	49	1.0 0.366 0.0	62.0 35.2 56.0 66.2 57		1.0 0.302 0.0	59.0 41.2 52.7 66.9 52		1.0 0.367 0.0	1.0 0.28 0.0	58.0 43.2 51.4 67.1 49		1.0 0.367 0.0	0.0
59	53	51	1.0 0.383 0.0	62.7 33.7 56.9 66.2 59		1.0 0.313 0.0	59.6 40.2 53.3 66.8 53		1.0 0.383 0.0	1.0 0.293 0.0	58.6 42.1 52.1 67.0 51		1.0 0.383 0.0	0.0
60	54	52	1.0 0.4 0.0	63.5 32.4 57.9 66.3 60		1.0 0.324 0.0	60.1 39.2 53.9 66.7 54		1.0 0.4 0.0	1.0 0.305 0.0	59.2 41.0 52.8 66.9 52		1.0 0.4 0.0	0.0
62	55	53	1.0 0.416 0.0	64.2 31.1 58.8 66.5 62		1.0 0.335 0.0	60.6 38.2 54.5 66.5 55		1.0 0.417 0.0	1.0 0.317 0.0	59.7 39.9 53.5 66.7 53		1.0 0.417 0.0	0.0
63	56	54	1.0 0.433 0.0	65.0 29.7 59.7 66.7 63		1.0 0.346 0.0	61.1 37.1 55.1 66.4 56		1.0 0.433 0.0	1.0 0.329 0.0	60.3 38.7 54.2 66.6 54		1.0 0.433 0.0	0.0
64	57	55	1.0 0.45 0.0	65.8 28.3 60.6 66.9 64		1.0 0.357 0.0	61.6 36.1 55.6 66.3 57		1.0 0.45 0.0	1.0 0.341 0.0	60.8 37.6 54.8 66.5 55		1.0 0.45 0.0	0.0
66	58	56	1.0 0.466 0.0	66.5 26.9 61.4 67.0 66		1.0 0.368 0.0	62.1 35.1 56.1 66.2 58		1.0 0.467 0.0	1.0 0.354 0.0	61.4 36.5 55.4 66.3 56		1.0 0.467 0.0	0.0
67	59	57	1.0 0.483 0.0	67.3 25.4 62.2 67.2 67		1.0 0.379 0.0	62.6 34.1 56.7 66.2 59		1.0 0.483 0.0	1.0 0.366 0.0	62.0 35.3 56.0 66.2 57		1.0 0.483 0.0	0.0
69	60	58	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69		1.0 0.391 0.0	63.1 33.1 57.4 66.3 60		1.0 0.5 0.0	1.0 0.378 0.0	62.5 34.2 56.6 66.1 58		1.0 0.5 0.0	0.0
70	61	60	1.0 0.516 0.0	69.0 22.5 64.2 68.1 70		1.0 0.403 0.0	63.7 32.2 58.1 66.4 61		1.0 0.517 0.0	1.0 0.391 0.0	63.1 33.1 57.4 66.3 60		1.0 0.517 0.0	0.0
72	62	61	1.0 0.533 0.0	69.9 21.1 65.5 68.8 72		1.0 0.415 0.0	64.2 31.2 58.8 66.5 62		1.0 0.533 0.0	1.0 0.405 0.0	63.8 32.1 58.2 66.4 61		1.0 0.533 0.0	0.0
73	63	62	1.0 0.55 0.0	70.8 19.6 66.6 69.5 73		1.0 0.427 0.0	64.8 30.3 59.4 66.7 63		1.0 0.55 0.0	1.0 0.418 0.0	64.4 31.0 58.9 66.6 62		1.0 0.55 0.0	0.0
75	64	63	1.0 0.566 0.0	71.7 18.0 67.8 70.1 75		1.0 0.439 0.0	65.3 29.3 60.0 66.8 64		1.0 0.567 0.0	1.0 0.431 0.0	65.0 29.9 59.6 66.7 63		1.0 0.567 0.0	0.0
76	65	64	1.0 0.583 0.0	72.6 16.4 68.9 70.8 76		1.0 0.451 0.0	65.9 28.3 60.7 66.9 65		1.0 0.583 0.0	1.0 0.444 0.0	65.6 28.8 60.3 66.9 64		1.0 0.583 0.0	0.0
78	66	65	1.0 0.6 0.0	73.6 14.7 70.0 71.5 78		1.0 0.463 0.0	66.4 27.3 61.3 67.1 66		1.0 0.6 0.0	1.0 0.458 0.0	66.2 27.7 61.0 67.0 65		1.0 0.6 0.0	0.0
79	67	66	1.0 0.616 0.0	74.5 13.0 71.0 72.2 79		1.0 0.475 0.0	66.9 26.3 61.8 67.2 67		1.0 0.617 0.0	1.0 0.471 0.0	66.8 26.6 61.7 67.1 66		1.0 0.617 0.0	0.0
80	68	67	1.0 0.633 0.0	75.3 11.6 72.0 72.9 80		1.0 0.486 0.0	67.5 25.2 62.4 67.3 68		1.0 0.633 0.0	1.0 0.484 0.0	67.4 25.4 62.3 67.3 67		1.0 0.633 0.0	0.0
81	69	68	1.0 0.65 0.0	76.0 10.5 72.9 73.6 81		1.0 0.498 0.0	68.0 24.2 63.0 67.4 69		1.0 0.65 0.0	1.0 0.497 0.0	68.0 24.3 62.9 67.4 68		1.0 0.65 0.0	0.0
82	70	70	1.0 0.666 0.0	76.8 9.4 73.8 74.4 82		1.0 0.51 0.0	68.6 23.2 63.8 67.8 70		1.0 0.667 0.0	1.0 0.51 0.0	68.6 23.2 63.8 67.9 70		1.0 0.667 0.0	0.0
83	71	71	1.0 0.683 0.0	77.5 8.3 74.7 75.1 83		1.0 0.521 0.0	69.2 22.2 64.6 68.3 71		1.0 0.683 0.0	1.0 0.522 0.0	69.3 22.1 64.7 68.4 71		1.0 0.683 0.0	0.0
84	72	72	1.0 0.7 0.0	78.3 7.1 75.5 75.9 84		1.0 0.532 0.0	69.9 21.3 65.4 68.8 72		1.0 0.7 0.0	1.0 0.535 0.0	70.0 21.0 65.6 68.9 72		1.0 0.7 0.0	0.0
85	73	73	1.0 0.716 0.0	79.0 5.9 76.4 76.6 85		1.0 0.543 0.0	70.5 20.2 66.2 69.2 73		1.0 0.717 0.0	1.0 0.547 0.0	70.7 19.9 66.5 69.4 73		1.0 0.717 0.0	0.0
86	74	74	1.0 0.733 0.0	79.8 4.7 77.2 77.3 86		1.0 0.554 0.0	71.1 19.2 67.0 69.7 74		1.0 0.733 0.0	1.0 0.56 0.0	71.4 18.7 67.4 69.9 74		1.0 0.733 0.0	0.0
87	75	75	1.0 0.75 0.0	80.5 3.4 78.0 78.1 87		1.0 0.565 0.0	71.7 18.2 67.8 70.1 75		1.0 0.75 0.0	1.0 0.572 0.0	72.1 17.5 68.2 70.4 75		1.0 0.75 0.0	0.0

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /PS
application for measurement of offset print output, separationcmycn6* (CMYK)
TUB material: code=rh4t4

1-113930-L0 SE050-73 LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

Output: Offset standard print; separation cmycn6*, D65, page 10/33

TUB-test chart SE05; 16 hues, offset standard paper APCO input: rgb/cmyk -> rgb_{de}
48 step hue circles; rgb-LabCh*tables, 3D=1, de=1, cmyk* output: 3D-linearization to cmyk*_{de}

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM; $d_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	Y_d	Y_s	Y_e
87	75	75	1.0	0.75 0.0	80.5	3.4	78.0	78.1	87	1.0	0.75 0.0	1.0	0.75 0.0
88	76	76	1.0	0.766 0.0	81.2	2.5	78.8	78.9	88	1.0	0.767 0.0	1.0	0.767 0.0
88	77	77	1.0	0.783 0.0	81.8	1.6	79.7	79.7	88	1.0	0.783 0.0	1.0	0.783 0.0
89	78	78	1.0	0.8 0.0	82.4	0.6	80.5	80.5	89	1.0	0.8 0.0	1.0	0.8 0.0
90	79	80	1.0	0.816 0.0	83.1	-0.2	81.3	81.3	90	1.0	0.817 0.0	1.0	0.817 0.0
90	80	81	1.0	0.833 0.0	83.7	-1.2	82.0	82.1	90	1.0	0.833 0.0	1.0	0.833 0.0
91	81	82	1.0	0.85 0.0	84.4	-2.2	82.8	82.8	91	1.0	0.85 0.0	1.0	0.85 0.0
92	82	83	1.0	0.866 0.0	85.0	-3.2	83.6	83.6	92	1.0	0.867 0.0	1.0	0.867 0.0
92	83	84	1.0	0.883 0.0	85.6	-4.1	84.3	84.4	92	1.0	0.883 0.0	1.0	0.883 0.0
93	84	85	1.0	0.9 0.0	86.2	-4.8	85.0	85.1	93	1.0	0.9 0.0	1.0	0.9 0.0
93	85	86	1.0	0.916 0.0	86.7	-5.6	85.7	85.9	93	1.0	0.917 0.0	1.0	0.917 0.0
94	86	87	1.0	0.933 0.0	87.2	-6.3	86.4	86.6	94	1.0	0.933 0.0	1.0	0.933 0.0
94	87	88	1.0	0.95 0.0	87.8	-7.1	87.1	87.3	94	1.0	0.95 0.0	1.0	0.95 0.0
95	88	90	1.0	0.966 0.0	88.3	-7.9	87.7	88.1	95	1.0	0.967 0.0	1.0	0.967 0.0
95	89	91	1.0	0.983 0.0	88.8	-8.7	88.4	88.8	95	1.0	0.983 0.0	1.0	0.983 0.0
96	90	92	1.0	1.0 0.0	89.4	-9.5	89.0	89.6	96	1.0	1.0 0.0	1.0	1.0 0.0
96	91	93	0.983	1.0 0.0	89.0	-10.1	88.2	88.8	96	1.0	0.836 0.0	0.983	1.0 0.0
97	92	94	0.966	1.0 0.0	88.6	-10.7	87.4	88.0	97	1.0	0.861 0.0	0.967	1.0 0.0
97	93	95	0.95	1.0 0.0	88.3	-11.3	86.5	87.3	97	1.0	0.89 0.0	0.95	1.0 0.0
97	94	96	0.933	1.0 0.0	87.9	-11.9	85.7	86.5	97	1.0	0.925 0.0	0.933	1.0 0.0
98	95	98	0.916	1.0 0.0	87.6	-12.5	84.8	85.7	98	1.0	0.961 0.0	0.917	1.0 0.0
98	96	99	0.9	1.0 0.0	87.2	-13.0	84.0	85.0	98	1.0	0.997 0.0	0.9	1.0 0.0
99	97	100	0.883	1.0 0.0	86.9	-13.6	83.1	84.2	99	0.967	1.0 0.0	0.883	1.0 0.0
99	98	101	0.866	1.0 0.0	86.5	-14.2	82.3	83.5	99	0.931	1.0 0.0	0.867	1.0 0.0
100	99	102	0.85	1.0 0.0	86.1	-14.7	81.6	82.9	100	0.895	1.0 0.0	0.85	1.0 0.0
100	100	103	0.833	1.0 0.0	85.7	-15.2	80.8	82.3	100	0.859	1.0 0.0	0.833	1.0 0.0
101	101	105	0.816	1.0 0.0	85.3	-15.8	80.1	81.6	101	0.822	1.0 0.0	0.817	1.0 0.0
101	102	106	0.8	1.0 0.0	84.9	-16.3	79.4	81.0	101	0.786	1.0 0.0	0.8	1.0 0.0
102	103	107	0.783	1.0 0.0	84.5	-16.8	78.6	80.4	102	0.75	1.0 0.0	0.783	1.0 0.0
102	104	108	0.766	1.0 0.0	84.1	-17.3	77.9	79.8	102	0.725	1.0 0.0	0.767	1.0 0.0
102	105	109	0.75	1.0 0.0	83.7	-17.7	77.1	79.2	102	0.7	1.0 0.0	0.75	1.0 0.0
103	106	110	0.733	1.0 0.0	82.9	-18.5	76.4	78.6	103	0.675	1.0 0.0	0.733	1.0 0.0
104	107	112	0.716	1.0 0.0	82.1	-19.3	75.6	78.0	104	0.65	1.0 0.0	0.717	1.0 0.0
104	108	113	0.7	1.0 0.0	81.4	-20.0	74.8	77.5	104	0.625	1.0 0.0	0.7	1.0 0.0
105	109	114	0.683	1.0 0.0	80.6	-20.7	74.1	76.9	105	0.61	1.0 0.0	0.683	1.0 0.0
106	110	115	0.666	1.0 0.0	79.8	-21.4	73.3	75.4	106	0.595	1.0 0.0	0.667	1.0 0.0
106	111	116	0.65	1.0 0.0	79.1	-22.1	72.5	75.8	106	0.58	1.0 0.0	0.65	1.0 0.0
107	112	117	0.633	1.0 0.0	78.3	-22.8	71.7	75.2	107	0.566	1.0 0.0	0.633	1.0 0.0
108	113	119	0.616	1.0 0.0	77.6	-23.7	70.6	74.5	108	0.551	1.0 0.0	0.617	1.0 0.0
109	114	120	0.6	1.0 0.0	77.0	-24.7	69.2	73.5	109	0.536	1.0 0.0	0.6	1.0 0.0
110	115	121	0.583	1.0 0.0	76.3	-25.8	67.9	72.6	110	0.521	1.0 0.0	0.583	1.0 0.0
111	116	122	0.566	1.0 0.0	75.7	-26.7	66.5	71.7	111	0.506	1.0 0.0	0.567	1.0 0.0
113	117	123	0.55	1.0 0.0	75.1	-27.6	65.1	70.7	113	0.491	1.0 0.0	0.55	1.0 0.0
114	118	124	0.533	1.0 0.0	74.4	-28.5	63.6	69.8	114	0.476	1.0 0.0	0.533	1.0 0.0
115	119	126	0.516	1.0 0.0	73.8	-29.4	62.2	68.8	115	0.46	1.0 0.0	0.517	1.0 0.0
116	120	127	0.5	1.0 0.0	73.1	-30.2	60.8	67.9	116	0.445	1.0 0.0	0.5	1.0 0.0



see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separationcmykn6* (CMYK)
TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization SE05/SE05LE30FP.DAT in file (F), page 12/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmytn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB₆: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGCMB_d: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours RYGCMB_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$																							
116	120	127	0.5	1.0	0.0	73.1	-30.2	60.8	67.9	116	0.445	1.0	0.0	71.3	-33.1	57.5	66.4	120	0.5	1.0	0.0	0.35	1.0	0.0	67.3	-38.8	51.1	64.3	127	0.5	1.0	0.0			
117	121	128	0.483	1.0	0.0	72.6	-31.1	59.8	67.4	117	0.43	1.0	0.0	70.8	-33.9	56.5	65.9	121	0.483	1.0	0.0	0.34	1.0	0.0	66.6	-39.8	50.3	64.2	128	0.483	1.0	0.0			
118	122	129	0.466	1.0	0.0	72.0	-32.0	58.8	66.9	118	0.415	1.0	0.0	70.2	-34.6	55.6	65.5	122	0.467	1.0	0.0	0.329	1.0	0.0	65.9	-40.8	49.4	64.2	129	0.467	1.0	0.0			
119	123	130	0.45	1.0	0.0	71.4	-32.9	57.7	66.5	119	0.399	1.0	0.0	69.7	-35.3	54.6	65.1	123	0.45	1.0	0.0	0.319	1.0	0.0	65.2	-41.7	48.5	64.1	130	0.45	1.0	0.0			
120	124	131	0.433	1.0	0.0	70.8	-33.7	56.7	66.0	120	0.384	1.0	0.0	69.2	-36.1	53.6	64.7	124	0.433	1.0	0.0	0.308	1.0	0.0	64.6	-42.7	47.6	64.0	131	0.433	1.0	0.0			
121	125	133	0.416	1.0	0.0	70.2	-34.6	55.6	65.5	121	0.371	1.0	0.0	68.6	-36.8	52.7	64.4	125	0.417	1.0	0.0	0.297	1.0	0.0	63.9	-43.6	46.7	64.0	133	0.417	1.0	0.0			
122	126	134	0.4	1.0	0.0	69.7	-35.4	54.6	65.1	122	0.362	1.0	0.0	68.0	-37.7	52.0	64.3	126	0.4	1.0	0.0	0.287	1.0	0.0	63.2	-44.5	45.8	63.9	134	0.4	1.0	0.0			
124	127	135	0.383	1.0	0.0	69.1	-36.1	53.5	64.6	124	0.353	1.0	0.0	67.4	-38.6	51.3	64.3	127	0.383	1.0	0.0	0.276	1.0	0.0	62.5	-45.4	44.8	63.9	135	0.383	1.0	0.0			
125	128	136	0.366	1.0	0.0	68.3	-37.3	52.3	64.3	125	0.344	1.0	0.0	66.9	-39.4	50.6	64.2	128	0.367	1.0	0.0	0.265	1.0	0.0	61.8	-46.2	43.8	63.8	136	0.367	1.0	0.0			
127	129	137	0.35	1.0	0.0	67.2	-38.9	51.1	64.2	127	0.335	1.0	0.0	66.3	-40.3	49.9	64.2	129	0.35	1.0	0.0	0.255	1.0	0.0	61.2	-47.1	42.9	63.7	137	0.35	1.0	0.0			
129	130	138	0.333	1.0	0.0	66.1	-40.5	49.7	64.1	129	0.326	1.0	0.0	65.7	-41.1	49.1	64.1	130	0.333	1.0	0.0	0.243	1.0	0.0	60.6	-48.0	41.9	63.8	138	0.333	1.0	0.0			
130	131	140	0.316	1.0	0.0	65.1	-42.0	48.3	64.0	130	0.316	1.0	0.0	65.1	-41.9	48.4	64.1	131	0.317	1.0	0.0	0.229	1.0	0.0	60.2	-49.0	41.0	64.0	140	0.317	1.0	0.0			
132	132	141	0.3	1.0	0.0	64.0	-43.4	46.9	63.9	132	0.307	1.0	0.0	64.5	-42.7	47.6	64.0	132	0.3	1.0	0.0	0.216	1.0	0.0	59.7	-49.9	40.1	64.1	141	0.3	1.0	0.0			
134	133	142	0.283	1.0	0.0	63.0	-44.8	45.4	63.8	134	0.298	1.0	0.0	63.9	-43.5	46.8	64.0	133	0.283	1.0	0.0	0.203	1.0	0.0	59.3	-50.9	39.2	64.3	142	0.283	1.0	0.0			
136	134	143	0.266	1.0	0.0	61.9	-46.2	43.9	63.8	136	0.289	1.0	0.0	63.4	-44.3	46.0	63.9	134	0.267	1.0	0.0	0.19	1.0	0.0	58.9	-51.8	38.3	64.5	143	0.267	1.0	0.0			
138	135	144	0.25	1.0	0.0	60.8	-47.5	42.4	63.7	138	0.28	1.0	0.0	62.8	-45.1	45.2	63.9	135	0.25	1.0	0.0	0.176	1.0	0.0	58.4	-52.7	37.3	64.6	144	0.25	1.0	0.0			
139	136	145	0.233	1.0	0.0	60.3	-48.7	41.3	63.9	139	0.271	1.0	0.0	62.2	-45.8	44.3	63.8	136	0.233	1.0	0.0	0.163	1.0	0.0	58.0	-53.6	36.3	64.8	145	0.233	1.0	0.0			
141	137	147	0.216	1.0	0.0	59.7	-49.9	40.1	64.1	141	0.262	1.0	0.0	61.6	-46.5	43.5	63.8	137	0.217	1.0	0.0	0.15	1.0	0.0	57.6	-54.4	35.3	65.0	147	0.217	1.0	0.0			
142	138	148	0.2	1.0	0.0	59.2	-51.1	39.0	64.3	142	0.252	1.0	0.0	61.0	-47.3	42.6	63.7	138	0.2	1.0	0.0	0.137	1.0	0.0	57.1	-55.3	34.3	65.1	148	0.2	1.0	0.0			
144	139	149	0.183	1.0	0.0	58.6	-52.3	37.8	64.5	144	0.242	1.0	0.0	60.6	-48.1	41.9	63.8	139	0.183	1.0	0.0	0.123	1.0	0.0	56.7	-56.2	33.3	65.4	149	0.183	1.0	0.0			
145	140	150	0.166	1.0	0.0	58.1	-53.4	36.5	64.7	145	0.23	1.0	0.0	60.2	-48.9	41.1	64.0	140	0.167	1.0	0.0	0.112	1.0	0.0	56.2	-57.5	32.5	66.1	150	0.167	1.0	0.0			
147	141	151	0.15	1.0	0.0	57.5	-54.5	35.3	64.9	147	0.219	1.0	0.0	59.8	-49.7	40.3	64.1	141	0.15	1.0	0.0	0.1	1.0	0.0	55.7	-58.8	31.7	66.9	151	0.15	1.0	0.0			
148	142	152	0.133	1.0	0.0	57.0	-55.5	34.0	65.1	148	0.207	1.0	0.0	59.5	-50.5	39.6	64.2	142	0.133	1.0	0.0	0.088	1.0	0.0	55.2	-60.1	30.8	67.6	152	0.133	1.0	0.0			
150	143	154	0.116	1.0	0.0	56.3	-57.0	32.8	65.8	150	0.196	1.0	0.0	59.1	-51.3	38.8	64.4	143	0.117	1.0	0.0	0.076	1.0	0.0	54.8	-61.3	29.9	68.3	154	0.117	1.0	0.0			
151	144	155	0.1	1.0	0.0	55.7	-58.8	31.6	66.8	151	0.185	1.0	0.0	58.7	-52.1	37.9	64.5	144	0.1	1.0	0.0	0.065	1.0	0.0	54.3	-62.6	28.9	69.1	155	0.1	1.0	0.0			
153	145	156	0.083	1.0	0.0	55.0	-60.6	30.4	67.8	153	0.173	1.0	0.0	58.3	-52.9	37.1	64.7	145	0.083	1.0	0.0	0.053	1.0	0.0	53.8	-63.9	27.9	69.8	156	0.083	1.0	0.0			
155	146	157	0.066	1.0	0.0	54.3	-62.4	29.1	68.9	155	0.162	1.0	0.0	58.0	-53.6	36.2	64.8	146	0.067	1.0	0.0	0.041	1.0	0.0	53.3	-65.1	26.9	70.5	157	0.067	1.0	0.0			
156	147	158	0.049	1.0	0.0	53.6	-64.2	27.7	69.9	156	0.151	1.0	0.0	57.6	-54.4	35.4	65.0	147	0.05	1.0	0.0	0.029	1.0	0.0	52.8	-66.3	25.9	71.3	158	0.05	1.0	0.0			
158	148	159	0.033	1.0	0.0	53.0	-65.9	26.2	71.0	158	0.139	1.0	0.0	57.2	-55.1	34.5	65.1	148	0.033	1.0	0.0	0.017	1.0	0.0	52.4	-67.5	24.8	72.0	159	0.033	1.0	0.0			
159	149	161	0.016	1.0	0.0	52.3	-67.7	24.6	72.0	159	0.128	1.0	0.0	56.8	-55.8	33.6	65.2	149	0.017	1.0	0.0	0.006	1.0	0.0	51.9	-68.7	23.6	72.8	161	0.017	1.0	0.0			
161	150	162	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161	G_d 0.117	1.0	0.0	56.4	-56.8	32.9	65.8	150	G_s 0.0	1.0	0.0	0.0	1.0	0.011	51.7	-69.0	22.2	72.6	162	G_e 0.0	1.0	0.0			
162	151	163	0.0	1.0	0.016	51.7	-69.0	21.7	72.3	162	0.107	1.0	0.0	56.0	-58.0	32.2	66.4	151	0.0	1.0	0.017	0.0	1.0	0.028	51.8	-68.7	20.8	71.8	163	0.0	1.0	0.017			
163	152	164	0.0	1.0	0.033	51.8	-68.6	20.4	71.6	163	0.097	1.0	0.0	55.6	-59.1	31.5	67.0	152	0.0	1.0	0.033	0.0	1.0	0.045	51.9	-68.3	19.5	71.1	164	0.0	1.0	0.033			
164	153	164	0.0	1.0	0.05	51.9	-68.2	19.1	70.8	164	0.087	1.0	0.0	55.2	-60.2	30.7	67.7	153	0.0	1.0	0.05	0.0	1.0	0.062	52.0	-67.8	18.2	70.3	164	0.0	1.0	0.05			
165	154	165	0.0	1.0	0.066	52.0	-67.8	17.9	70.1	165	0.077	1.0	0.0	54.8	-61.3	29.9	68.3	154	0.0	1.0	0.067	0.0	1.0	0.079	52.1	-67.4	17.0	69.6	165	0.0	1.0	0.067			
166	155	166	0.0	1.0	0.083	52.1	-67.3	16.6	69.3	166	0.067	1.0	0.0	54.4	-62.4	29.1	68.9	155	0.0	1.0	0.083	0.0	1.0	0.096	52.2	-66.9	15.7	68.8	166	0.0	1.0	0.083			
166	156	167	0.0	1.0	0.1	52.2	-66.8	15.4	68.6	166	0.057	1.0	0.0	54.0	-63.4	28.3	69.6	156	0.0	1.0	0.1	0.0	1.0	0.113	52.3	-66.4	14.5	68.1	167	0.0	1.0	0.1			
167	157	168	0.0	1.0	0.116	52.3	-66.3	14.2	67.9	167	0.047	1.0	0.0	53.5	-64.5	27.4	70.2	157	0.0	1.0	0.117	0.0	1.0	0.129	52.4	-65.9	13.3	67.3	168	0.0	1.0	0.117			
168	158	169	0.0	1.0	0.133	52.4	-65.9	12.9	67.1	168	0.037	1.0	0.0	53.1	-65.6	26.5	70.8	158	0.0	1.0	0.133	0.													

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB_c: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGCMB _d : h _{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2;			Six hue angles of the elementary colours RYGCMB _c : h _{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6											
h _{ab,d}	h _{ab,s}	h _{ab,c}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi
176	165	175	0.0	1.0	0.25	53.0	-61.8	4.0	61.9	176	0.0	1.0	0.25	53.0
177	166	176	0.0	1.0	0.266	53.1	-61.2	2.4	61.3	177	0.0	1.0	0.267	53.1
179	167	177	0.0	1.0	0.283	53.2	-60.6	0.9	60.6	179	0.0	1.0	0.283	53.2
180	168	178	0.0	1.0	0.3	53.3	-59.9	-0.5	59.9	180	0.0	1.0	0.3	53.3
181	169	179	0.0	1.0	0.316	53.4	-59.2	-2.0	59.3	181	0.0	1.0	0.317	53.4
183	170	180	0.0	1.0	0.333	53.5	-58.5	-3.4	58.6	183	0.0	1.0	0.333	53.5
184	171	181	0.0	1.0	0.35	53.7	-57.7	-4.8	57.9	184	0.0	1.0	0.35	53.7
186	172	182	0.0	1.0	0.366	53.8	-56.9	-6.1	57.3	186	0.0	1.0	0.367	53.8
187	173	183	0.0	1.0	0.383	53.9	-56.2	-7.6	56.7	187	0.0	1.0	0.383	53.9
189	174	184	0.0	1.0	0.4	54.0	-55.5	-9.0	56.3	189	0.0	1.0	0.4	54.0
190	175	185	0.0	1.0	0.416	54.1	-54.8	-10.5	55.8	190	0.0	1.0	0.417	54.1
192	176	185	0.0	1.0	0.433	54.2	-54.1	-11.9	55.4	192	0.0	1.0	0.433	54.2
194	177	186	0.0	1.0	0.45	54.3	-53.3	-13.3	55.0	194	0.0	1.0	0.45	54.3
195	178	187	0.0	1.0	0.466	54.4	-52.5	-14.7	54.6	195	0.0	1.0	0.467	54.4
197	179	188	0.0	1.0	0.483	54.5	-51.7	-16.0	54.1	197	0.0	1.0	0.483	54.5
198	180	189	0.0	1.0	0.5	54.6	-50.8	-17.3	53.7	198	0.0	1.0	0.5	54.6
200	181	190	0.0	1.0	0.516	54.7	-50.2	-18.5	53.6	200	0.0	1.0	0.517	54.7
201	182	191	0.0	1.0	0.533	54.8	-49.6	-19.7	53.4	201	0.0	1.0	0.533	54.8
203	183	192	0.0	1.0	0.55	54.9	-49.0	-20.9	53.3	203	0.0	1.0	0.55	54.9
204	184	193	0.0	1.0	0.566	55.0	-48.3	-22.0	53.1	204	0.0	1.0	0.567	55.0
205	185	194	0.0	1.0	0.583	55.1	-47.6	-23.1	53.0	205	0.0	1.0	0.583	55.1
207	186	195	0.0	1.0	0.6	55.2	-46.9	-24.3	52.8	207	0.0	1.0	0.6	55.2
208	187	195	0.0	1.0	0.616	55.3	-46.2	-25.4	52.7	208	0.0	1.0	0.617	55.3
210	188	196	0.0	1.0	0.633	55.5	-45.4	-26.5	52.6	210	0.0	1.0	0.633	55.5
211	189	197	0.0	1.0	0.65	55.6	-44.7	-27.5	52.6	211	0.0	1.0	0.65	55.6
213	190	198	0.0	1.0	0.666	55.8	-44.0	-28.6	52.5	213	0.0	1.0	0.667	55.8
214	191	199	0.0	1.0	0.683	56.0	-43.3	-29.7	52.5	214	0.0	1.0	0.683	56.0
215	192	200	0.0	1.0	0.7	56.1	-42.5	-30.7	52.5	215	0.0	1.0	0.7	56.1
217	193	201	0.0	1.0	0.716	56.3	-41.7	-31.8	52.4	217	0.0	1.0	0.717	56.3
218	194	202	0.0	1.0	0.733	56.5	-40.9	-32.8	52.4	218	0.0	1.0	0.733	56.5
220	195	203	0.0	1.0	0.75	56.6	-40.0	-33.7	52.4	220	0.0	1.0	0.75	56.6
221	196	204	0.0	1.0	0.766	56.7	-39.6	-34.5	52.5	221	0.0	1.0	0.767	56.7
222	197	205	0.0	1.0	0.783	56.8	-39.1	-35.3	52.7	222	0.0	1.0	0.783	56.8
223	198	206	0.0	1.0	0.8	56.9	-38.6	-36.1	52.9	223	0.0	1.0	0.8	56.9
224	199	206	0.0	1.0	0.816	56.9	-38.0	-36.9	53.0	224	0.0	1.0	0.817	56.9
225	200	207	0.0	1.0	0.833	57.0	-37.5	-37.7	53.2	225	0.0	1.0	0.833	57.0
226	201	208	0.0	1.0	0.85	57.1	-36.9	-38.5	53.3	226	0.0	1.0	0.85	57.1
227	202	209	0.0	1.0	0.866	57.2	-36.4	-39.2	53.5	227	0.0	1.0	0.867	57.2
228	203	210	0.0	1.0	0.883	57.3	-35.8	-40.0	53.7	228	0.0	1.0	0.883	57.3
229	204	211	0.0	1.0	0.9	57.4	-35.3	-40.7	53.9	229	0.0	1.0	0.9	57.4
230	205	212	0.0	1.0	0.916	57.4	-34.8	-41.5	54.1	230	0.0	1.0	0.917	57.4
230	206	213	0.0	1.0	0.933	57.5	-34.2	-42.2	54.4	230	0.0	1.0	0.933	57.5
231	207	214	0.0	1.0	0.95	57.6	-33.7	-42.9	54.6	231	0.0	1.0	0.95	57.6
232	208	215	0.0	1.0	0.966	57.7	-33.1	-43.7	54.8	232	0.0	1.0	0.967	57.7
233	209	216	0.0	1.0	0.983	57.7	-32.5	-44.4	55.0	233	0.0	1.0	0.983	57.7
234	210	216	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234	0.0	1.0	1.0	57.8

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /PS
application for measurement of offset print output, separationcmykn6* (CMYK)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyrn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGBM _d : $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$;		Six hue angles of the elementary colours RYGBM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																						
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^{*}_{dd361M}	$LAB^{*}_{ddx361Mi}(x=LabCh)$	$rgb^{*}_{ds361Mi}$	$LAB^{*}_{dsx361Mi}(x=LabCh)$	$rgb^{*}_{de361Mi}$	$LAB^{*}_{dex361Mi}(x=LabCh)$	$rgb^{*}_{dd361Mi}$	$rgb^{*}_{ds361Mi}$	$rgb^{*}_{de361Mi}$																													
234	210	216	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234	C_d	0.0	1.0	0.631	55.5	-45.5	-26.2	52.7	210	C_s	0.0	1.0	1.0	1.0	0.0	1.0	0.713	56.3	-41.8	-31.5	52.5	216	C_c	0.0	1.0	1.0	1.0	0.0	0.983	1.0
235	211	217	0.0	0.983	1.0	57.4	-31.3	-45.1	55.0	235		0.0	1.0	0.643	55.6	-45.0	-27.0	52.6	211		0.0	0.983	1.0	0.0	1.0	0.724	56.4	-41.3	-32.1	52.5	217		0.0	0.983	1.0					
235	212	218	0.0	0.966	1.0	57.0	-30.7	-45.2	54.7	235		0.0	1.0	0.654	55.7	-44.5	-27.8	52.6	212		0.0	0.967	1.0	0.0	1.0	0.734	56.5	-40.8	-32.8	52.4	218		0.0	0.967	1.0					
236	213	219	0.0	0.95	1.0	56.6	-30.1	-45.2	54.4	236		0.0	1.0	0.666	55.8	-44.0	-28.5	52.6	213		0.0	0.95	1.0	0.0	1.0	0.745	56.6	-40.2	-33.4	52.4	219		0.0	0.95	1.0					
236	214	220	0.0	0.933	1.0	56.2	-29.6	-45.3	54.1	236		0.0	1.0	0.678	56.0	-43.5	-29.3	52.6	214		0.0	0.933	1.0	0.0	1.0	0.758	56.7	-39.7	-34.1	52.5	220		0.0	0.933	1.0					
237	215	221	0.0	0.916	1.0	55.9	-29.0	-45.3	53.8	237		0.0	1.0	0.69	56.1	-42.9	-30.0	52.5	215		0.0	0.917	1.0	0.0	1.0	0.774	56.8	-39.3	-34.8	52.6	221		0.0	0.917	1.0					
237	216	222	0.0	0.9	1.0	55.5	-28.4	-45.3	53.5	237		0.0	1.0	0.701	56.2	-42.4	-30.8	52.5	216		0.0	0.9	1.0	0.0	1.0	0.789	56.9	-38.9	-35.5	52.8	222		0.0	0.9	1.0					
238	217	223	0.0	0.883	1.0	55.1	-27.8	-45.3	53.2	238		0.0	1.0	0.713	56.3	-41.8	-31.5	52.5	217		0.0	0.883	1.0	0.0	1.0	0.804	56.9	-38.4	-36.3	52.9	223		0.0	0.883	1.0					
239	218	224	0.0	0.866	1.0	54.6	-27.2	-45.4	52.9	239		0.0	1.0	0.725	56.4	-41.2	-32.2	52.5	218		0.0	0.867	1.0	0.0	1.0	0.819	57.0	-37.9	-37.0	53.1	224		0.0	0.867	1.0					
239	219	225	0.0	0.85	1.0	54.1	-26.4	-45.4	52.6	239		0.0	1.0	0.737	56.5	-40.7	-32.9	52.4	219		0.0	0.85	1.0	0.0	1.0	0.834	57.1	-37.4	-37.7	53.2	225		0.0	0.85	1.0					
240	220	226	0.0	0.833	1.0	53.7	-25.7	-45.5	52.3	240		0.0	1.0	0.749	56.6	-40.1	-33.6	52.4	220		0.0	0.833	1.0	0.0	1.0	0.849	57.2	-36.9	-38.4	53.4	226		0.0	0.833	1.0					
241	221	227	0.0	0.816	1.0	53.2	-25.0	-45.5	51.9	241		0.0	1.0	0.765	56.7	-39.6	-34.4	52.6	221		0.0	0.817	1.0	0.0	1.0	0.864	57.2	-36.4	-39.1	53.5	227		0.0	0.817	1.0					
241	222	227	0.0	0.8	1.0	52.7	-24.3	-45.5	51.6	241		0.0	1.0	0.781	56.8	-39.1	-35.2	52.7	222		0.0	0.8	1.0	0.0	1.0	0.88	57.3	-35.9	-39.8	53.7	227		0.0	0.8	1.0					
242	223	228	0.0	0.783	1.0	52.2	-23.5	-45.6	51.3	242		0.0	1.0	0.798	56.9	-38.6	-36.0	52.9	223		0.0	0.783	1.0	0.0	1.0	0.896	57.4	-35.4	-40.5	53.9	228		0.0	0.783	1.0					
243	224	229	0.0	0.766	1.0	51.8	-22.8	-45.6	51.0	243		0.0	1.0	0.814	57.0	-38.1	-36.7	53.0	224		0.0	0.767	1.0	0.0	1.0	0.912	57.5	-34.9	-41.2	54.1	229		0.0	0.767	1.0					
244	225	230	0.0	0.75	1.0	51.3	-22.1	-45.6	50.7	244		0.0	1.0	0.831	57.1	-37.5	-37.5	53.2	225		0.0	0.75	1.0	0.0	1.0	0.929	57.5	-34.4	-41.9	54.4	230		0.0	0.75	1.0					
244	226	231	0.0	0.733	1.0	50.7	-21.3	-45.7	50.4	244		0.0	1.0	0.847	57.2	-37.0	-38.3	53.4	226		0.0	0.733	1.0	0.0	1.0	0.945	57.6	-33.8	-42.7	54.6	231		0.0	0.733	1.0					
245	227	232	0.0	0.716	1.0	50.2	-20.5	-45.7	50.1	245		0.0	1.0	0.864	57.2	-36.4	-39.1	53.5	227		0.0	0.717	1.0	0.0	1.0	0.961	57.7	-33.3	-43.4	54.8	232		0.0	0.717	1.0					
246	228	233	0.0	0.7	1.0	49.7	-19.6	-45.8	49.9	246		0.0	1.0	0.881	57.3	-35.8	-39.8	53.7	228		0.0	0.7	1.0	0.0	1.0	0.977	57.8	-32.7	-44.1	55.0	233		0.0	0.7	1.0					
247	229	234	0.0	0.683	1.0	49.1	-18.8	-45.9	49.6	247		0.0	1.0	0.899	57.4	-35.3	-40.6	54.0	229		0.0	0.683	1.0	0.0	1.0	0.993	57.8	-32.1	-44.8	55.2	234		0.0	0.683	1.0					
248	230	235	0.0	0.666	1.0	48.6	-18.0	-45.9	49.3	248		0.0	1.0	0.917	57.5	-34.7	-41.4	54.2	230		0.0	0.667	1.0	0.0	1.0	0.983	1.0	57.5	-31.3	-45.1	55.0	235		0.0	0.667	1.0				
249	231	236	0.0	0.65	1.0	48.0	-17.2	-45.9	49.1	249		0.0	1.0	0.934	57.6	-34.2	-42.2	54.4	231		0.0	0.65	1.0	0.0	1.0	0.955	1.0	56.8	-30.3	-45.2	54.5	236		0.0	0.65	1.0				
250	232	237	0.0	0.633	1.0	47.5	-16.4	-45.9	48.8	250		0.0	1.0	0.952	57.7	-33.6	-43.0	54.7	232		0.0	0.633	1.0	0.0	1.0	0.927	1.0	56.1	-29.3	-45.2	54.0	237		0.0	0.633	1.0				
251	233	237	0.0	0.616	1.0	46.9	-15.4	-46.0	48.5	251		0.0	1.0	0.97	57.7	-32.9	-43.8	54.9	233		0.0	0.617	1.0	0.0	1.0	0.898	1.0	55.5	-28.3	-45.3	53.5	237		0.0	0.617	1.0				
252	234	238	0.0	0.6	1.0	46.2	-14.3	-46.1	48.3	252		0.0	1.0	0.988	57.8	-32.3	-44.5	55.2	234		0.0	0.6	1.0	0.0	1.0	0.871	1.0	54.8	-27.3	-45.3	53.0	238		0.0	0.6	1.0				
253	235	239	0.0	0.583	1.0	45.6	-13.2	-46.2	48.1	253		0.0	0.99	1.0	57.6	-31.5	-45.1	55.1	235		0.0	0.583	1.0	0.0	1.0	0.85	1.0	54.2	-26.4	-45.4	52.6	239		0.0	0.583	1.0				
255	236	240	0.0	0.566	1.0	44.9	-12.1	-46.3	47.8	255		0.0	0.959	1.0	56.9	-30.4	-45.2	54.6	236		0.0	0.567	1.0	0.0	1.0	0.829	1.0	53.6	-25.4	-45.4	52.2	240		0.0	0.567	1.0				
256	237	241	0.0	0.55	1.0	44.3	-11.0	-46.3	47.6	256		0.0	0.928	1.0	56.2	-29.3	-45.2	54.0	237		0.0	0.55	1.0	0.0	1.0	0.807	1.0	53.0	-24.5	-45.5	51.8	241		0.0	0.55	1.0				
257	238	242	0.0	0.533	1.0	43.6	-9.9	-46.3	47.4	257		0.0	0.897	1.0	55.4	-28.2	-45.3	53.5	238		0.0	0.533	1.0	0.0	1.0	0.786	1.0	52.4	-23.6	-45.5	51.4	242		0.0	0.533	1.0				
259	239	243	0.0	0.516	1.0	43.0	-8.8	-46.3	47.2	259		0.0	0.868	1.0	54.7	-27.2	-45.3	53.0	239		0.0	0.517	1.0	0.0	1.0	0.765	1.0	51.8	-22.7	-45.5	51.0	243		0.0	0.517	1.0				
260	240	244	0.0	0.5	1.0	42.3	-7.7	-46.3	46.9	260		0.0	0.845	1.0	54.1	-26.2	-45.4	52.5	240		0.0	0.5	1.0	0.0	1.0	0.745	1.0	51.2	-21.8	-45.6	50.6	244		0.0	0.5	1.0				
261	241	245	0.0	0.483	1.0	41.6	-6.7	-46.4	46.9	261		0.0	0.822	1.0	53.4	-25.2	-45.5	52.1	241		0.0	0.483	1.0	0.0	1.0	0.728	1.0	50.6	-21.0	-45.6	50.4	245		0.0	0.483	1.0				
263	242	246	0.0	0.466	1.0	41.0	-5.6	-46.4	46.8	263		0.0	0.798	1.0	52.7	-24.1	-45.5	51.6	242		0.0	0.467	1.0	0.0	1.0	0.711	1.0	50.1	-20.1	-45.7	50.1	246		0.0	0.467	1.0				
264	243	247	0.0	0.45	1.0	40.3	-4.5	-46.5	46.7	264		0.0	0.775	1.0	52.1	-23.1	-45.5	51.2	243		0.0	0.45	1.0	0.0	1.0	0.694	1.0	49.5	-19.3	-45.8	49.8	247		0.0	0.45	1.0				
265	244	248	0.0	0.433	1.0	39.6	-3.4	-46.5	46.7	265		0.0	0.752	1.0	51.4	-22.2	-45.5	50.8	244		0.0	0.433	1.0	0.0	1.0	0.677	1.0	48.9	-18.4	-45.8	49.5	248		0.0	0.433	1.0				
267	245	248	0.0	0.416	1.0	38.9	-2.3	-46.5	46.6	267		0.0	0.733	1.0	50.8	-21.2	-45.6	50.4	245		0.0	0.417	1.0	0.0	1.0	0.66	1.0	48.4	-17.6	-45.9	49.3	248		0.0	0.417	1.0				
268	246	249	0.0	0.4	1.0	38.3	-1.2	-46.5	46.5	268		0.0	0.714	1.0	50.2	-20.3	-45.7	50.1	246		0.0	0.4	1.0	0.0	1.0	0.643	1.0	47.8	-16.8	-45.9	49.0	249		0.0	0.4	1.0				
269	247	250	0.0	0.383	1.0	37.6	-0.2	-46.5	46.5	269		0.0	0.695	1.0	49.6	-19.4	-45.8	49.8	247		0.0	0.383	1.0	0.0	1.0	0.625	1.0	47.3	-16.0	-45.9	48.7	250		0.0	0.383	1.0				
271	248	251	0.0	0.366	1.0	37.0	0.8	-46.5	46.5																															

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi} (x=LabCh)	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi} (x=LabCh)	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi} (x=LabCh)	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}	rgb [*] _{ds361Mi}	rgb [*] _{de361Mi}
280	255	258	0.0	0.25 1.0	32.7	8.5	-47.0 47.8	280	0.0	0.25 1.0	0.0	0.25 1.0
281	256	258	0.0	0.233 1.0	32.1	9.5	-47.2 48.1	281	0.0	0.233 1.0	0.0	0.233 1.0
282	257	259	0.0	0.216 1.0	31.5	10.6	-47.3 48.5	282	0.0	0.217 1.0	0.0	0.217 1.0
283	258	260	0.0	0.2 1.0	30.9	11.7	-47.4 48.8	283	0.0	0.2 1.0	0.0	0.2 1.0
285	259	261	0.0	0.183 1.0	30.2	12.8	-47.5 49.2	285	0.0	0.183 1.0	0.0	0.183 1.0
286	260	262	0.0	0.166 1.0	29.6	13.9	-47.5 49.5	286	0.0	0.167 1.0	0.0	0.167 1.0
287	261	263	0.0	0.15 1.0	29.0	15.0	-47.6 49.9	287	0.0	0.15 1.0	0.0	0.15 1.0
288	262	264	0.0	0.133 1.0	28.4	16.1	-47.6 50.3	288	0.0	0.133 1.0	0.0	0.133 1.0
289	263	265	0.0	0.116 1.0	27.8	17.1	-47.6 50.6	289	0.0	0.117 1.0	0.0	0.117 1.0
290	264	266	0.0	0.1 1.0	27.4	17.9	-47.7 50.9	290	0.0	0.1 1.0	0.0	0.1 1.0
291	265	267	0.0	0.083 1.0	27.0	18.8	-47.7 51.3	291	0.0	0.083 1.0	0.0	0.083 1.0
292	266	268	0.0	0.066 1.0	26.6	19.6	-47.8 51.6	292	0.0	0.067 1.0	0.0	0.067 1.0
293	267	269	0.0	0.049 1.0	26.2	20.4	-47.8 52.0	293	0.0	0.05 1.0	0.0	0.05 1.0
293	268	269	0.0	0.033 1.0	25.8	21.2	-47.8 52.3	293	0.0	0.033 1.0	0.0	0.033 1.0
294	269	270	0.0	0.016 1.0	25.4	22.1	-47.8 52.7	294	0.0	0.017 1.0	0.0	0.017 1.0
295	270	271	0.0	0.0 1.0	24.9	22.9	-47.8 53.0	295	0.0	0.0 1.0	0.0	0.0 1.0
297	271	272	0.016 0.0	1.0	25.3	24.1	-47.3 53.1	297	0.0	0.358 1.0	0.0	0.358 1.0
298	272	273	0.033 0.0	1.0	25.7	25.3	-46.8 53.2	298	0.0	0.334 1.0	0.0	0.334 1.0
299	273	274	0.05 0.0	1.0	26.1	26.4	-46.2 53.3	299	0.0	0.322 1.0	0.0	0.322 1.0
301	274	275	0.066 0.0	1.0	26.5	27.6	-45.7 53.3	301	0.0	0.31 1.0	0.0	0.31 1.0
302	275	276	0.083 0.0	1.0	26.9	28.7	-45.1 53.4	302	0.0	0.298 1.0	0.0	0.298 1.0
303	276	277	0.1 0.0	1.0	27.2	29.8	-44.4 53.5	303	0.0	0.286 1.0	0.0	0.286 1.0
305	277	278	0.116 0.0	1.0	27.6	30.9	-43.8 53.6	305	0.0	0.274 1.0	0.0	0.274 1.0
306	278	279	0.133 0.0	1.0	28.0	31.7	-43.2 53.7	306	0.0	0.262 1.0	0.0	0.262 1.0
307	279	280	0.15 0.0	1.0	28.2	32.4	-42.8 53.7	307	0.0	0.25 1.0	0.0	0.25 1.0
307	280	281	0.166 0.0	1.0	28.5	33.0	-42.5 53.8	307	0.0	0.237 1.0	0.0	0.237 1.0
308	281	282	0.183 0.0	1.0	28.8	33.6	-42.1 53.9	308	0.0	0.224 1.0	0.0	0.224 1.0
309	282	283	0.2 0.0	1.0	29.1	34.2	-41.6 53.9	309	0.0	0.211 1.0	0.0	0.211 1.0
310	283	284	0.216 0.0	1.0	29.4	34.8	-41.2 54.0	310	0.0	0.198 1.0	0.0	0.198 1.0
310	284	285	0.233 0.0	1.0	29.6	35.4	-40.8 54.1	310	0.0	0.185 1.0	0.0	0.185 1.0
311	285	285	0.25 0.0	1.0	29.9	36.0	-40.4 54.1	311	0.0	0.172 1.0	0.0	0.172 1.0
313	286	286	0.266 0.0	1.0	30.4	37.7	-39.5 54.6	313	0.0	0.159 1.0	0.0	0.159 1.0
315	287	287	0.283 0.0	1.0	30.9	39.3	-38.5 55.0	315	0.0	0.146 1.0	0.0	0.146 1.0
317	288	288	0.3 0.0	1.0	31.5	40.9	-37.5 55.5	317	0.0	0.133 1.0	0.0	0.133 1.0
319	289	289	0.316 0.0	1.0	32.0	42.4	-36.4 55.9	319	0.0	0.118 1.0	0.0	0.118 1.0
321	290	290	0.333 0.0	1.0	32.5	44.0	-35.3 56.4	321	0.0	0.099 1.0	0.0	0.099 1.0
323	291	291	0.35 0.0	1.0	33.0	45.5	-34.1 56.9	323	0.0	0.08 1.0	0.0	0.08 1.0
325	292	292	0.366 0.0	1.0	33.5	47.0	-32.8 57.3	325	0.0	0.061 1.0	0.0	0.061 1.0
326	293	293	0.383 0.0	1.0	34.0	48.1	-31.9 57.7	326	0.0	0.042 1.0	0.0	0.042 1.0
327	294	294	0.4 0.0	1.0	34.4	49.0	-31.3 58.1	327	0.0	0.023 1.0	0.0	0.023 1.0
328	295	295	0.416 0.0	1.0	34.8	49.8	-30.6 58.5	328	0.0	0.005 1.0	0.0	0.005 1.0
329	296	296	0.433 0.0	1.0	35.3	50.6	-30.0 58.9	329	0.004 0.0	1.0	0.433 0.0	1.0
330	297	297	0.45 0.0	1.0	35.7	51.5	-29.3 59.2	330	0.016 0.0	1.0	0.45 0.0	1.0
331	298	298	0.466 0.0	1.0	36.2	52.3	-28.6 59.6	331	0.029 0.0	1.0	0.466 0.0	1.0
332	299	299	0.483 0.0	1.0	36.6	53.1	-27.9 60.0	332	0.041 0.0	1.0	0.483 0.0	1.0
333	300	300	0.5 0.0	1.0	37.0	53.9	-27.1 60.4	333	0.053 0.0	1.0	0.5 0.0	1.0

TUB registration: 20130201-SE05/SE05LOFP.PDF /PS
application for measurement of offset print output, separationcmykn6* (CMYK)
TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system Offset standard print; separation cmyrn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGBCMd: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours RYGBCMc: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dds361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dd361Mi}																		
333	300	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333	0.053	0.0	1.0	26.2	26.7	-46.1	53.3	300	0.5	0.0	1.0	0.055	0.0	1.0	26.3	26.8	-46.0	53.3	300	0.5	0.0	1.0
334	301	301	0.516	0.0	1.0	37.5	54.7	-26.5	60.8	334	0.065	0.0	1.0	26.5	27.5	-45.7	53.4	301	0.517	0.0	1.0	0.067	0.0	1.0	26.5	27.6	-45.6	53.4	301	0.517	0.0	1.0
334	302	302	0.533	0.0	1.0	37.9	55.5	-25.9	61.3	334	0.077	0.0	1.0	26.8	28.3	-45.2	53.4	302	0.533	0.0	1.0	0.078	0.0	1.0	26.8	28.4	-45.2	53.4	302	0.533	0.0	1.0
335	303	303	0.55	0.0	1.0	38.3	56.3	-25.2	61.7	335	0.09	0.0	1.0	27.1	29.1	-44.8	53.5	303	0.55	0.0	1.0	0.09	0.0	1.0	27.1	29.2	-44.8	53.5	303	0.55	0.0	1.0
336	304	303	0.566	0.0	1.0	38.7	57.1	-24.6	62.2	336	0.102	0.0	1.0	27.3	29.9	-44.3	53.6	304	0.567	0.0	1.0	0.101	0.0	1.0	27.3	29.9	-44.3	53.6	303	0.567	0.0	1.0
337	305	304	0.583	0.0	1.0	39.1	57.8	-23.9	62.6	337	0.114	0.0	1.0	27.6	30.8	-43.8	53.6	305	0.583	0.0	1.0	0.113	0.0	1.0	27.6	30.7	-43.9	53.6	304	0.583	0.0	1.0
338	306	305	0.6	0.0	1.0	39.6	58.6	-23.2	63.0	338	0.127	0.0	1.0	27.9	31.5	-43.3	53.7	306	0.6	0.0	1.0	0.124	0.0	1.0	27.9	31.4	-43.4	53.7	305	0.6	0.0	1.0
339	307	306	0.616	0.0	1.0	40.0	59.4	-22.5	63.5	339	0.148	0.0	1.0	28.3	32.4	-42.8	53.8	307	0.617	0.0	1.0	0.144	0.0	1.0	28.2	32.2	-42.9	53.7	306	0.617	0.0	1.0
340	308	307	0.633	0.0	1.0	40.4	60.2	-21.7	64.0	340	0.17	0.0	1.0	28.6	33.2	-42.3	53.8	308	0.633	0.0	1.0	0.165	0.0	1.0	28.5	33.0	-42.5	53.8	307	0.633	0.0	1.0
341	309	308	0.65	0.0	1.0	40.8	61.2	-20.9	64.7	341	0.191	0.0	1.0	29.0	33.9	-41.8	53.9	309	0.65	0.0	1.0	0.185	0.0	1.0	28.9	33.7	-42.0	53.9	308	0.65	0.0	1.0
342	310	309	0.666	0.0	1.0	41.2	62.1	-20.1	65.3	342	0.213	0.0	1.0	29.3	34.7	-41.3	54.0	310	0.667	0.0	1.0	0.205	0.0	1.0	29.2	34.5	-41.5	54.0	309	0.667	0.0	1.0
342	311	310	0.683	0.0	1.0	41.6	63.1	-19.3	66.0	342	0.234	0.0	1.0	29.7	35.5	-40.7	54.1	311	0.683	0.0	1.0	0.225	0.0	1.0	29.6	35.2	-41.0	54.1	310	0.683	0.0	1.0
343	312	311	0.7	0.0	1.0	42.1	64.0	-18.4	66.6	343	0.252	0.0	1.0	30.0	36.3	-40.2	54.2	312	0.7	0.0	1.0	0.246	0.0	1.0	29.9	35.9	-40.4	54.2	311	0.7	0.0	1.0
344	313	312	0.716	0.0	1.0	42.5	64.9	-17.5	67.3	344	0.261	0.0	1.0	30.3	37.2	-39.7	54.5	313	0.717	0.0	1.0	0.257	0.0	1.0	30.2	36.7	-40.0	54.4	312	0.717	0.0	1.0
345	314	313	0.733	0.0	1.0	42.9	65.8	-16.6	67.9	345	0.27	0.0	1.0	30.6	38.0	-39.3	54.7	314	0.733	0.0	1.0	0.265	0.0	1.0	30.4	37.5	-39.5	54.6	313	0.733	0.0	1.0
346	315	314	0.75	0.0	1.0	43.3	66.7	-15.7	68.5	346	0.279	0.0	1.0	30.8	38.9	-38.8	55.0	315	0.75	0.0	1.0	0.273	0.0	1.0	30.7	38.3	-39.1	54.8	314	0.75	0.0	1.0
347	316	315	0.766	0.0	1.0	43.6	67.3	-15.2	69.0	347	0.287	0.0	1.0	31.1	39.7	-38.2	55.2	316	0.767	0.0	1.0	0.282	0.0	1.0	30.9	39.1	-38.6	55.0	315	0.767	0.0	1.0
347	317	316	0.783	0.0	1.0	44.0	67.8	-14.7	69.4	347	0.296	0.0	1.0	31.4	40.5	-37.7	55.4	317	0.783	0.0	1.0	0.29	0.0	1.0	31.2	39.9	-38.1	55.3	316	0.783	0.0	1.0
348	318	317	0.8	0.0	1.0	44.3	68.3	-14.2	69.8	348	0.305	0.0	1.0	31.7	41.4	-37.2	55.7	318	0.8	0.0	1.0	0.298	0.0	1.0	31.4	40.7	-37.6	55.5	317	0.8	0.0	1.0
348	319	318	0.816	0.0	1.0	44.7	68.8	-13.7	70.2	348	0.314	0.0	1.0	31.9	42.2	-36.6	55.9	319	0.817	0.0	1.0	0.307	0.0	1.0	31.7	41.5	-37.1	55.7	318	0.817	0.0	1.0
349	320	319	0.833	0.0	1.0	45.0	69.4	-13.2	70.6	349	0.323	0.0	1.0	32.2	43.0	-36.0	56.2	320	0.833	0.0	1.0	0.315	0.0	1.0	32.0	42.3	-36.5	55.9	319	0.833	0.0	1.0
349	321	320	0.85	0.0	1.0	45.4	69.9	-12.7	71.0	349	0.331	0.0	1.0	32.5	43.8	-35.4	56.4	321	0.85	0.0	1.0	0.323	0.0	1.0	32.2	43.1	-36.0	56.2	320	0.85	0.0	1.0
350	322	321	0.866	0.0	1.0	45.7	70.4	-12.2	71.5	350	0.34	0.0	1.0	32.7	44.6	-34.8	56.6	322	0.867	0.0	1.0	0.332	0.0	1.0	32.5	43.9	-35.4	56.4	321	0.867	0.0	1.0
350	323	321	0.883	0.0	1.0	46.0	70.9	-11.8	71.9	350	0.349	0.0	1.0	33.0	45.4	-34.1	56.9	323	0.883	0.0	1.0	0.34	0.0	1.0	32.7	44.6	-34.8	56.6	321	0.883	0.0	1.0
350	324	322	0.9	0.0	1.0	46.3	71.4	-11.3	72.3	350	0.358	0.0	1.0	33.3	46.2	-33.5	57.1	324	0.9	0.0	1.0	0.348	0.0	1.0	33.0	45.4	-34.2	56.9	322	0.9	0.0	1.0
351	325	323	0.916	0.0	1.0	46.7	71.8	-10.9	72.7	351	0.366	0.0	1.0	33.5	47.0	-32.8	57.4	325	0.917	0.0	1.0	0.357	0.0	1.0	33.2	46.1	-33.6	57.1	323	0.917	0.0	1.0
351	326	324	0.933	0.0	1.0	47.0	72.3	-10.5	73.1	351	0.375	0.0	1.0	33.8	47.8	-32.1	57.6	326	0.933	0.0	1.0	0.365	0.0	1.0	33.5	46.8	-32.9	57.3	324	0.933	0.0	1.0
352	327	325	0.95	0.0	1.0	47.3	72.8	-10.1	73.5	352	0.393	0.0	1.0	34.3	48.6	-31.5	58.0	327	0.95	0.0	1.0	0.373	0.0	1.0	33.7	47.6	-32.3	57.5	325	0.95	0.0	1.0
352	328	326	0.966	0.0	1.0	47.6	73.2	-9.6	73.9	352	0.41	0.0	1.0	34.7	49.5	-30.8	58.4	328	0.967	0.0	1.0	0.388	0.0	1.0	34.1	48.4	-31.7	57.9	326	0.967	0.0	1.0
352	329	327	0.983	0.0	1.0	47.9	73.7	-9.2	74.3	352	0.427	0.0	1.0	35.2	50.4	-30.2	58.8	329	0.983	0.0	1.0	0.404	0.0	1.0	34.6	49.2	-31.1	58.2	327	0.983	0.0	1.0
353	330	328	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353	0.444	0.0	1.0	35.6	51.2	-29.5	59.1	330	1.0	0.0	1.0	0.42	0.0	1.0	35.0	50.0	-30.4	58.6	328	1.0	0.0	1.0
353	331	329	1.0	0.0	0.983	48.2	74.0	-8.2	74.5	353	0.461	0.0	1.0	36.1	52.1	-28.8	59.5	331	1.0	0.0	0.983	0.436	0.0	1.0	35.4	50.8	-29.8	59.0	329	1.0	0.0	0.983
354	332	330	1.0	0.0	0.966	48.2	73.9	-7.7	74.3	354	0.478	0.0	1.0	36.5	52.9	-28.0	59.9	332	1.0	0.0	0.967	0.452	0.0	1.0	35.8	51.7	-29.1	59.3	330	1.0	0.0	0.967
354	333	331	1.0	0.0	0.95	48.2	73.8	-7.2	74.1	354	0.495	0.0	1.0	37.0	53.7	-27.3	60.3	333	1.0	0.0	0.95	0.469	0.0	1.0	36.3	52.4	-28.4	59.7	331	1.0	0.0	0.95
354	334	332	1.0	0.0	0.933	48.2	73.6	-6.7	73.9	354	0.514	0.0	1.0	37.4	54.6	-26.5	60.8	334	1.0	0.0	0.933	0.485	0.0	1.0	36.7	53.2	-27.7	60.1	332	1.0	0.0	0.933
355	335	333	1.0	0.0	0.916	48.2	73.5	-6.2	73.8	355	0.534	0.0	1.0	37.9	55.6	-25.8	61.3	335	1.0	0.0	0.917	0.501	0.0	1.0	37.1	54.0	-27.0	60.4	333	1.0	0.0	0.917
355	336	334	1.0	0.0	0.9	48.2	73.3	-5.6	73.6	355	0.553	0.0	1.0	38.4	56.5	-25.1	61.8	336	1.0	0.0	0.9	0.52	0.0	1.0	37.6	54.9	-26.3	60.9	334	1.0	0.0	0.9
355	337	335	1.0	0.0	0.883	48.2	73.2	-5.1	73.4	355	0.573	0.0	1.0	38.9	57.4	-24.3	62.4	337	1.0	0.0	0.883	0.538	0.0	1.0	38.1	55.8	-25.6	61.4	335	1.0	0.0	0.883
356	338	336	1.0	0.0	0.866	48.2	73.1	-4.6	73.2	356	0.592	0.0	1.0	39.4	58.3	-23.5	62.9	338	1.0	0.0	0.867	0.557	0.0	1.0	38.5	56.7	-24.9	61.9	336	1.0	0.0	0.867
356	339	337	1.0	0.0	0.85	48.1	72.9	-4.0	73.0	356	0.612	0.0	1.0	39.9	59.2	-22.6	63.4	339	1.0	0.0	0.85	0.575	0.0	1.0	39.0	57.5	-24.2	62.4	337	1.0	0.0	0.85
357	340	338	1.0																													

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_ab,d, h_ab,s, h_ab,e, rgb*_dd361M, LAB*_dd361Mi (x=LabCh), rgb*_ds361Mi, LAB*_ds361Mi (x=LabCh), rgb*_de361Mi, LAB*_de361Mi (x=LabCh), rgb*_dd361Mi, LAB*_dd361Mi, rgb*_de361Mi, LAB*_de361Mi (x=LabCh), rgb*_dd361Mi, rgb*_dd, rgb*_ds, rgb*_de) and rows for color patches 359-390.

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF /PS application for measurement of offset print output, separation cmykn6* (CMYK) technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-SE05/SE05LOFP.PDF /PS application for measurement of offset print output, separation cmykn6* (CMYK) TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /PS
application for measurement of offset print output, separationcyan6* (CMYK)
TUB material: code=rh4t4

Table with columns: n/j, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsi_Mde, rgb*Mde, LabCh*Mde. Rows include color patches like R00Y, R13Y, R25Y, etc., and their corresponding colorimetric values.

Mean color difference of this page: delta



1-1131730-F0

SE050-7N, Page 18/33-F

TUB-test chart SE05; 16 hues, offset standard paper APCO input: rgb/cmyk -> rgb_{de}
colors and differences, ΔE*, 3D=1, de=1, cmyk* output: 3D-linearization to cmyk*_{de}



1-1131730-F0

see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separation:cmyn6* (CMYK)
TUB material: code=rha4ta

Table with 15 columns: n=j, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsi_Mde, rgb*Mde, LabCh*Mde. It contains 80 rows of color calibration data for various color patches.

Mean color difference of this page: delta

TUB-test chart SE05; 16 hues, offset standard paper APCO colors and differences, ΔE^* , 3D=1, de=1, *cmYk**

input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *cmYk*_{de}*





see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separation:cmyn6* (CMYK)
TUB material: code=rh4ta

Table with 16 columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsiMde, rgb*Mde, LabCh*Mde. Rows 81-161 contain color and difference data for various patches.

Mean color difference of this page: delta

TUB-test chart SE05; 16 hues, offset standard paper APCO input: $rgb/cmyk \rightarrow rgb_{de}$
colors and differences, ΔE^* , 3D=1, de=1, $cmyk^*_{de}$
output: 3D-linearization to $cmyk^*_{de}$





see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separation:cmyn6* (CMYK)
TUB material: code=rha4ta

Table with columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsiMde, rgb*Mde, LabCh*Mde. It contains 242 rows of color and registration data.

TUB-test chart SE05; 16 hues, offset standard paper APCO colors and differences, ΔE^* , 3D=1, de=1, *cmYk**
input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *cmYk*_{de}*



http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization SE05/SE05LE30FP.DAT in file (F), page 23/33

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 4 columns of color difference metrics: hsi_Mde, rgb*_Mde, LabCh*_Mde, and cmyn*_sep.Fde. Each column contains 32 rows of data corresponding to color patches 243-323.

Mean color difference of this page: delta

TUB-test chart SE05; 16 hues, offset standard paper APCO input: rgb/cmyk -> rgbde
colors and differences, ΔE*, 3D=1, de=1, cmyk* output: 3D-linearization to cmyk*_de

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separation:cmyn*6 (CMYK)
TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separationcyan6* (CMYK)
TUB material: code=rh4ta

Table with 10 columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsiMde, rgb*Mde, LabCh*Mde. It contains 40 rows of color data for various patches.

Mean color difference of this page: delta

TUB-test chart SE05; 16 hues, offset standard paper APCO input: rgb/cmyk -> rgbde
colors and differences, ΔE*, 3D=1, de=1, cmyk* output: 3D-linearization to cmyk*de

http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization SE05/SE05LE30FP.DAT in file (F), page 25/33

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separationcyan6* (CMYK)
TUB material: code=rh4ta

Table with columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsiMde, rgb*Mde, LabCh*Mde. Rows 405-485. Includes a 'Mean color difference of this page: delta' at the bottom of the table.

TUB-test chart SE05; 16 hues, offset standard paper APCO input: rgb/cmyk -> rgbde
colors and differences, ΔE*, 3D=1, de=1, cmyk* output: 3D-linearization to cmyk*de

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separationcyan6* (CMYK)
TUB material: code=rh4ta

Table with 10 columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsi_Mde, rgb*Mde, LabCh*Mde. It contains 100 rows of color data and a final row for mean color difference.

TUB-test chart SE05; 16 hues, offset standard paper APCO colors and differences, ΔE*, 3D=1, de=1, cmyk*
input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to cmyk*_{de}





http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization SE05/SE05LE30FP.DAT in file (F), page 27/33

see similar files: http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separationcyan6* (CMYK)
TUB material: code=rh4ta

Table with 15 columns: n, HIC*Fde, rgb_Fde, iet_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsiMde, rgb*Mde, LabCh*Mde. Rows 567-647.

TUB-test chart SE05; 16 hues, offset standard paper APCO colors and differences, ΔE*, 3D=1, de=1, cmyk*
input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to cmyk*_{de}




see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Table with 15 columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsiMde, rgb*Mde, LabCh*Mde, and numerical data values.

Mean color difference of this page: delta

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separation:cmyn*6 (CMYK)
TUB material: code=rha4ta


TUB-test chart SE05; 16 hues, offset standard paper APCO colors and differences, ΔE^* , 3D=1, de=1, *cmYk**
input: *rgb/cmyk* -> *rgb*_{de}
output: 3D-linearization to *cmYk**_{de}



see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separation:cmyn6* (CMYK)
TUB material: code=rha4ta

Table with 15 columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsiMde, rgb*Mde, LabCh*Mde. Rows 729-809. Includes a 'Mean color difference of this page: delta' row at the bottom.



I-1132830-F0 SE050-7N, Page 29/33-F
TUB-test chart SE05; 16 hues, offset standard paper APCO colors and differences, ΔE*, 3D=1, de=1, cmYk*

input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to cmYk*_{de}



http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF / .PS; 3D-linearization
F: 3D-linearization SE05/SE05LE30FP.DAT in file (F), page 30/33

see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05LOFP.PDF / .PS
application for measurement of offset print output, separationcmykn6* (CMYK)
TUB material: code=rh4ta

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmykn*sep.Fde	hsiMde	rgb*Mde	LabCh*Mde
810	NW_100de	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	96.3 0.0 0.0
811	BOOR_100_012de	0.875 0.875 1.0	1.0 0.125 0.937	270	0.875 0.919 1.0	88.9 0.1 -5.8	5.8 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
812	BOOR_100_025de	0.75 0.75 1.0	1.0 0.25 0.875	270	0.75 0.839 1.0	81.4 0.3 -11.6	11.6 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
813	BOOR_100_037de	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.759 1.0	74.0 0.5 -17.4	17.4 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
814	BOOR_100_050de	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.679 1.0	66.5 0.7 -23.3	23.3 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
815	BOOR_100_062de	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.598 1.0	59.0 0.8 -29.1	29.1 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
816	BOOR_100_075de	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.518 1.0	51.6 1.0 -34.9	34.9 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
817	BOOR_100_087de	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.438 1.0	44.1 1.2 -40.8	40.8 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
818	BOOR_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 358 1.0	36.7 1.4 -46.6	46.6 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
819	YOOG_100_012de	1.0 1.0 0.875	1.0 0.125 0.937	90	1.0 0.983 0.875	94.9 -0.4 10.4	10.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
820	NW_087de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	96.3 0.0 0.0
821	BOOR_087_012de	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.794 0.875	79.1 0.1 -5.8	5.8 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
822	BOOR_087_025de	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.714 0.875	71.7 0.3 -11.6	11.6 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
823	BOOR_087_037de	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.634 0.875	64.2 0.5 -17.4	17.4 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
824	BOOR_087_050de	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.554 0.875	56.8 0.7 -23.3	23.3 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
825	BOOR_087_062de	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.473 0.875	49.3 0.8 -29.1	29.1 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
826	BOOR_087_075de	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.393 0.875	41.8 1.0 -34.9	34.9 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
827	BOOR_087_087de	0.0 0.0 0.875	0.875 0.875 0.437	270	0.0 313 0.875	34.4 1.2 -40.8	40.8 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
828	YOOG_100_025de	1.0 1.0 0.75	1.0 0.25 0.875	90	1.0 0.967 0.75	93.5 -0.8 20.9	20.9 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
829	YOOG_087_012de	0.875 0.875 0.75	0.875 0.125 0.812	90	0.875 0.858 0.75	85.2 -0.4 10.4	10.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
830	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	96.3 0.0 0.0
831	BOOR_075_012de	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.669 0.75	69.4 0.1 -5.8	5.8 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
832	BOOR_075_025de	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.589 0.75	62.0 0.3 -11.6	11.6 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
833	BOOR_075_037de	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.509 0.75	54.5 0.5 -17.4	17.4 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
834	BOOR_075_050de	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.429 0.75	47.0 0.7 -23.3	23.3 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
835	BOOR_075_062de	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.348 0.75	39.6 0.8 -29.1	29.1 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
836	BOOR_075_075de	0.0 0.0 0.75	0.75 0.75 0.375	270	0.0 268 0.75	32.1 1.0 -34.9	34.9 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
837	YOOG_100_037de	1.0 1.0 0.625	1.0 0.375 0.812	90	1.0 0.95 0.625	92.1 -1.2 31.3	31.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
838	YOOG_087_025de	0.875 0.875 0.625	0.875 0.25 0.75	90	0.875 0.842 0.625	83.8 -0.8 20.9	20.9 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
839	YOOG_075_012de	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.733 0.625	75.5 -0.4 10.4	10.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
840	NW_062de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	96.3 0.0 0.0
841	BOOR_062_012de	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.544 0.625	59.7 0.1 -5.8	5.8 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
842	BOOR_062_025de	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.464 0.625	52.2 0.3 -11.6	11.6 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
843	BOOR_062_037de	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.384 0.625	44.8 0.5 -17.4	17.4 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
844	BOOR_062_050de	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.304 0.625	37.3 0.7 -23.3	23.3 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
845	BOOR_062_062de	0.0 0.0 0.625	0.625 0.625 0.312	270	0.0 223 0.625	29.8 0.8 -29.1	29.1 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
846	YOOG_100_050de	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 0.934 0.5	90.7 -1.6 41.8	41.8 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
847	YOOG_087_037de	0.875 0.875 0.5	0.875 0.375 0.687	90	0.875 0.825 0.5	82.4 -1.2 31.3	31.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
848	YOOG_075_025de	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.717 0.5	74.1 -0.8 20.9	20.9 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
849	YOOG_062_012de	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.608 0.5	65.7 -0.4 10.4	10.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
850	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	96.3 0.0 0.0
851	BOOR_050_012de	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.419 0.5	50.0 0.1 -5.8	5.8 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
852	BOOR_050_025de	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.339 0.5	42.5 0.3 -11.6	11.6 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
853	BOOR_050_037de	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.259 0.5	35.0 0.5 -17.4	17.4 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
854	BOOR_050_050de	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.179 0.5	27.6 0.7 -23.3	23.3 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
855	YOOG_100_062de	1.0 1.0 0.375	1.0 0.625 0.687	90	1.0 0.917 0.375	89.3 -2.1 52.3	52.3 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
856	YOOG_087_050de	0.875 0.875 0.375	0.875 0.5 0.625	90	0.875 0.809 0.375	81.0 -1.6 41.8	41.8 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
857	YOOG_075_037de	0.75 0.75 0.375	0.75 0.375 0.562	90	0.75 0.7 0.375	72.7 -1.2 31.3	31.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
858	YOOG_062_025de	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.592 0.375	64.3 -0.8 20.9	20.9 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
859	YOOG_050_012de	0.5 0.5 0.375	0.5 0.125 0.437	90	0.5 0.483 0.375	56.0 -0.4 10.4	10.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
860	NW_037de	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	96.3 0.0 0.0
861	BOOR_037_012de	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.294 0.375	40.2 0.1 -5.8	5.8 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
862	BOOR_037_025de	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.214 0.375	32.8 0.3 -11.6	11.6 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
863	BOOR_037_037de	0.0 0.0 0.375	0.375 0.375 0.187	270	0.0 0.134 0.375	25.3 0.5 -17.4	17.4 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
864	YOOG_100_075de	1.0 1.0 0.25	1.0 0.75 0.625	90	1.0 0.901 0.25	87.9 -2.5 62.7	62.8 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
865	YOOG_087_062de	0.875 0.875 0.25	0.875 0.625 0.562	90	0.875 0.792 0.25	79.9 -2.1 52.3	52.3 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
866	YOOG_075_050de	0.75 0.75 0.25	0.75 0.5 0.5	90	0.75 0.684 0.25	71.3 -1.6 41.8	41.8 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
867	YOOG_062_037de	0.625 0.625 0.25	0.625 0.375 0.437	90	0.625 0.575 0.25	62.9 -1.2 31.3	31.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
868	YOOG_050_025de	0.5 0.5 0.25	0.5 0.25 0.375	90	0.5 0.467 0.249	54.6 -0.8 20.9	20.9 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
869	YOOG_037_012de	0.375 0.375 0.25	0.375 0.125 0.312	90	0.375 0.358 0.249	46.3 -0.4 10.4	10.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
870	NW_025de	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	96.3 0.0 0.0
871	BOOR_025_012de	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.169 0.25	30.5 0.1 -5.8	5.8 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
872	BOOR_025_025de	0.0 0.0 0.25	0.25 0.25 0.125	270	0.0 0.089 0.25	23.0 0.3 -11.6	11.6 271.7	249	0.0 358 1.0	36.7 1.4 -46.6
873	BOOR_100_087de	1.0 1.0 0.125	1.0 0.875 0.562	90	1.0 0.884 0.125	86.5 -2.9 73.2	73.2 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
874	YOOG_087_075de	0.875 0.875 0.125	0.875 0.75 0.5	90	0.875 0.776 0.125	78.2 -2.5 62.7	62.8 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
875	YOOG_075_062de	0.75 0.75 0.125	0.75 0.625 0.437	90	0.75 0.667 0.125	69.9 -2.1 52.3	52.3 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
876	YOOG_062_050de	0.625 0.625 0.125	0.625 0.5 0.375	90	0.625 0.559 0.125	61.5 -1.6 41.8	41.8 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
877	YOOG_050_037de	0.5 0.5 0.125	0.5 0.375 0.312	90	0.5 0.45 0.124	53.2 -1.2 31.3	31.4 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
878	YOOG_037_025de	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.342 0.124	44.9 -0.8 20.9	20.9 92.3	83	1.0 0.868 0.0	85.1 -3.3 83.7
879	YOOG_025_012de	0.25 0.25 0.125	0.25 0.125 0.187	90	0.25 0.233 0.124	36.5 -0.4 10.4	10.4 92.3	83		

see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separation:cmyn6* (CMYK)
TUB material: code=rha4ta

Table with 15 columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, cmyn*sep.Fde, hsiMde, rgb*Mde, LabCh*Mde. Rows 891-971. Includes a footer row: Mean color difference of this page: delta


TUB-test chart SE05; 16 hues, offset standard paper APCO input: $rgb/cmyk \rightarrow rgb_{de}$
colors and differences, ΔE^* , 3D=1, de=1, $cmyk^*_{de}$
output: 3D-linearization to $cmyk^*_{de}$

see similar files: <http://130.149.60.45/~farbmetrik/SE05/SE05.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE05/SE05LOFP.PDF /.PS
application for measurement of offset print output, separation: cmykn6* (CMYK)
TUB material: code=rh4ta

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb*Fde	LabCh*Fde					cmykn*sep,Fde	hsi,Mde	rgb*Mde	LabCh*Mde
1053	NW_086de	0.866 0.866 0.866	0.866 0.0	0.866 360	0.866 0.866 0.866	85.9 0.0 0.0	0.0 0.0	0.014 0.0	0.009 0.191			360	1.0 1.0 1.0	96.3 0.0 0.0
1054	NW_093de	0.933 0.933 0.933	0.933 0.0	0.933 360	0.933 0.933 0.933	91.1 0.0 0.0	0.0 0.0	0.01 0.0	0.003 0.095			360	1.0 1.0 1.0	96.3 0.0 0.0
1055	NW_100de	1.0 1.0 1.0	1.0 0.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0			360	1.0 1.0 1.0	96.3 0.0 0.0
1056	NW_000de	0.0 0.0 0.0	0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0	0.0 0.0	0.0 1.0			360	1.0 1.0 1.0	96.3 0.0 0.0
1057	NW_006de	0.066 0.066 0.066	0.066 0.0	0.066 360	0.066 0.066 0.066	23.6 0.0 0.0	0.0 0.0	0.124 0.0	0.13 0.947			360	1.0 1.0 1.0	96.3 0.0 0.0
1058	NW_013de	0.133 0.133 0.133	0.133 0.0	0.133 360	0.133 0.133 0.133	28.8 0.0 0.0	0.0 0.0	0.0 0.027	0.109 0.893			360	1.0 1.0 1.0	96.3 0.0 0.0
1059	NW_020de	0.2 0.2 0.2	0.2 0.0	0.2 360	0.2 0.2 0.2	34.1 0.0 0.0	0.0 0.0	0.0 0.015	0.068 0.844			360	1.0 1.0 1.0	96.3 0.0 0.0
1060	NW_026de	0.266 0.266 0.266	0.266 0.0	0.266 360	0.266 0.266 0.266	39.2 0.0 0.0	0.0 0.0	0.0 0.008	0.057 0.798			360	1.0 1.0 1.0	96.3 0.0 0.0
1061	NW_033de	0.333 0.333 0.333	0.333 0.0	0.333 360	0.333 0.333 0.333	44.4 0.0 0.0	0.0 0.0	0.0 0.045	0.091 0.747			360	1.0 1.0 1.0	96.3 0.0 0.0
1062	NW_040de	0.4 0.4 0.4	0.4 0.0	0.4 360	0.4 0.4 0.4	49.6 0.0 0.0	0.0 0.0	0.0 0.0	0.046 0.695			360	1.0 1.0 1.0	96.3 0.0 0.0
1063	NW_046de	0.466 0.466 0.466	0.466 0.0	0.466 360	0.466 0.466 0.466	54.8 0.0 0.0	0.0 0.0	0.0 0.017	0.058 0.643			360	1.0 1.0 1.0	96.3 0.0 0.0
1064	NW_053de	0.533 0.533 0.533	0.533 0.0	0.533 360	0.533 0.533 0.533	60.0 0.0 0.0	0.0 0.0	0.007 0.0	0.042 0.568			360	1.0 1.0 1.0	96.3 0.0 0.0
1065	NW_060de	0.6 0.6 0.6	0.6 0.0	0.6 360	0.6 0.6 0.6	65.2 0.0 0.0	0.0 0.0	0.0 0.025	0.058 0.493			360	1.0 1.0 1.0	96.3 0.0 0.0
1066	NW_066de	0.666 0.666 0.666	0.666 0.0	0.666 360	0.666 0.666 0.666	70.3 0.0 0.0	0.0 0.0	0.0 0.0	0.025 0.427			360	1.0 1.0 1.0	96.3 0.0 0.0
1067	NW_073de	0.734 0.734 0.734	0.734 0.0	0.734 360	0.734 0.734 0.734	75.6 0.0 0.0	0.0 0.0	0.0 0.014	0.038 0.354			360	1.0 1.0 1.0	96.3 0.0 0.0
1068	NW_080de	0.8 0.8 0.8	0.8 0.0	0.8 360	0.8 0.8 0.8	80.8 0.0 0.0	0.0 0.0	0.0 0.004	0.021 0.272			360	1.0 1.0 1.0	96.3 0.0 0.0
1069	NW_086de	0.866 0.866 0.866	0.866 0.0	0.866 360	0.866 0.866 0.866	85.9 0.0 0.0	0.0 0.0	0.014 0.0	0.009 0.191			360	1.0 1.0 1.0	96.3 0.0 0.0
1070	NW_093de	0.933 0.933 0.933	0.933 0.0	0.933 360	0.933 0.933 0.933	91.1 0.0 0.0	0.0 0.0	0.01 0.0	0.003 0.095			360	1.0 1.0 1.0	96.3 0.0 0.0
1071	NW_100de	1.0 1.0 1.0	1.0 0.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0			360	1.0 1.0 1.0	96.3 0.0 0.0
1072	NW_000de	0.0 0.0 0.0	0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0	0.0 0.0	0.0 1.0			360	1.0 1.0 1.0	96.3 0.0 0.0
1073	NW_100de	1.0 1.0 1.0	1.0 0.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0			360	1.0 1.0 1.0	96.3 0.0 0.0
1074	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0	0.5 390	1.0 0.0 0.131	47.6 66.3 31.6	73.4 25.4	0.0 1.0	0.867 0.0			383	1.0 0.0 0.131	47.6 66.3 31.6
1075	G50B_100_100de	0.0 1.0 1.0	1.0 1.0	0.5 210	0.0 1.0 0.712	56.3 -41.9 -31.5	52.4 216.9	1.0 0.0	0.286 0.0			193	0.0 1.0 0.712	56.3 -41.9 -31.5
1076	Y00G_100_100de	1.0 1.0 0.0	1.0 1.0	0.5 90	1.0 0.868 0.0	85.1 -3.3 83.7	83.7 92.3	0.0 0.132	1.0 0.0			83	1.0 0.868 0.0	85.1 -3.3 83.7
1077	B00R_100_100de	0.0 0.0 1.0	1.0 1.0	0.5 270	0.0 0.358 1.0	36.7 1.4 -46.6	46.6 271.7	1.0 0.639	0.0 0.0			249	0.0 0.358 1.0	36.7 1.4 -46.6
1078	G00B_100_100de	0.0 1.0 0.0	1.0 1.0	0.5 150	0.0 1.0 0.011	51.7 -69.1 22.1	72.6 162.2	1.0 0.0	0.988 0.0			150	0.0 1.0 0.011	51.7 -69.1 22.1
1079	B50R_100_100de	1.0 0.0 1.0	1.0 1.0	0.5 330	0.42 0.0 1.0	34.9 50.0 -30.5	58.6 328.6	0.577 1.0	0.0 0.0			294	0.42 0.0 1.0	34.9 50.0 -30.5

Mean color difference of this page: delta



TUB-test chart SE05; 16 hues, offset standard paper APCO colors and differences, ΔE^* , 3D=1, de=1, cmyk*

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmyk*de

