



www.ps.bam.de/BE01/10L/L01E00SP.PS/.PDF;


S: Output Linearization (OL) data BE01/10L/L01E00SP.DAT in Distiller Startup (S) Directory




BE01/L10-1 B12N:W1260-1N.081 olv*, sf, exposure +0,0 stop




BE01/L10-2 B12N:W1260-2N.082 olv*, sf, exposure -1,5 stops




BE01/L11-1 B12N:W1261-1N.089 olv*, nf, exposure +0,0 stop



BE01/L11-2 B12N:W1261-2N.090 olv*, nf, exposure -2,0 stops



BE01/L10-3 B12N:W1260-3N.083 olv*, sf, exposure -1,0 stop




BE01/L10-4 B12N:W1260-4N.084 olv*, sf, exposure -0,5 stops



BE01/L11-3 B12N:W1261-3N.091 olv*, nf, exposure -1,0 stop



BE01/L11-4 B12N:W1261-4N.092 olv*, nf, exposure +0,0 stop



BE01/L10-5 B12N:W1260-5N.085 olv*, sf, exposure +0,0 stop




BE01/L10-6 B12N:W1260-6N.086 olv*, sf, exposure +0,5 stops




BE01/L11-5 B12N:W1261-5N.093 olv*, nf, exposure +1,0 stop



BE01/L11-6 B12N:W1261-6N.094 olv*, nf, exposure +2,0 stops



BE01/L10-7 B12N:W1260-7N.087 olv*, sf, exposure +1,0 stop



BE01/L10-8 B12N:W1260-8N.088 olv*, sf, exposure +1,5 stops



BE01/L11-7 B12N:W1261-7N.095 olv*, nf, exposure +3,0 stops



BE01/L11-8 B12N:W1261-8N.096 olv*, nf, exposure +4,0 stops

BAM-test chart no. BE01; Raw scan with grid

Slide (left) and negative (right) film with 7 steps of exposure

input: cmy0* / 000n* setcmykcolor

output: Startup (S) data depend