

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:



www.ps.bam.de/BE11/10Q/Q11E00SP.PS/.PDF;
S: Output Linearization (OL) data BE11/10Q/Q11E00SP.DAT in Distiller Startup (S) Directory
224 mm (+/- 1 mm)

V L O Y M C

BAM-test chart no. BE11

Step: S2

input: *cmy0* / 000n* setcmykcolor*

Yield/Emission: 40% geometrical and 40% visual area coverage output: *Startup (S) data dependend*

C M Y O L V

C

M

Y

O

L

V



See for similar files: <http://www.ps.bam.de/BE11/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0?





Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 65% colour coverage; PS operator: *cmy0* / 000n* setcmykcolor*

















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE11/10Q/Q11E00SP.PS/.PDF;

S: Output Linearization (OL) data BE11/10Q/Q11E00SP.DAT in Distiller Startup (S) Directory

224 mm (+/- 1 mm)




Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 65% colour coverage; PS operator: cmy0* / 000n* setcmycolor

BAM-test chart no. BE11

Step: S2

input: cmy0* / 000n* setcmycolor

Yield/Emission: 40% geometrical and 40% visual area coverage output: Startup (S) data dependend

See for similar files: <http://www.ps.bam.de/BE11/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0?

