

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE12/10S/S12E00SP.PS/.PDF;

S: Output Linearization (OL) data BE12/10S/S12E00SP.DAT in Distiller Startup (S) Directory

224 mm (+/- 1 mm)

BAM-test chart no. BE12

Step: S2


input: $cmy0^* / 000n^*$ setcmykcolor


Yield/Emission: 40% geometrical and 20% visual area coverage output: *Startup (S) data dependend*


Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: $cmy0^* / 000n^*$ setcmykcolor


See for similar files: <http://www.ps.bam.de/BE12/>
Technical information: <http://www.ps.bam.de>


Version 2.0, io=0,0?
















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE12/10S/S12E00SP.PS/.PDF;

S: Output Linearization (OL) data BE12/10S/S12E00SP.DAT in Distiller Startup (S) Directory

224 mm (+/- 1 mm)




Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmycolor

BAM-test chart no. BE12

Step: S2

input: cmy0* / 000n* setcmycolor

Yield/Emission: 40% geometrical and 20% visual area coverage output: Startup (S) data dependend

