

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:



www.ps.bam.de/BE12/10S/S12E00NP.PS/.PDF; start output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

224 mm (+/- 1 mm)

BAM-test chart no. BE12

Step: S1

input: $cm\dot{y}0^* / 000n^*$ setcmykcolor

Yield/Emission: 40% geometrical and 20% visual area coverage output: no change compared to input

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: $cm\dot{y}0^* / 000n^*$ setcmykcolor

BAM-test chart no. BE12

Step: S1

input: $cm\dot{y}0^* / 000n^*$ setcmykcolor

Yield/Emission: 40% geometrical and 20% visual area coverage output: no change compared to input

www.ps.bam.de/BE12/10S/S12E00NP.PS/.PDF; start output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

224 mm (+/- 1 mm)

BAM-test chart no. BE12

Step: S1

input: $cm\dot{y}0^* / 000n^*$ setcmykcolor

Yield/Emission: 40% geometrical and 20% visual area coverage output: no change compared to input

www.ps.bam.de/BE12/10S/S12E00NP.PS/.PDF; start output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


224 mm (+/- 1 mm)


BAM-test chart no. BE12


Step: S1


input: $cm\dot{y}0^* / 000n^*$ setcmykcolor


Yield/Emission: 40% geometrical and 20% visual area coverage output: no change compared to input
















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:



www.ps.bam.de/BE12/10S/S12E00NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
224 mm (+/- 1 mm)




Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor
BAM-test chart no. BE12 Step: S1 input: cmy0* / 000n* setcmykcolor
Yield/Emission: 40% geometrical and 20% visual area coverage output: no change compared to input

