www.ps.bam.de/BE13/10Q/Q13E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE13/10Q/Q13E00FP.DAT in File (F)

224 mm (+/− 1 mm)

C c000* M 0m00* Y 00y0* N 000n* 170 mm (+/− 1 mm) O 0my0* L c0y0* V cm00* CMY cmy0*

BAM registration: 20040501-BE13/10Q/Q13E00FP.PS/.PDF BAM material: code=rha4ta
application for printers

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004−05−01, Name
Test device type: unknown
Driver adjustment
Test device number:
Paper:
Ink: black:
Resolution:
coloured:
Modus:
Test paper:
Driver version:

See for similar files: http://www.ps.bam.de/BE13/
Technical information: http://www.ps.bam.de Version 2.0, io=0,4; iORS; oORS, CIELAB

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor Form: 2, Serie: 1, Page: 1

BAM-test chart no. BE13 Step: S2 input: *cmy0* / 000n* setcmykcolor*
Yield/Emission: 40% geometrical and 20% visual area coverage output: *lab* setcolor*


224 mm (+/− 1 mm)
170 mm (+/− 1 mm)













www.ps.bam.de/BE13/10Q/Q13E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE13/10Q/Q13E00FP.DAT in File (F)

224 mm (+/− 1 mm)

C c000* **M** 0m00* **Y** 00y0* **N** 000n* 170 mm (+/− 1 mm) **O** 0my0* **L** c0y0* **V** cm00* **CMY** cmy0*

BAM registration: 20040501-BE13/10Q/Q13E00FP.PS/.PDF BAM material: code=rha4ta
application for printers

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004−05−01, Name
Test device type: unknown
Driver adjustment
Test device number:
Paper:
Ink: black:
Resolution:
coloured:
Modus:
Test paper:
Driver version:

See for similar files: http://www.ps.bam.de/BE13/
Technical information: http://www.ps.bam.de Version 2.0, io=0,4; iORS; oORS, CIELAB

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor Form: 2, Serie: 2, Page: 1

BAM-test chart no. BE13 Step: S2 input: *cmy0* / 000n* setcmykcolor*
Yield/Emission: 40% geometrical and 20% visual area coverage output: *lab* setcolor*


224 mm (+/− 1 mm)
170 mm (+/− 1 mm)