

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown


Test device number:

Ink: black:



coloured:

Driver version:

Test paper:



www.ps.bam.de/BE13/10S/S13E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE13/10S/S13E00FP.DAT in File (F)
224 mm (+/- 1 mm)



See for similar files: <http://www.ps.bam.de/BE13/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,4; iORS; oORS, CIELAB



BAM-test chart no. BE13


Step: S2


input: cmy0* / 000n* setcmykcolor


Yield/Emission: 40% geometrical and 20% visual area coverage output: lab* setcolor


224 mm (+/- 1 mm)


170 mm (+/- 1 mm)


















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name
Driver adjustment Paper:
Resolution: Test device type: unknown
Modus: Ink: black:
Test paper: coloured:

Driver version:





See for similar files: <http://www.ps.bam.de/BE13/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,4; iORS; oORS, CIELAB



www.ps.bam.de/BE13/10S/S13E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE13/10S/S13E00FP.DAT in File (F)
224 mm (+/- 1 mm)



Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor Form: 2,
BAM-test chart no. BE13 Step: S2 input: cmy0* / 000n* setcmykcolor
Yield/Emission: 40% geometrical and 20% visual area coverage output: lab* setcolor



224 mm (+/- 1 mm)

(mm 1 +/-) mm 0/1

