


Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format
Date, Test person: 2004-05-01, Name
Driver adjustment: Paper:
Resolution: Modus:
Ink: black:
coloured:
Test paper:


Driver version:



www.ps.bam.de/BE13/10S/S13E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE13/10S/S13E00FP.DAT in File (F)
224 mm (+/- 1 mm)





See for similar files: <http://www.ps.bam.de/BE13/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,5; iORS; oORS, CIE/LAB





224 mm (+/- 1 mm)


(mm 1 +/-) mm 0/1

















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:
Resolution:
Modus:

Test device type: unknown


Test device number:

Ink: black:
coloured:

Driver version:



Test paper:

www.ps.bam.de/BE13/10S/S13E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE13/10S/S13E00FP.DAT in File (F)
224 mm (+/- 1 mm)



C c000* M 0n00* Y 00y0* N 000n* 170 mm (+/- 1 mm) O 0ny0* L c0y0* V cm00* CMY cmY0*

See for similar files: <http://www.ps.bam.de/BE13/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,5; iORS; oORS, CIE/LAB



224 mm (+/- 1 mm)

(mm 1 +/-) mm 0/1

