






Picture 5: 16 equidistant steps for "measurement", "banding" and "strike through"; Use of PS operator; B4: *cmy0\* / 000n\* setcmycolor*; D4: *cmy0\* setcmycolor* (only)

See for similar files: <http://www.ps.bam.de/BE16/>  
Technical information: <http://www.ps.bam.de>

Version 2.0, io=0,6; iORS; oORS, CIELAB



Picture B1: Colours CMYKOLVA for homogeneity and ghost images; PS operator  $cmy0^* / 000n^* setcmykcolor$




Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator  $cmy0^* / 000n^* setcmykcolor$




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator  $cmy0^* / 000n^* setcmykcolor$

BAM-test chart no. BE16  
Color reproduction properties of ISO/IEC TR 19797 and 24705


Step: S2




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator  $cmy0^* / 000n^* setcmykcolor$



Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator  $cmy0^* / 000n^* setcmykcolor$




Picture B6: Landolt-rings W-C and W-M; Use of PS operator  $cmy0^* / 000n^* setcmykcolor$




Picture B7: Landolt-rings W-Y and W-N; Use of PS operator  $cmy0^* / 000n^* setcmykcolor$

input:  $cmy0^* / 000n^* setcmykcolor$   
output:  $000n^* setcmykcolor$




Picture D1: Colours CMYNOLVA<sub>w</sub> for homogeneity and ghost images; PS operator  $cmy0^* / 000n^* setcmykcolor$  (only)




Picture D2: Radial gratings W-O, W-L, W-V, W-N, and W-Z; PS operator  $cmy0^* setcmykcolor$  (only)




Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator  $cmy0^* setcmykcolor$  (only)




Picture D4: 16 equidistant steps W-O, W-L, W-V and W-N; Use of PS operator  $cmy0^* setcmykcolor$  (only)



Picture D5: Script and Landolt-rings N, O, L and V; Use of PS operator  $cmy0^* setcmykcolor$  (only)



Picture D6: Landolt-rings W-O and W-L; Use of PS operator  $cmy0^* setcmykcolor$  (only)



Picture D7: Landolt-rings W-V and W-N; Use of PS operator  $cmy0^* setcmykcolor$  (only)