


DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
 Labanda Sinpat Abarress  
 Tendar,BSF  
 URANGLE



**LSB**  
 Funtres Solber Netener

26 March 2002



Jonathan Q.Maderia

Inpert Mampem Abaress  
 2343 Stantim Dawer Lank  
 Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



$L^* / Y$ (absolute)	18.0/2.5	23.1/3.8	28.2/5.5	33.3/7.7	38.5/10.3	43.6/13.6	48.8/17.4	54.0/21.9	59.1/27.2	64.3/33.2	69.5/40.0	74.7/47.8	79.8/56.5	85.0/66.1	90.2/76.8	95.4/88.6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$w^*$ CIE LAB,r (relative)	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel  
 Demperta Aminerimum  
 Labanda Sinpat Abarress

SJS:dwg

www.ps.bam.de/BE95/10L/L95E00NP.PS/.PDF; start output  
 N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

250 mm +/- 1%

170 mm +/- 1%


Form: 1, Serie: 1, Page: 1


input: 000n\* setcmykcolor  
 2003-05-01, name1  
 Test device type: name2 output: no change compared to input

Form 1: "LSB" letter with some graphic for yield or emission; PS operator used: 000n\* setcmykcolor  
 ISO/IEC 19752-test chart, form 1  
 Proposal by DIN NI28

224 mm (+/- 1 mm)


170 mm (+/- 1 mm)






See for similar files: <http://www.ps.bam.de/BE95/>  
 Technical information: <http://www.ps.bam.de/19752>


BAM registration: 20030501-BE95/10L/L95E02NP.PS/.PDF BAM material: code=rh4ta  
 application for yield test of monochromatic printers




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: 000n\* setcmykcolor




Picture C2: 5 visual equidistant L\*-grey steps + NO + WI; PS operator: 000n\* setcmykcolor




Picture C3: 16 visual equidistant L\*-grey steps; PS operator: 000n\* setcmykcolor



Picture C4: Landolt-rings W-N; PS operator: 000n\* setcmykcolor




Picture C5: Line raster under 45° (or 135°); PS operator: 000n\* setcmykcolor



Picture C6: Line raster under 90° (or 0°); Use of the PS operator 000n\* setcmykcolor

See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0






BAM registration: 20030501-BE95/10L/L95E03NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers




170 mm (+/- 1 mm)

See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0

BAM registration: 20030501-BE95/10L/L95E04NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers









See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0

BAM registration: 20030501-BE95/10L/L95E05NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers

Grey Page









See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0

BAM registration: 20030501-BE95/10L/L95E06NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers

White Page











See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0

BAM registration: 20030501-BE95/10L/L95E07NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers






Black Page






See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0

BAM registration: 20030501-BE95/10L/L95E08NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers



DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
 Labanda Sinpat Abarress  
 Tendar,BSF  
 URANGLE



**LSB**  
 Funtres Solber Netener

26 March 2002



Jonathan Q.Maderia

Inpert Mampem Abaress  
 2343 Stantim Dawer Lank  
 Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



$L^*$ / $Y$ (absolute)	18.0/2.5	23.1/3.8	28.2/5.5	33.3/7.7	38.5/10.3	43.6/13.6	48.8/17.4	54.0/21.9	59.1/27.2	64.3/33.2	69.5/40.0	74.7/47.8	79.8/56.5	85.0/66.1	90.2/76.8	95.4/88.6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$L^*$ <sub>CIE LAB,r</sub> (relative) $w^*$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel  
 Demperta Aminerimum  
 Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%


www.ps.bam.de/BE95/10L/L95E00NP.PS/.PDF; start output  
 N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

250 mm +/- 1%

Form: 1, Serie: 2, Page: 1  
 input: 000n\* setcmykcolor  
 2003-05-01, name1  
 Test device type: name2 output: no change compared to input  
 Form 1: "LSB" letter with some graphic for yield or emission; PS operator used: 000n\* setcmykcolor  
 ISO/IEC 19752-test chart, form 1  
 Proposal by DIN NI28


224 mm (+/- 1 mm)

170 mm (+/- 1 mm)



224 mm (+/- 1 mm)


170 mm (+/- 1 mm)




See for similar files: <http://www.ps.bam.de/BE95/>  
 Technical information: <http://www.ps.bam.de/19752>

Version 2.0, io=0.0


BAM registration: 20030501-BE95/10L/L95E02NP.PS/.PDF BAM material: code=rh4ta  
 application for yield test of monochromatic printers




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: 000n\* setcmykcolor




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: 000n\* setcmykcolor




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: 000n\* setcmykcolor



Picture C4: Landolt-rings W-N; PS operator: 000n\* setcmykcolor




Picture C5: Line raster under 45° (or 135°); PS operator: 000n\* setcmykcolor



Picture C6: Line raster under 90° (or 0°); Use of the PS operator 000n\* setcmykcolor

See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0



BAM registration: 20030501-BE95/10L/L95E03NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers



Form 4: Grey areas 14 mm x 14 mm for yield or emission: 10% geometrical and 5% visual area coverage; PS operator used: 000n\* setcmykcolor

Form: 4, Serie: 2, Page: 5


www.ps.bam.de/BE95/10L/L95E04NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)  
224 mm (+/- 1 mm)



See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0

BAM registration: 20030501-BE95/10L/L95E04NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers



170 mm (+/- 1 mm)



Form 5: Black areas 14 mm x 7 mm for yield or emission: 5% geometrical and 5% visual area coverage; PS operator used: 000n\* setcmycolor


Form: 5, Serie: 2, Page: 6

ISO/IEC 19752-test chart, form 5 2003-05-01, name1 input: 000n\* setcmycolor  
Proposal by DIN NI28 Test device type: name2 output: no change compared to input



C M Y O L V C M Y O L V









See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0

BAM registration: 20030501-BE95/10L/L95E05NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers

Grey Page







See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0

BAM registration: 20030501-BE95/10L/L95E06NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers


# White Page



See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0


BAM registration: 20030501-BE95/10L/L95E07NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers

# Black Page



See for similar files: <http://www.ps.bam.de/BE95/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0

BAM registration: 20030501-BE95/10L/L95E08NP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers



Form 9: Grey rectangles 115 mm x 14.4 mm for yield or emission; PS operator used: 000n\* setcmykcolor

Form: 9, Serie: 2, Page: 10

