www.ps.bam.de/CE60/10L/L60E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data CE60/10L/L60E00FP.DAT in File (F)

BAM registration: 20040101-CE60/10L/L60E00FP.PS/.PDF BAM material: code=rha4ta
Application for achromatic display output with CIELAB contrast range

See for similar files: http://www.ps.bam.de/CE60/
Technical information: http://www.ps.bam.de/9241 Version 2.0, io=0,0, CIEXYZ, 1.0 exp



Picture C3: 16 visual equidistant *L**-grey steps; PS operator: *000n* setcmykcolor*

*L*w:L*n* = 95.4 : 5.7



Picture C3: 16 visual equidistant *L**-grey steps; PS operator: *000n* setcmykcolor*

Yw:Yn = 88.6 : 0.6

*L*w:L*n* = 95.4 : 11.0



Picture C3: 16 visual equidistant *L**-grey steps; PS operator: *000n* setcmykcolor*

Yw:Yn = 88.6 : 1.3

*L*w:L*n* = 95.4 : 18.0



Picture C3: 16 visual equidistant *L**-grey steps; PS operator: *000n* setcmykcolor*

Yw:Yn = 88.6 : 2.5

ISO 9241-test chart for four different contrast ranges
Ergonomics − Visual Displays − Field Assessment Methods

input: *000n* setcnykcolor*
output: *no change compared to input*

www.ps.bam.de/CE60/10L/L60E40FP.PS/.PDF; linearized output
F: Output Linearization (OL) data CE60/10L/L60E40FP.DAT in File (F)

BAM registration: 20040101-CE60/10L/L60E40FP.PS/.PDF BAM material: code=rha4ta
Application for achromatic display output with CIELAB contrast range

See for similar files: http://www.ps.bam.de/CE60/
Technical information: http://www.ps.bam.de/9241

Version 2.0, io=0,0, CIEXYZ, 1.0 exp



Picture C3: 16 visual equidistant *L**-grey steps; PS operator: *000n* setcmykcolor*



Picture C3: 16 visual equidistant *L**-grey steps; PS operator: *000n* setcmykcolor*



Picture C3: 16 visual equidistant *L**-grey steps; PS operator: *000n* setcmykcolor*



Picture C3: 16 visual equidistant *L**-grey steps; PS operator: *000n* setcmykcolor*

*L*w:L*n* = 95.4 : 38.0 *Yw:Yn* = 88.6 : 10.1
*L*w:L*n* = 95.4 : 52.0 *Yw:Yn* = 88.6 : 20.2
*L*w:L*n* = 95.4 : 69.7 *Yw:Yn* = 88.6 : 40.3

ISO 9241-test chart for four different contrast ranges
Ergonomics − Visual Displays − Field Assessment Methods

input: *000n* setcnykcolor*
output: *no change compared to input*