



BAM registration: 20040101-CE73/10L/L73E00NP.PS/.PDF
Application for achromatic display output with CIELAB contrast range

$L^*_{Wn}:L^*_n = 95.4 : 0.0$

$L^*_{Wn}:L^*_n = 95.4 : 0.0$

BAM material: code=rha4ta

$L^*_{Wn}:L^*_n = 95.4 : 0.0$

See for similar files:

Technical information:

Version 2.0, io=3,3, CIELAB, 1.0 exp

 $Y_w:Y_n = 88.6 : 0.0$ $Y_v:Y_n = 88.6 : 0.0$

	v	L	o	y	M	C
$L^*/Y_{intended}$	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0
(absolute)						
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A
$w^* = l^*_{CIELAB,r}$ (relative)						
Y_t / Y_{tmax}	0.0	0.008	0.017	0.031	0.051	0.079

Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`

	v	L	o	y	M	C
$L^*/Y_{intended}$	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0
(absolute)						
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A
$w^* = l^*_{CIELAB,r}$ (relative)						
Y_t / Y_{tmax}	0.0	0.008	0.017	0.031	0.051	0.079

Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`

	v	L	o	y	M	C
$L^*/Y_{intended}$	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0
(absolute)						
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A
$w^* = l^*_{CIELAB,r}$ (relative)						
Y_t / Y_{tmax}	0.0	0.008	0.017	0.031	0.051	0.079

Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`

	v	L	o	y	M	C
$L^*/Y_{intended}$	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0
(absolute)						
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A
$w^* = l^*_{CIELAB,r}$ (relative)						
Y_t / Y_{tmax}	0.0	0.008	0.017	0.031	0.051	0.079

Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`

ISO 9241-test chart for standard luminous contrast range

Ergonomics – Visual Displays – Field Assessment Methods

input: `www* setrgbcolor`

output: no change compared to input

