

DEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J. Singel
Labanda Singat. Abaress
Tender BSF
URANGLE



LSA
Furnes Solber Neeover

Form: 1, Series: 1, Page: 1

26 March 2002

Jonathan Q.Maderia
Impert Mampern Abaress
2343 Stantim Dawer Lank
Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option congue nihil consequat, velitillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et justo odio dignissim qui blandit praesent luctum ri lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum irure dolor in hendrerit vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcomper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetur adipiscing elit, sed diam nonummy nibh veniam,
receptus adipiscing elit, sed diam nonummy nibh laoreet dolore magna
aliam erat volutpat. Ut wisi enim minin veniam, quislent nostrud. Soluta
nobis eleifend opn congue nihil inerdiet domg id quod mzin plerai facer
posim aum. Lorem ipsan dolor sit amet, consectetur. Duis autem vel eum
irure dolor in hendreritn vulputate velit esse ea commodo molestie.

Nam liber tempor cum soluta nobis eleifend option congue nihil consequat, velitillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et justo odio dignissim qui blandit praesent luctum ri lobortis nisl ut aliquip ex ea commodo consequat. Amet, consectetur adipiscing elit, sed diam nonummy nibh veniam, adipiscing elit.

Singbet,

Stephen J. Singel
Demperia Ammerinum
Labanda Singat. Abaress
SJS:dwg

250 mm +/- 1%

www.ps.bam.de/CE80/10/L80E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

2003-05-01, name1 input: w* setgray
Test device type: name2 output: no change compared to input

ISO/IEC 19752-test chart, form 1
Proposal by DIN N128

170 mm +/- 1%

See for similar files: <http://www.ps.bam.de/CE80/>
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=1,1