


Stephen J.Singel
Labanda Sinpat Abarress
Tendar,BSF
URANGLE



Mr.Maderia:


Amet,consectetur adipiscing elit, sēd diam nonummy nibh veniam,
recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna
aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta
nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer
posim aum. Lorem ipsum dolor sit amet, consectetur. Duis autem vel eum
iriure dolor in hendreritin vulputate velit esse ea commodo molestie.





L^* / Y (absolute)	18,0/2,5	23,1/3,8	28,2/5,5	33,3/7,7	38,5/10,3	43,6/13,6	48,8/17,4	54,0/21,9	59,1/27,2	64,3/33,2	69,5/40,0	74,7/47,8	79,8/56,5	85,0/66,1	90,2/76,8	95,4/88,6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$L^*_{CIE LAB_r}$ (relative)	$w^*_{0,000}$	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel
Demperta Aminerimum
Labanda Sinpat Abarress

Version 2.0, io=0,0?







170 mm (+/- 1 mm)

N 0001*

N 0000*

Fb,0

Eb,1

Db,2

Cb,3

Bb,4

Ab,5

9b,6

8b,7

7b,8

6b,9

5b,10

4b,11

3b,12

2b,13

1b,14

0b,15

0t,31

1t,30

2t,29

3t,28

4t,27

5t,26

6t,25

7t,24

9t,22

At,21

Bt,20

Ct,19

Dt,18

Et,17


Ft,16

Stephen J.Singel
Labanda Sinpat Abarress
Tendar,BSF
URANGLE



Mr.Maderia:


Amet,consectetur adipiscing elit, sēd diam nonummy nibh veniam,
recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna
aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta
nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer
posim aum. Lorem ipsum dolor sit amet, consectetur. Duis autem vel eum
iriure dolor in hendreritin vulputate velit esse ea commodo molestie.





L^* / Y (absolute)	18,0/2,5	23,1/3,8	28,2/5,5	33,3/7,7	38,5/10,3	43,6/13,6	48,8/17,4	54,0/21,9	59,1/27,2	64,3/33,2	69,5/40,0	74,7/47,8	79,8/56,5	85,0/66,1	90,2/76,8	95,4/88,6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$L^*_{CIE LAB_r}$ (relative)	$w^*_{0,000}$	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J. Singel
Demperta Aminerimum
Labanda Sinpat Abarress

SJS:dwg







224 mm (+/- 1 mm)

BAM registration: 20030501-CE91/10L/L91E02SP.PS/.PDF BAM material: code=rha4ta
application for yield test of monochromatic printers

—
—See for similar files: [http://www.ps.bam.de/CE91/Technical information](http://www.ps.bam.de/CE91/Technical%20information): <http://www.ps.bam.de/19752> Version 2.0, io=0,0?

Version 2.0, io=0,0?

Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 10% geometrical and 5% visual area coverage

ISO/IEC 19752-test chart, form 3B
Proposal by DIN NI28

2003-05-01, name1

input: 000n* setcmykcolor

Test device type: name2 output: *Startup (S) data dependend*

Form: 3B, Serie: 2, Page: 5