

Technical information: <http://o2.ps.bam.de>

Image file version 1.6, 20011020-33870-D10

BAM registration: 20011020-33870-D10

BAM-Reference material: code=rh4ra-D10

i	LAB*ref	LAB*out	LAB*out/c-ref	ΔE^*
1	23.23	0.0	0.0	0.01
2	27.91	0.0	0.0	1.65
3	32.59	0.0	0.0	2.13
4	37.27	0.0	0.0	4.12
5	41.95	0.0	0.0	2.23
6	46.63	0.0	0.0	1.31
7	51.31	0.0	0.0	4.07
8	55.99	0.0	0.0	1.64
9	60.67	0.0	0.0	1.54
10	65.35	0.0	0.0	3.48
11	70.03	0.0	0.0	2.55
12	74.71	0.0	0.0	2.18
13	79.39	0.0	0.0	1.19
14	84.07	0.0	0.0	1.56
15	88.75	0.0	0.0	1.03
16	93.43	0.0	0.0	0.01
17	23.23	0.0	0.0	0.01
18	40.78	0.0	0.0	2.7
19	58.33	0.0	0.0	1.59
20	75.88	0.0	0.0	1.93
21	93.43	0.0	0.0	0.01


Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G
 only L^* -lightness used
 $\Delta L^* = 93.43 - 23.23$
Regularity
 $g^* = 77.1$
Lightness gamut rel. to offset
 $f^* = 90.7$
 ΔL^* -gray variation
 $v^* = 0.0$
Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 1.9$
Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 1.2$
Mean colour reproduction index: $R^*_{ab,m} = 92$

Device: (X); Meas.: X10ES1A.PS/.TXT; Date: M010301 www.ps.bam.de/DE02/10X/X10ES1A.PS/.TXT


i	LAB*ref	LAB*out	LAB*out/c-ref	ΔE^*
1	22.62	0.0	0.0	0.01
2	27.35	0.0	0.0	0.04
3	32.07	0.0	0.0	0.67
4	36.8	0.0	0.0	1.72
5	41.52	0.0	0.0	0.15
6	46.25	0.0	0.0	1.55
7	50.98	0.0	0.0	1.45
8	55.7	0.0	0.0	1.94
9	60.43	0.0	0.0	0.03
10	65.15	0.0	0.0	1.55
11	69.88	0.0	0.0	0.87
12	74.61	0.0	0.0	0.46
13	79.33	0.0	0.0	0.36
14	84.06	0.0	0.0	0.36
15	88.78	0.0	0.0	0.16
16	93.51	0.0	0.0	0.01
17	22.62	0.0	0.0	0.01
18	40.34	0.0	0.0	0.32
19	58.07	0.0	0.0	0.96
20	75.79	0.0	0.0	0.43
21	93.51	0.0	0.0	0.01

Linearized output S2
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G
 only L^* -lightness used
 $\Delta L^* = 93.51 - 22.62$
Regularity
 $g^* = 90.2$
Lightness gamut rel. to offset
 $f^* = 91.6$
 ΔL^* -gray variation
 $v^* = 0.0$
Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 0.7$
Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 0.3$
Mean colour reproduction index: $R^*_{ab,m} = 97$

Device: (A); Meas.: X10ES2A.PS/.TXT; Date: M010203 www.ps.bam.de/DE02/10X/X10ES2A.PS/.TXT



Device: (X); Meas.: X10ES1A.PS/.TXT; Date: M010301 www.ps.bam.de/DE02/10X/X10ES1A.PS/.TXT



Device: (A); Meas.: X10ES2A.PS/.TXT; Date: M010203 www.ps.bam.de/DE02/10X/X10ES2A.PS/.TXT