www.ps.bam.de/DE44/10O/O44E00FP.PS/.PDF; linearized output with LAB* transfer and OL
F: Output Linearization (OL) data DE44/10O/OUTLINFP.PS/.PDF in File (F)

Information and Order: http://www.ps.bam.de Image file version 1.5, 20011015-DE44

BAM registration: 20011015-DE44/10O/O44E00FP.PS/.PDF BAM material: code=rha4ra

F: w - x o* LAB*(PR18) setcolor _to_cmy0*PR18 -> cmy0*S setcmykcolor*

F: w - x l* LAB*(PR18) setcolor _to_cmy0*PR18 -> cmy0*S setcmykcolor*

F: w - x v* LAB*(PR18) setcolor _to_cmy0*PR18 -> cmy0*S setcmykcolor*

F: w - x cmy* LAB*(PR18) setcolor _to_cmy0*PR18 -> cmy0*S setcmykcolor*

F: w - x o* cmy0*S setcmykcolor -> w* setgray*

F: w - x l* cmy0*S setcmykcolor -> w* setgray*

F: w - x v* cmy0*S setcmykcolor -> w* setgray*

F: w - x cmy* cmy0*S setcmykcolor -> w* setgray*

0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

Figure B4 and/or D4 of the ISO/IEC-test charts; *w* - cmyn*; w* - olv(cmy)*;* 16 visual equidistant steps of colour series*: LAB* -> ΔLAB*;* LM methods: N, F, S, D, T, E

16 colours according to ISO/IEC 15775 and 19839-X; setcolor -> setcmykcolor, setgray