




See for similar files: <http://www.ps.bam.de/DE80/10Q/Q80E03FP.PS/.PDF>
Information and Order: <http://www.ps.bam.de>


Version 2.0, io=m,3; iORS, oORS, CIELAB




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; Use of the PS operator $000n^*$ setmykcolor



Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; Use of the PS operator w^* setgray





Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; Use of the PS operator $nnn0^*$ setmykcolor




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; Use of the PS operator www^* setrgbcolor

Fig. C2 of ISO/IEC-test chart no. 3;

ISO/IEC 15775 and
DIS ISO/IEC 19839-X; input: mixture (m) of PS operators
output: olv^*/www^* setrgbcolor



Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; Use of the PS operator lab^* setcolor



Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; Use of the PS operator LAB^* setcolor

