



See for similar files: <http://www.ps.bam.de/DE80/10Q/Q80E10FP.PS/.PDF>  
Information and Order: <http://www.ps.bam.de>


Version 2.0, io=m,0; iORS, oORS, CIELAB




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; Use of the PS operator  $000n^*$  setcmykcolor



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; Use of the PS operator  $w^*$  setgray




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; Use of the PS operator  $nnn0^*$  setcmykcolor




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; Use of the PS operator  $www^*$  setrgbcolor

Fig. C2 of ISO/IEC-test chart no. 3;



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; Use of the PS operator  $lab^*$  setcolor



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; Use of the PS operator  $LAB^*$  setcolor

ISO/IEC 15775 and  
DIS ISO/IEC 19839-X; input: mixture (m) of PS operators  
 $cmy0^*/000n^*$  setcmykcolor

