




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N



Radial grating (Siemens-star) N-Z



Radial grating (Siemens-star) W-Z



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; Use of the PS operator *LAB\* setcolor*Picture C2: 5 visual equidistant *L\**-grey steps + *N<sub>0</sub>* + *W<sub>I</sub>*; Use of the PS operator *LAB\* setcolor*Picture C3: 16 visual equidistant *L\**-grey steps; Use of the PS operator *LAB\* setcolor*

Fig. C1 to C6 of ISO/IEC-test chart 3;

ISO/IEC 15775 and input: *LAB\* setcolor*  
 DIS ISO/IEC 19839-X; output: *Startup (S) data dependend*

background step 0

Hex code

7

E

2

8

F

1 ring step

Hex code

8

F

0

6

D

0-1

7-8

E-F



2-0

8-6

F-D

Landolt-rings W-N

code: background-ring

Picture C4: Landolt-rings W-N; Use of the PS operator *LAB\* setcolor*Picture C5: Line raster under 45° (or 135°); Use of the PS operator *LAB\* setcolor*Picture C6: Line raster under 90° (or 0°); Use of the PS operator *LAB\* setcolor*