



Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator $cmy0^* / 000n^* \text{ setcmykcolor}$




Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator $cmy0^* / 000n^* \text{ setcmykcolor}$



Picture B6: Landolt-rings W-C and W-M; Use of PS operator $cmy0^* / 000n^* \text{ setcmykcolor}$




Picture B7: Landolt-rings W-Y and W-N; Use of PS operator $cmy0^* / 000n^* \text{ setcmykcolor}$




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator $olv^* \text{ setrgbcolor} / w^* \text{ setgray}$



Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator $olv^* \text{ setrgbcolor} / w^* \text{ setgray}$



Picture B6: Landolt-rings W-C and W-M; Use of PS operator $olv^* \text{ setrgbcolor} / w^* \text{ setgray}$



Picture B7: Landolt-rings W-Y and W-N; Use of PS operator $olv^* \text{ setrgbcolor} / w^* \text{ setgray}$

Fig. B4 to B7 of ISO/IEC-test chart 2;

ISO/IEC 15775 and
DIS ISO/IEC 19839-X; input: mixture (m) of PS operators
output: $cmy0^* / 000n^* \text{ setcmykcolor}$