



Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator:  $w^*lin\ 1.0\ exp\ setgray$



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_I$ ; PS operator:  $w^*lin\ 1.0\ exp\ setgray$




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^*lin\ 1.0\ exp\ setgray$


ISO/IEC-test chart no. 3 according to

ISO/IEC 15775 and  
DIS ISO/IEC 19839-X;

input:  $w^*lin\ 1.0\ exp\ setgray$   
output:  $cmy0^*/000n^*\ setcmykcolor$




Landolt-rings W-N




code: background-ring

Picture C4: Landolt-rings W-N; PS operator:  $w^*lin\ 1.0\ exp\ setgray$



line raster diameter in  $lpi$

Picture C5: Line raster under 45° (or 135°); PS operator:  $w^*lin\ 1.0\ exp\ setgray$



line raster diameter in  $lpi$

Picture C6: Line raster under 90° (or 0°); PS operator:  $w^*lin\ 1.0\ exp\ setgray$