


www.ps.bam.de/DE87/10T/T87E21FP.PS./PDF; linearized output
F: Output Linearization (OL) data DE87/10T/T87E21FP.DAT in File (F)




BAM registration: 20031201-DE87/10T/T87E21FP.PS/PDF BAM material: code=rha4ta
Full page: application for monitors (Yr=2.5) and printers

) See for similar files: <http://www.ps.bam.de/DE87/>
Information and Order: <http://www.ps.bam.de> Nederlands


37/
Ve




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N



Radial grating (Siemens-star) N-Z



Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) $N-W$, $W-N$, $N-Z$ and $W-Z$; PS operator: $w*lin\ 1.0\ exp\ setgray$

Picture C2: 5 visual equidistant L^* -grey steps + N0 + W1; PS operator: $w^*lin\ 1.0\ exp\ setgray$

$L^*/Y_{intended}$ (absolute)	18.0/18.0	23.2/23.2	28.3/28.3	33.5/33.5	38.7/38.7	43.8/43.8	49.0/49.0	54.1/54.1	59.3/59.3	64.5/64.5	69.6/69.6	74.8/74.8	79.9/79.9	85.1/85.1	90.3/90.3	95.4/95.4
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
w^*-l^* $CIELAB, r$ (relative)																
w^* input	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^* output	0,0	0,067	0,133	0,2	0,267	0,333	0,4	0,467	0,533	0,6	0,667	0,733	0,8	0,867	0,933	1,0

Picture C3: 16 visual equidistant L^* -grey steps; PS operator: $w^*lin\ 1.0\ exp\ setgray$

ISO/IEC-test chart no. 3 according to

ISO/IEC 15775 and DIS ISO/IEC 19839-X

input: *w*lin 1.0 exp setgray*
output: *cmy0*/nnn0* setcmykcolor*

