




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N



Radial grating (Siemens-star) N-Z



Radial grating (Siemens-star) W-Z



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; Use of the PS operator *LAB* setcolor*Picture C2: 5 visual equidistant *L**-grey steps + *N₀* + *W_I*; Use of the PS operator *LAB* setcolor*Picture C3: 16 visual equidistant *L**-grey steps; Use of the PS operator *LAB* setcolor*

Fig. A1 to A6 of ISO/IEC-test chart 1;

ISO/IEC 15775 and
DIS ISO/IEC 19839-X;input: mixture (m) of PS operators
output: *Startup (S)* data dependentbackground step 0
Hex code 7

E

2

8

F

1 ring step
Hex code 8

F

0



6

D

0-1
7-8
E-F
2-0
8-6
F-D

Landolt-rings W-N

code: background-ring

Picture C4: Landolt-rings W-N; Use of the PS operator *LAB* setcolor*Picture C5: Line raster under 45° (or 135°); Use of the PS operator *LAB* setcolor*Picture C6: Line raster under 90° (or 0°); Use of the PS operator *LAB* setcolor*