




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator:  $w^*lin\ 1.0\ exp\ setgray$




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator:  $w^*lin\ 1.0\ exp\ setgray$




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^*lin\ 1.0\ exp\ setgray$ ; use file www.bam.de/FE87/10L/L87E00FA.PS or /L87E00FP.PS/PDF for DPS or PDF systems to complete the figure


ISO/IEC-test chart no. 3 according to  
ISO/IEC 15775 and DIS ISO/IEC 19839-X; input:  $w^*lin\ 1.0\ exp\ setgray$   
output:  $cmY0^*/000n^*\ setcmykcolor$



Picture C4: Landolt-rings W-N; PS operator:  $w^*lin\ 1.0\ exp\ setgray$



Picture C5: Line raster under 45° (or 135°); PS operator:  $w^*lin\ 1.0\ exp\ setgray$



Picture C6: Line raster under 90° (or 0°); PS operator:  $w^*lin\ 1.0\ exp\ setgray$