





Picture D1: Flower motif, 14 CIE-test colours and 2 + 16 grey steps (nf); PS operators *settransfer*, 3 *colorimage*



Radial grating W-O Radial grating W-L Radial grating W-V Radial grating W-N Radial grating W-Z


Picture D2: Radial gratings W-O, W-L, W-V, W-N, and W-Z; Use of PS operator *LAB\** *setcolor*




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator *LAB\** *setcolor*

Fig. D1 to D7 of ISO/IEC-test chart 4;


BAM registration: 20030101-EE94/10L/L94E01FP.PS/.PDF BAM material: code=rha4ta  
application for monitors (Yr=2.5) and printers



Picture D4: 16 equidistant steps W-O, W-L, W-V and W-N; Use of PS operator *LAB\** *setcolor*



Picture D5: Script and Landolt-rings N, O, L and V; Use of PS operator *LAB\** *setcolor*



Picture D6: Landolt-rings W-O and W-L; Use of PS operator *LAB\** *setcolor*

ISO/IEC 15775 and input: *LAB\** *setcolor*  
DIS ISO/IEC 19839-X; output: *olv\** *setrgbcolor* / *w\** *setgray*