



Order information of production company (e.g. Web-site) for ISO-test chart (e.g. code=rha4ra-I0(1/3))





Technical informations: (e.g. Web-site)

ISO identification: 19980615-I0(1/3)

Layout-file version IE-OCSA498


ISO-reference material: code=rha4ra-I0(1/3)



xA1 = 28 mm, yA1 = 109 mm, xDA1 = 120 mm, yDA4 = 84 mm


xA4 = (161-8) mm, yA4 = 153 mm, xDA4 = 120 mm, yDA4 = 40 mm

Picture A4 or C4



xA5 = (161-8) mm, yA5 = 109 mm, xDA5 = 120 mm, yDA5 = 40 mm

Picture A5 or C5




xA21 = 17 mm, yA21 = 20 mm, xDA21 = 14 mm

Recommendation: Measure upper larger adjacent samples!


xA2 = 28 mm, yA2 = 65 mm, xDA2 = 120 mm, yDA2 = 40 mm

Picture A2 or C2



xA6 = (161-8) mm, yA6 = 65 mm, xDA6 = 120 mm, yDA6 = 40 mm

Picture A6 or C6



xA31 = 17.0 mm, yA31 = 20.0 mm, xDA31 = 14.0 mm

Recommendation: Measure upper larger adjacent samples!

xA3 = 28 mm, yA3 = 21 mm, xDA3 = 245 mm, yDA3 = 84 mm

Picture A3 or C3

Test chart no. (1/3) for color devices according to ISO 15775: compare www.actech.com.br/sc28

