




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS oper.: 000n\*lin 1.0 exp setcmykcolor



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_I$ ; PS operator: 000n\*lin 1.0 exp setcmykcolor



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: 000n\*lin 1.0 exp setcmykcolor

ISO/IEC-test chart no. 3C according to

ISO/IEC 15775 and  
DIS ISO/IEC 19839-X;

input: 000n\*lin 1.0 exp setcmykcolor  
output: cmy0\* / nnn0\* setcmykcolor

background step 0  
Hex code


7

E

2

8

F



Landolt-rings W-N

1 ring step  
Hex code

8

F

0

6

D

0-1

7-8

E-F

2-0

8-6

F-D


code: background-ring

Picture C4: Landolt-rings W-N; PS operator: 000n\*lin 1.0 exp setcmykcolor



line raster diameter in lpi

Picture C5: Line raster under 45° (or 135°); PS operator: 000n\*lin 1.0 exp setcmykcolor



line raster diameter in lpi

Picture C6: Line raster under 90° (or 0°); PS operator: 000n\*lin 1.0 exp setcmykcolor