




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z



Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS oper.: *w\*lin 1.0 exp setgray*



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: *w\*lin 1.0 exp setgray*



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: *w\*lin 1.0 exp setgray*; use file [www.bam.de/KE87/10C/C87E00FA.PS](http://www.bam.de/KE87/10C/C87E00FA.PS) or [/C87E00FP.PS](http://www.bam.de/C87E00FP.PS) for DPS or PDF systems to complete the figure


ISO/IEC-test chart no. 3C according to ISO/IEC 15775 and input: *w\*lin 1.0 exp setgray*  
DIS ISO/IEC 19839-X; output: *cmy0\*/000n\* setcmykcolor*

background step 0		1 ring step	0-1
Hex code		Hex code	
7		8	7-8
E		F	E-F
2		0	2-0
8		6	8-6
F		D	F-D


Landolt-rings W-N

code: background-ring

Picture C4: Landolt-rings W-N; PS operator: *w\*lin 1.0 exp setgray*



Picture C5: Line raster under 45° (or 135°); PS operator: *w\*lin 1.0 exp setgray*



Picture C6: Line raster under 90° (or 0°); PS operator: *w\*lin 1.0 exp setgray*