www.ps.bam.de/LE12/10S/S12E05SP.PS/.PDF;
S: Output Linearization (OL) data LE12/10S/S12E05SP.DAT in Distiller Startup (S) Directory



used coordinate squares

LAB^*_{TLS00}

C

LAB^*_{TLS00}

LAB^*_{TLS00}

M

LAB^*_{TLS00}

LAB^*_{TLS00}

Y

LAB^*_{TLS00}

LAB^*_{TLS00}

O

LAB^*_{TLS00}

LAB^*_{TLS00}

L

LAB^*_{TLS00}

LAB^*_{TLS00}

V

LAB^*_{TLS00}

LAB^*_{TLS00}

N/W

LAB^*_{TLS00}

16 equidistant CIELAB steps: *C−W, C−N, M−W, M−N, Y−W, Y−N, O−W, O−N, L−W, L−N, V−W, V−N, N−W, W−N* and 14 CIE-test colours (left)

Test chart LE12: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input ‚ORS18: *LAB* setcolor/cmyn* setcmyk..*
output ‚ORS18: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE12/LE12.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,0?

BAM registration: 20030101-LE12/10S/S12E05SP.PS/.PDF
application for measurement of monitor (Yr=2.5) and printer output

BAM material: code=rha4ta