


See for similar files: <http://www.ps.bam.de/LE13/10S/S13E07FP.PS/.PDF>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,7; iTLS; oTLS, CIELAB

used coordinate
surround center
*c000** *c000**
C
*1my0** *1my0**
*0m00** *0m00**
M
*c1y0** *c1y0**
*00y0** *00y0**
Y
*cm10** *cm10**
*0my0** *0my0**
O
*c110** *c110**
*c0y0** *c0y0**
L
*1m10** *1m10**
*cm00** *cm00**
V
*11y0** *11y0**
*cm00** *cm00**
N/W
*000k** *000k**

BAM registration: 20030101-LE13/10S/S13E07FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output



16 equidistant CIELAB steps: C-W, C-N, M-W, M-N, Y-W, Y-N, O-W, O-N, L-W, L-N, V-W, V-N, N-W, W-N and 14 CIE-test colours (left)

Test chart LE13: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White

input ,TLS00: *LAB* setcolor/olv* setrgbcolor*
output ,TLS00: *w* setgray*