www.ps.bam.de/LE21/10Q/Q21E02FP.PS/.PDF; linearized output
F: Output Linearization (OL) data LE21/10Q/Q21E02FP.DAT in File (F)



16 equidistant CIELAB steps: *C−W, C−N, M−W, M−N, Y−W, Y−N, O−W, O−N, L−W, L−N, V−W, V−N, N−W (olv*), W−N (w*)* and 14 CIE-test colours (left)

Test chart LE21: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *olv* setrgbcolor*
output(ORS18): *cmy0* / nnn0* setcmykcolor*

See for similar files: http://www.ps.bam.de/LE21/LE21.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=1,2; iORS; oORS, CIELAB

BAM registration: 20030101-LE21/10Q/Q21E02FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

www.ps.bam.de/LE21/10Q/Q21E12FP.PS/.PDF; linearized output
F: Output Linearization (OL) data LE21/10Q/Q21E12FP.DAT in File (F)



Picture B4w: 16 equidistant steps ***W-C, W-M, W-Y*** and ***W-N***; PS operator *olv* setrgbcolor* (only)



Picture B5w: Script and Landolt-rings ***N, M, C*** and ***Y***; PS operator *olv* setrgbcolor* (only)



Picture B6w: Landolt-rings ***W-C*** and ***W-M***; PS operator *olv* setrgbcolor* (only)



Picture B7w: Landolt-rings ***W-Y*** and ***W-N***; PS operator *olv* setrgbcolor* (only)



Picture D4w: 16 equidistant steps ***W-O, W-L, W-V*** and ***W-N***; PS operator *olv* setrgbcolor / w* setgray*



Picture D5w: Script and Landolt-rings *N, O, L* and *V*; PS operator *olv* setrgbcolor / w* setgray*



Picture D6w: Landolt-rings ***W-O*** and ***W-L***; PS operator *olv* setrgbcolor / w* setgray*



Picture D7w: Landolt-rings ***W-V*** and ***W-N***; PS operator *olv* setrgbcolor / w* setgray*

See for similar files: http://www.ps.bam.de/LE21/LE21.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=1,2; iORS; oORS, CIELAB

BAM registration: 20030101-LE21/10Q/Q21E12FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE21: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *olv* setrgbcolor*
output(ORS18): *cmy0* / nnn0* setcmykcolor*

www.ps.bam.de/LE21/10Q/Q21E22FP.PS/.PDF; linearized output
F: Output Linearization (OL) data LE21/10Q/Q21E22FP.DAT in File (F)

Picture B4n: 16 equidistant steps ***N-C, N-M, N-Y*** and ***N-W***; PS operator *olv* setrgbcolor / w* setgray*



Picture B5n: Script and Landolt-rings ***W, M, C*** and ***Y***; PS operator *olv* setrgbcolor / w* setgray*



Picture B6n: Landolt-rings ***N-C*** and ***N-M***; Use of PS operator *olv* setrgbcolor / w* setgray*



Picture B7n: Landolt-rings ***N-Y*** and ***N-W***; PS operator *cmy0* / 000n* setcmykcolor*



Picture D4n: 16 equidistant steps ***N-O, N-L, N-V*** and ***N-W***; PS operator *olv* setrgbcolor* (only)



Picture D5n: Script and Landolt-rings *W, O, L* and *V*; PS operator *olv* setrgbcolor* (only)



Picture D6n: Landolt-rings ***N-O*** and ***N-L***; Use of PS operator *olv* setrgbcolor* (only)



Picture D7n: Landolt−rings ***N-V*** and ***N-W***; PS operator *olv* setrgbcolor* (only)

See for similar files: http://www.ps.bam.de/LE21/LE21.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=1,2; iORS; oORS, CIELAB

BAM registration: 20030101-LE21/10Q/Q21E22FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE21: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *olv* setrgbcolor*
output(ORS18): *cmy0* / nnn0* setcmykcolor*

www.ps.bam.de/LE21/10Q/Q21E32FP.PS/.PDF; linearized output
F: Output Linearization (OL) data LE21/10Q/Q21E32FP.DAT in File (F)

Picture B4n: 16 equidistant steps ***N-C, N-M, N-Y*** and ***N-W***; PS operator *olv* setrgbcolor / w* setgray*



Picture B4w: 16 equidistant steps ***W-C, W-M, W-Y*** and ***W-N***; PS operator *olv* setrgbcolor* (only)



Picture B5n: Script and Landolt-rings ***W, M, C*** and ***Y***; PS operator *olv* setrgbcolor / w* setgray*



Picture B5w: Script and Landolt-rings ***N, M, C*** and ***Y***; PS operator *olv* setrgbcolor* (only)



Picture B6n: Landolt-rings ***N-C*** and ***N-M***; Use of PS operator *olv* setrgbcolor / w* setgray*



Picture B6w: Landolt-rings ***W-C*** and ***W−-M***; PS operator *olv* setrgbcolor* (only)



Picture B7n: Landolt-rings ***N-Y*** and ***N-W***; PS operator *olv* setrgbcolor / w* setgray*



Picture B7w: Landolt-rings ***W-Y*** and ***W-N***; PS operator *olv* setrgbcolor* (only)

See for similar files: http://www.ps.bam.de/LE21/LE21.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=1,2; iORS; oORS, CIELAB

BAM registration: 20030101-LE21/10Q/Q21E32FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE21: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *olv* setrgbcolor*
output(ORS18): *cmy0* / nnn0* setcmykcolor*

www.ps.bam.de/LE21/10Q/Q21E42FP.PS/.PDF; linearized output
F: Output Linearization (OL) data LE21/10Q/Q21E42FP.DAT in File (F)



Picture D4n: 16 equidistant steps ***N-O, N-L, N-V*** and ***N-W***; PS operator *olv* setrgbcolor* (only)



Picture D5n: Script and Landolt-rings *W, O, L* and *V*; PS operator *olv* setrgbcolor* (only)



Picture D6n: Landolt-rings ***N-O*** and ***N-L***; Use of PS operator *olv* setrgbcolor* (only)



Picture D7n: Landolt−rings ***N-V*** and ***N-W***; PS operator *olv* setrgbcolor* (only)



Picture D4w: 16 equidistant steps ***W-O, W-L, W-V*** and ***W-N***; PS operator *olv* setrgbcolor / w* setgray*



Picture D5w: Script and Landolt-rings *N, O, L* and *V*; PS operator *olv* setrgbcolor / w* setgray*



Picture D6w: Landolt-rings ***W-O*** and ***W-L***; PS operator *olv* setrgbcolor / w* setgray*



Picture D7w: Landolt-rings ***W-V*** and ***W-N***; PS operator *olv* setrgbcolor / w* setgray*

See for similar files: http://www.ps.bam.de/LE21/LE21.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=1,2; iORS; oORS, CIELAB

BAM registration: 20030101-LE21/10Q/Q21E42FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE21: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *olv* setrgbcolor*
output(ORS18): *cmy0* / nnn0* setcmykcolor*