





See for similar files: <http://www.ps.bam.de/LE21/LE21.HTM>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=1,1


BAM registration: 20030101-LE21/10Q/Q21E04NP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output




www.ps.bam.de/LE21/10Q/Q21E14NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4w: 16 equidistant steps *W-C*, *W-M*, *W-Y* and *W-N*; PS operator *olv* setrgbcolor* (only)




Picture B5w: Script and Landolt-rings *N*, *M*, *C* and *Y*; PS operator *olv* setrgbcolor* (only)




Picture B6w: Landolt-rings *W-C* and *W-M*; PS operator *olv* setrgbcolor* (only)




Picture B7w: Landolt-rings *W-Y* and *W-N*; PS operator *olv* setrgbcolor* (only)




Test chart LE21: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps *W-O*, *W-L*, *W-V* and *W-N*; PS operator *olv* setrgbcolor / w* setgray*



Picture D5w: Script and Landolt-rings *N*, *O*, *L* and *V*; PS operator *olv* setrgbcolor / w* setgray*



Picture D6w: Landolt-rings *W-O* and *W-L*; PS operator *olv* setrgbcolor / w* setgray*



Picture D7w: Landolt-rings *W-V* and *W-N*; PS operator *olv* setrgbcolor / w* setgray*

input(ORS18): *olv* setrgbcolor*
output(ORS18): *no change compared to input*


BAM registration: 20030101-LE21/10Q/Q21E14NP.PS/.PDF
application for measurement of monitor ($Y_r=2.5$) and printer output

BAM material: code=rha4ta


www.ps.bam.de/LE21/10Q/Q21E24NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps $N-C$, $N-M$, $N-Y$ and $N-W$; PS operator $olv^* setrgbcolor / w^* setgray$





Picture B5n: Script and Landolt-rings W , M , C and Y ; PS operator $olv^* setrgbcolor / w^* setgray$




Picture B6n: Landolt-rings $N-C$ and $N-M$; Use of PS operator $olv^* setrgbcolor / w^* setgray$




Picture B7n: Landolt-rings $N-Y$ and $N-W$; PS operator $cmv0^* / 000n^* setcmvcolor$




Picture D4n: 16 equidistant steps $N-O$, $N-L$, $N-V$ and $N-W$; PS operator $olv^* setrgbcolor$ (only)



Picture D5n: Script and Landolt-rings W , O , L and V ; PS operator $olv^* setrgbcolor$ (only)



Picture D6n: Landolt-rings $N-O$ and $N-L$; Use of PS operator $olv^* setrgbcolor$ (only)



Picture D7n: Landolt-rings $N-V$ and $N-W$; PS operator $olv^* setrgbcolor$ (only)

input(ORS18): $olv^* setrgbcolor$
output(ORS18): no change compared to input


BAM registration: 20030101-LE21/10Q/Q21E24NP.PS/.PDF
application for measurement of monitor ($Y_r=2.5$) and printer output
BAM material: code=rha4ta

See for similar files: <http://www.ps.bam.de/LE21/10Q/Q21E24NP.PS/.PDF>
Information and Order: <http://www.ps.bam.de>
Version 2.0, io=1,1


www.ps.bam.de/LE21/10Q/Q21E34NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps $N-C$, $N-M$, $N-Y$ and $N-W$; PS operator $olv^* setrgbcolor / w^* setgray$




Picture B5n: Script and Landolt-rings W , M , C and Y ; PS operator $olv^* setrgbcolor / w^* setgray$




Picture B6n: Landolt-rings $N-C$ and $N-M$; Use of PS operator $olv^* setrgbcolor / w^* setgray$




Picture B7n: Landolt-rings $N-Y$ and $N-W$; PS operator $olv^* setrgbcolor / w^* setgray$




Test chart LE21: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture B4w: 16 equidistant steps $W-C$, $W-M$, $W-Y$ and $W-N$; PS operator $olv^* setrgbcolor$ (only)



Picture B5w: Script and Landolt-rings N , M , C and Y ; PS operator $olv^* setrgbcolor$ (only)



Picture B6w: Landolt-rings $W-C$ and $W-M$; PS operator $olv^* setrgbcolor$ (only)



Picture B7w: Landolt-rings $W-Y$ and $W-N$; PS operator $olv^* setrgbcolor$ (only)

input(ORS18): $olv^* setrgbcolor$
output(ORS18): no change compared to input




See for similar files: <http://www.ps.bam.de/LE21/10Q/Q21E34NP.PS/.PDF>; start output
Information and Order: <http://www.ps.bam.de> Version 2.0, io=1,1


BAM registration: 20030101-LE21/10Q/Q21E34NP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor ($Y_r=2.5$) and printer output

www.ps.bam.de/LE21/10Q/Q21E44NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


See for similar files: <http://www.ps.bam.de/LE21/10Q/Q21E44NP.PS/.PDF>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=1,1




Picture D4n: 16 equidistant steps *N-O*, *N-L*, *N-V* and *N-W*; PS operator *olv* setrgbcolor* (only)




Picture D5n: Script and Landolt-rings *W*, *O*, *L* and *V*; PS operator *olv* setrgbcolor* (only)




Picture D6n: Landolt-rings *N-O* and *N-L*; Use of PS operator *olv* setrgbcolor* (only)




Picture D7n: Landolt-rings *N-V* and *N-W*; PS operator *olv* setrgbcolor* (only)




Test chart LE21: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps *W-O*, *W-L*, *W-V* and *W-N*; PS operator *olv* setrgbcolor / w* setgray*



Picture D5w: Script and Landolt-rings *N*, *O*, *L* and *V*; PS operator *olv* setrgbcolor / w* setgray*



Picture D6w: Landolt-rings *W-O* and *W-L*; PS operator *olv* setrgbcolor / w* setgray*



Picture D7w: Landolt-rings *W-V* and *W-N*; PS operator *olv* setrgbcolor / w* setgray*

input(ORS18): *olv* setrgbcolor*
output(ORS18): *no change compared to input*

BAM registration: 20030101-LE21/10Q/Q21E44NP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor ($Y_r=2.5$) and printer output