





See for similar files: <http://www.ps.bam.de/LE30/10L/L30E04NP.PS/.PDF>  
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,0

BAM registration: 20030101-LE30/10L/L30E04NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output


BAM material: code=rha4ta




www.ps.bam.de/LE30/10L/L30E14NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4w: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator *cmv0\* setcmvcolor* (only)




Picture B5w: Script and Landolt-rings N, M, C and Y; PS operator *cmv0\* setcmvcolor* (only)




Picture B6w: Landolt-rings W-C and W-M; PS operator *cmv0\* setcmvcolor* (only)




Picture B7w: Landolt-rings W-Y and W-N; PS operator *cmv0\* setcmvcolor* (only)




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps W-O, W-L, W-V and W-N; PS operator *cmv0\* / 000n\* setcmvcolor*



Picture D5w: Script and Landolt-rings N, O, L and V; PS operator *cmv0\* / 000n\* setcmvcolor*




Picture D6w: Landolt-rings W-O and W-L; PS operator *cmv0\* / 000n\* setcmvcolor*




Picture D7w: Landolt-rings W-V and W-N; PS operator *cmv0\* / 000n\* setcmvcolor*

input(TLS00): *cmyn\* setcmvcolor*  
output(TLS00): *no change compared to input*



BAM registration: 20030101-LE30/10L/L30E14NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output  
BAM material: code=rha4ta


www.ps.bam.de/LE30/10L/L30E24NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps *N-C*, *N-M*, *N-Y* and *N-W*; PS operator  $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture B5n: Script and Landolt-rings *W*, *M*, *C* and *Y*; PS operator  $\text{cmy0}^* / 000n^* \text{setcmykcolor}$



Picture B6n: Landolt-rings *N-C* and *N-M*; Use of PS operator  $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture B7n: Landolt-rings *N-Y* and *N-W*; PS operator  $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture D4n: 16 equidistant steps *N-O*, *N-L*, *N-V* and *N-W*; PS operator  $\text{cmy0}^* \text{setcmykcolor}$  (only)



Picture D5n: Script and Landolt-rings *W*, *O*, *L* and *V*; PS operator  $\text{cmy0}^* \text{setcmykcolor}$  (only)




Picture D6n: Landolt-rings *N-O* and *N-L*; Use of PS operator  $\text{cmy0}^* \text{setcmykcolor}$  (only)



Picture D7n: Landolt-rings *N-V* and *N-W*; PS operator  $\text{cmy0}^* \text{setcmykcolor}$  (only)

input(TLS00):  $\text{cmy}n^* \text{setcmykcolor}$   
output(TLS00): no change compared to input


BAM registration: 20030101-LE30/10L/L30E24NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output  
BAM material: code=rha4ta




Picture B4n: 16 equidistant steps  $N-C$ ,  $N-M$ ,  $N-Y$  and  $N-W$ ; PS operator  $cmy0^* / 000n^* setcmykcolor$




Picture B5n: Script and Landolt-rings  $W$ ,  $M$ ,  $C$  and  $Y$ ; PS operator  $cmy0^* / 000n^* setcmykcolor$



Picture B6n: Landolt-rings  $N-C$  and  $N-M$ ; Use of PS operator  $cmy0^* / 000n^* setcmykcolor$




Picture B7n: Landolt-rings  $N-Y$  and  $N-W$ ; PS operator  $cmy0^* / 000n^* setcmykcolor$




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture B4w: 16 equidistant steps  $W-C$ ,  $W-M$ ,  $W-Y$  and  $W-N$ ; PS operator  $cmy0^* setcmykcolor$  (only)



Picture B5w: Script and Landolt-rings  $N$ ,  $M$ ,  $C$  and  $Y$ ; PS operator  $cmy0^* setcmykcolor$  (only)




Picture B6w: Landolt-rings  $W-C$  and  $W-M$ ; PS operator  $cmy0^* setcmykcolor$  (only)



Picture B7w: Landolt-rings  $W-Y$  and  $W-N$ ; PS operator  $cmy0^* setcmykcolor$  (only)

input(TLS00):  $cmy^n^* setcmykcolor$   
output(TLS00): no change compared to input

www.ps.bam.de/LE30/10L/L30E44NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture D4n: 16 equidistant steps  $N-O$ ,  $N-L$ ,  $N-V$  and  $N-W$ ; PS operator  $cmY0^* \text{ setcmykcolor}$  (only)




Picture D5n: Script and Landolt-rings  $W$ ,  $O$ ,  $L$  and  $V$ ; PS operator  $cmY0^* \text{ setcmykcolor}$  (only)




Picture D6n: Landolt-rings  $N-O$  and  $N-L$ ; Use of PS operator  $cmY0^* \text{ setcmykcolor}$  (only)




Picture D7n: Landolt-rings  $N-V$  and  $N-W$ ; PS operator  $cmY0^* \text{ setcmykcolor}$  (only)




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps  $W-O$ ,  $W-L$ ,  $W-V$  and  $W-N$ ; PS operator  $cmY0^* / 000n^* \text{ setcmykcolor}$



Picture D5w: Script and Landolt-rings  $N$ ,  $O$ ,  $L$  and  $V$ ; PS operator  $cmY0^* / 000n^* \text{ setcmykcolor}$



Picture D6w: Landolt-rings  $W-O$  and  $W-L$ ; PS operator  $cmY0^* / 000n^* \text{ setcmykcolor}$



Picture D7w: Landolt-rings  $W-V$  and  $W-N$ ; PS operator  $cmY0^* / 000n^* \text{ setcmykcolor}$

input(TLS00):  $cmYn^* \text{ setcmykcolor}$   
output(TLS00): no change compared to input

BAM registration: 20030101-LE30/10L/L30E44NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output  
BAM material: code=rha4ta