





See for similar files: <http://www.ps.bam.de/LE30/LE30.HTM>  
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,5; iTLS; oTLS, CIELAB

BAM registration: 20030101-LE30/10L/L30E05FP.PS/.PDF BAM material: code=rha4ta  
application for measurement of monitor (Yr=2.5) and printer output



16 equidistant CIELAB steps: C-W, C-N, M-W, M-N, Y-W, Y-N, O-W, O-N, L-W, L-N, V-W, V-N, N-W ( $cmy0^*$ ), W-N ( $000n^*$ ) and 14 CIE-test colours (left)


Test chart LE30: 16 CIELAB steps of ISO/IEC 15775 input(TLS00): *cmyn\* setcmymcolor*  
Chromatic-White, Chromatic-Black, Black-White output(TLS00): *LAB\* setcolor*



Picture B4w: 16 equidistant steps *W-C*, *W-M*, *W-Y* and *W-N*; PS operator *cmY0\* setcmykcolor* (only)




Picture B5w: Script and Landolt-rings *N*, *M*, *C* and *Y*; PS operator *cmY0\* setcmykcolor* (only)




Picture B6w: Landolt-rings *W-C* and *W-M*; PS operator *cmY0\* setcmykcolor* (only)




Picture B7w: Landolt-rings *W-Y* and *W-N*; PS operator *cmY0\* setcmykcolor* (only)




Picture D4w: 16 equidistant steps *W-O*, *W-L*, *W-V* and *W-N*; PS operator *cmY0\* / 000n\* setcmykcolor*



Picture D5w: Script and Landolt-rings *N*, *O*, *L* and *V*; PS operator *cmY0\* / 000n\* setcmykcolor*




Picture D6w: Landolt-rings *W-O* and *W-L*; PS operator *cmY0\* / 000n\* setcmykcolor*



Picture D7w: Landolt-rings *W-V* and *W-N*; PS operator *cmY0\* / 000n\* setcmykcolor*




www.ps.bam.de/LE30/10L/L30E25FP.PS/.PDF; linearized output  
F: Output Linearization (OL) data LE30/10L/L30E25FP.DAT in File (F)




Picture B4n: 16 equidistant steps  $N-C$ ,  $N-M$ ,  $N-Y$  and  $N-W$ ; PS operator  $cm\dot{y}0^*/000n^*\text{setcmykcolor}$



Picture B5n: Script and Landolt-rings  $W$ ,  $M$ ,  $C$  and  $Y$ ; PS operator  $cm\dot{y}0^*/000n^*\text{setcmykcolor}$




Picture B6n: Landolt-rings  $N-C$  and  $N-M$ ; Use of PS operator  $cm\dot{y}0^*/000n^*\text{setcmykcolor}$



Picture B7n: Landolt-rings  $N-Y$  and  $N-W$ ; PS operator  $cm\dot{y}0^*/000n^*\text{setcmykcolor}$




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White



Picture D4n: 16 equidistant steps  $N-O$ ,  $N-L$ ,  $N-V$  and  $N-W$ ; PS operator  $cm\dot{y}0^*\text{setcmykcolor}$  (only)



Picture D5n: Script and Landolt-rings  $W$ ,  $O$ ,  $L$  and  $V$ ; PS operator  $cm\dot{y}0^*\text{setcmykcolor}$  (only)



Picture D6n: Landolt-rings  $N-O$  and  $N-L$ ; Use of PS operator  $cm\dot{y}0^*\text{setcmykcolor}$  (only)




Picture D7n: Landolt-rings  $N-V$  and  $N-W$ ; PS operator  $cm\dot{y}0^*\text{setcmykcolor}$  (only)

input(TLS00):  $cm\dot{y}n^*\text{setcmykcolor}$   
output(TLS00):  $LAB^*\text{setcolor}$




BAM registration: 20030101-LE30/10L/L30E25FP.PS/.PDF  
application for measurement of monitor ( $Y_r=2.5$ ) and printer output  
BAM material: code=rh4ta




Picture B4n: 16 equidistant steps  $N-C$ ,  $N-M$ ,  $N-Y$  and  $N-W$ ; PS operator  $cmy0^* / 000n^* setcmykcolor$



Picture B5n: Script and Landolt-rings  $W$ ,  $M$ ,  $C$  and  $Y$ ; PS operator  $cmy0^* / 000n^* setcmykcolor$




Picture B6n: Landolt-rings  $N-C$  and  $N-M$ ; Use of PS operator  $cmy0^* / 000n^* setcmykcolor$



Picture B7n: Landolt-rings  $N-Y$  and  $N-W$ ; PS operator  $cmy0^* / 000n^* setcmykcolor$




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White



Picture B4w: 16 equidistant steps  $W-C$ ,  $W-M$ ,  $W-Y$  and  $W-N$ ; PS operator  $cmy0^* setcmykcolor$  (only)



Picture B5w: Script and Landolt-rings  $N$ ,  $M$ ,  $C$  and  $Y$ ; PS operator  $cmy0^* setcmykcolor$  (only)




Picture B6w: Landolt-rings  $W-C$  and  $W-M$ ; PS operator  $cmy0^* setcmykcolor$  (only)



Picture B7w: Landolt-rings  $W-Y$  and  $W-N$ ; PS operator  $cmy0^* setcmykcolor$  (only)


input(TLS00):  $cmy^n^* setcmykcolor$   
output(TLS00):  $LAB^* setcolor$




Picture D4n: 16 equidistant steps  $N-O$ ,  $N-L$ ,  $N-V$  and  $N-W$ ; PS operator  $cm\dot{y}0^* \text{ setcmykcolor}$  (only)



Picture D5n: Script and Landolt-rings  $W$ ,  $O$ ,  $L$  and  $V$ ; PS operator  $cm\dot{y}0^* \text{ setcmykcolor}$  (only)




Picture D6n: Landolt-rings  $N-O$  and  $N-L$ ; Use of PS operator  $cm\dot{y}0^* \text{ setcmykcolor}$  (only)




Picture D7n: Landolt-rings  $N-V$  and  $N-W$ ; PS operator  $cm\dot{y}0^* \text{ setcmykcolor}$  (only)




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps  $W-O$ ,  $W-L$ ,  $W-V$  and  $W-N$ ; PS operator  $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$



Picture D5w: Script and Landolt-rings  $N$ ,  $O$ ,  $L$  and  $V$ ; PS operator  $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$



Picture D6w: Landolt-rings  $W-O$  and  $W-L$ ; PS operator  $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$



Picture D7w: Landolt-rings  $W-V$  and  $W-N$ ; PS operator  $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$

input(TLS00):  $cm\dot{y}n^* \text{ setcmykcolor}$   
output(TLS00):  $LAB^* \text{ setcolor}$