




See for similar files: <http://www.ps.bam.de/LE30/LE30.HTM>  
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,0

BAM registration: 20030101-LE30/10Q/Q30E07NP.PS/.PDF BAM material: code=rha4ta  
application for measurement of monitor (Yr=2.5) and printer output




www.ps.bam.de/LE30/10Q/Q30E17NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


See for similar files: <http://www.ps.bam.de/LE30/LE30.HTM>  
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,0




Picture B4w: 16 equidistant steps **W-C**, **W-M**, **W-Y** and **W-N**; PS operator *cmY0\* setcmykcolor* (only)



Picture B5w: Script and Landolt-rings **N**, **M**, **C** and **Y**; PS operator *cmY0\* setcmykcolor* (only)




Picture B6w: Landolt-rings **W-C** and **W-M**; PS operator *cmY0\* setcmykcolor* (only)




Picture B7w: Landolt-rings **W-Y** and **W-N**; PS operator *cmY0\* setcmykcolor* (only)


Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps **W-O**, **W-L**, **W-V** and **W-N**; PS operator *cmY0\* / 000n\* setcmykcolor*



Picture D5w: Script and Landolt-rings **N**, **O**, **L** and **V**; PS operator *cmY0\* / 000n\* setcmykcolor*




Picture D6w: Landolt-rings **W-O** and **W-L**; PS operator *cmY0\* / 000n\* setcmykcolor*



Picture D7w: Landolt-rings **W-V** and **W-N**; PS operator *cmY0\* / 000n\* setcmykcolor*  
input(TLS00): *cmYn\* setcmykcolor*  
output(TLS00): *no change compared to input*


BAM registration: 20030101-LE30/10Q/Q30E17NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output  
BAM material: code=rha4ta

www.ps.bam.de/LE30/10Q/Q30E27NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



See for similar files: <http://www.ps.bam.de/LE30/LE30.HTM>  
Information and Order: <http://www.ps.bam.de>  
Version 2.0, io=0,0


BAM registration: 20030101-LE30/10Q/Q30E27NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output  
BAM material: code=rha4ta




Picture B4n: 16 equidistant steps *N-C*, *N-M*, *N-Y* and *N-W*; PS operator *cmY0\*/000n\* setcmykcolor*



Picture B5n: Script and Landolt-rings *W*, *M*, *C* and *Y*; PS operator *cmY0\*/000n\* setcmykcolor*





Picture B6n: Landolt-rings *N-C* and *N-M*; Use of PS operator *cmY0\*/000n\* setcmykcolor*



Picture B7n: Landolt-rings *N-Y* and *N-W*; PS operator *cmY0\*/000n\* setcmykcolor*


Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture D4n: 16 equidistant steps *N-O*, *N-L*, *N-V* and *N-W*; PS operator *cmY0\* setcmykcolor* (only)



Picture D5n: Script and Landolt-rings *W*, *O*, *L* and *V*; PS operator *cmY0\* setcmykcolor* (only)



Picture D6n: Landolt-rings *N-O* and *N-L*; Use of PS operator *cmY0\* setcmykcolor* (only)




Picture D7n: Landolt-rings *N-V* and *N-W*; PS operator *cmY0\* setcmykcolor* (only)

input(TLS00): *cmYn\* setcmykcolor*  
output(TLS00): *no change compared to input*



www.ps.bam.de/LE30/10Q/Q30E37NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


See for similar files: <http://www.ps.bam.de/LE30/LE30.HTM>  
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,0




Picture B4n: 16 equidistant steps  $N-C$ ,  $N-M$ ,  $N-Y$  and  $N-W$ ; PS operator  $cm\dot{y}0^* / 000n^* setcmykcolor$




Picture B5n: Script and Landolt-rings  $W$ ,  $M$ ,  $C$  and  $Y$ ; PS operator  $cm\dot{y}0^* / 000n^* setcmykcolor$




Picture B6n: Landolt-rings  $N-C$  and  $N-M$ ; Use of PS operator  $cm\dot{y}0^* / 000n^* setcmykcolor$




Picture B7n: Landolt-rings  $N-Y$  and  $N-W$ ; PS operator  $cm\dot{y}0^* / 000n^* setcmykcolor$




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture B4w: 16 equidistant steps  $W-C$ ,  $W-M$ ,  $W-Y$  and  $W-N$ ; PS operator  $cm\dot{y}0^* setcmykcolor$  (only)



Picture B5w: Script and Landolt-rings  $N$ ,  $M$ ,  $C$  and  $Y$ ; PS operator  $cm\dot{y}0^* setcmykcolor$  (only)



Picture B6w: Landolt-rings  $W-C$  and  $W-M$ ; PS operator  $cm\dot{y}0^* setcmykcolor$  (only)




Picture B7w: Landolt-rings  $W-Y$  and  $W-N$ ; PS operator  $cm\dot{y}0^* setcmykcolor$  (only)

input(TLS00):  $cm\dot{y}n^* setcmykcolor$   
output(TLS00): no change compared to input

BAM registration: 20030101-LE30/10Q/Q30E37NP.PS/.PDF BAM material: code=rha4ta  
application for measurement of monitor ( $Y_r=2.5$ ) and printer output


www.ps.bam.de/LE30/10Q/Q30E47NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture D4n: 16 equidistant steps  $N-O$ ,  $N-L$ ,  $N-V$  and  $N-W$ ; PS operator  $cmY0^* setcmykcolor$  (only)




Picture D5n: Script and Landolt-rings  $W$ ,  $O$ ,  $L$  and  $V$ ; PS operator  $cmY0^* setcmykcolor$  (only)




Picture D6n: Landolt-rings  $N-O$  and  $N-L$ ; Use of PS operator  $cmY0^* setcmykcolor$  (only)




Picture D7n: Landolt-rings  $N-V$  and  $N-W$ ; PS operator  $cmY0^* setcmykcolor$  (only)




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps  $W-O$ ,  $W-L$ ,  $W-V$  and  $W-N$ ; PS operator  $cmY0^* / 000n^* setcmykcolor$



Picture D5w: Script and Landolt-rings  $N$ ,  $O$ ,  $L$  and  $V$ ; PS operator  $cmY0^* / 000n^* setcmykcolor$



Picture D6w: Landolt-rings  $W-O$  and  $W-L$ ; PS operator  $cmY0^* / 000n^* setcmykcolor$



Picture D7w: Landolt-rings  $W-V$  and  $W-N$ ; PS operator  $cmY0^* / 000n^* setcmykcolor$

input(TLS00):  $cmYn^* setcmykcolor$   
output(TLS00): no change compared to input



BAM registration: 20030101-LE30/10Q/Q30E47NP.PS/.PDF  
application for measurement of monitor ( $Y_r=2.5$ ) and printer output  
BAM material: code=rha4ta