

www.ps.bam.de/LE30/L30E00N4.PS.TXT; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


See for similar files: <http://www.ps.bam.de/LE30/LE30.HTM>  
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0.0




Picture B4n: 16 equidistant steps N-C, N-M, N-Y and N-W; PS operator  $cmY0^* / 000n^* setcmyscolor$



Picture B5n: Script and Landolt-rings W, M, C and Y; PS operator  $cmY0^* / 000n^* setcmyscolor$




Picture B6n: Landolt-rings N-C and N-M; Use of PS operator  $cmY0^* / 000n^* setcmyscolor$




Picture B7n: Landolt-rings N-Y and N-W; PS operator  $cmY0^* / 000n^* setcmyscolor$


Test chart LE30: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture B4w: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator  $cmY0^* setcmyscolor$  (only)



Picture B5w: Script and Landolt-rings N, M, C and Y; PS operator  $cmY0^* setcmyscolor$  (only)



Picture B6w: Landolt-rings W-C and W-M; PS operator  $cmY0^* setcmyscolor$  (only)



Picture B7w: Landolt-rings W-Y and W-N; PS operator  $cmY0^* setcmyscolor$  (only)

input(TLS00):  $cmYn^* setcmyscolor$   
output(TLS00): no change compared to input

BAM registration: 20030101-LE30/L30E00N4.PS.TXT  
application for measurement of monitor (Y1=2.5) and printer output  
BAM material: code=th4ta