






See for similar files: <http://www.ps.bam.de/LE31/10L/L31E07NP.PS/.PDF>  
Information and Order: <http://www.ps.bam.de> Version 2.0, io=1,1

BAM registration: 20030101-LE31/10L/L31E07NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output

BAM material: code=rha4ta




16 equidistant CIELAB steps: C-W, C-N, M-W, M-N, Y-W, Y-N, O-W, O-N, L-W, L-N, V-W, V-N, N-W ( $olv^*$ ), W-N ( $w^*$ ) and 14 CIE-test colours (left)

Test chart LE31: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White


input(TLS00):  $olv^*$  *setrgbcolor*  
output(TLS00): no change compared to input




www.ps.bam.de/LE31/10L/L31E17NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4w: 16 equidistant steps *W-C*, *W-M*, *W-Y* and *W-N*; PS operator *olv\* setrgbcolor* (only)




Picture B5w: Script and Landolt-rings *N*, *M*, *C* and *Y*; PS operator *olv\* setrgbcolor* (only)




Picture B6w: Landolt-rings *W-C* and *W-M*; PS operator *olv\* setrgbcolor* (only)




Picture B7w: Landolt-rings *W-Y* and *W-N*; PS operator *olv\* setrgbcolor* (only)




Test chart LE31: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps *W-O*, *W-L*, *W-V* and *W-N*; PS operator *olv\* setrgbcolor / w\* setgray*



Picture D5w: Script and Landolt-rings *N*, *O*, *L* and *V*; PS operator *olv\* setrgbcolor / w\* setgray*



Picture D6w: Landolt-rings *W-O* and *W-L*; PS operator *olv\* setrgbcolor / w\* setgray*




Picture D7w: Landolt-rings *W-V* and *W-N*; PS operator *olv\* setrgbcolor / w\* setgray*

input(TLS00): *olv\* setrgbcolor*  
output(TLS00): *no change compared to input*

BAM registration: 20030101-LE31/10L/L31E17NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output  
BAM material: code=rha4ta


See for similar files: <http://www.ps.bam.de/LE31/10L/L31E27NP.PS/.PDF>  
Information and Order: <http://www.ps.bam.de>  
Version 2.0, io=1,1




Picture B4n: 16 equidistant steps *N-C*, *N-M*, *N-Y* and *N-W*; PS operator *olv\* setrgbcolor / w\* setgray*





Picture B5n: Script and Landolt-rings *W*, *M*, *C* and *Y*; PS operator *olv\* setrgbcolor / w\* setgray*




Picture B6n: Landolt-rings *N-C* and *N-M*; Use of PS operator *olv\* setrgbcolor / w\* setgray*




Picture B7n: Landolt-rings *N-Y* and *N-W*; PS operator *cmv0\* / 000n\* setcmvcolor*




Picture D4n: 16 equidistant steps *N-O*, *N-L*, *N-V* and *N-W*; PS operator *olv\* setrgbcolor* (only)




Picture D5n: Script and Landolt-rings *W*, *O*, *L* and *V*; PS operator *olv\* setrgbcolor* (only)



Picture D6n: Landolt-rings *N-O* and *N-L*; Use of PS operator *olv\* setrgbcolor* (only)




Picture D7n: Landolt-rings *N-V* and *N-W*; PS operator *olv\* setrgbcolor* (only)



BAM registration: 20030101-LE31/10L/L31E27NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output  
BAM material: code=rha4ta

www.ps.bam.de/LE31/10L/L31E37NP.PS/.PDF; start output


N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps  $N-C$ ,  $N-M$ ,  $N-Y$  and  $N-W$ ; PS operator  $olv^* setrgbcolor / w^* setgray$




Picture B5n: Script and Landolt-rings  $W$ ,  $M$ ,  $C$  and  $Y$ ; PS operator  $olv^* setrgbcolor / w^* setgray$




Picture B6n: Landolt-rings  $N-C$  and  $N-M$ ; Use of PS operator  $olv^* setrgbcolor / w^* setgray$




Picture B7n: Landolt-rings  $N-Y$  and  $N-W$ ; PS operator  $olv^* setrgbcolor / w^* setgray$




Test chart LE31: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture B4w: 16 equidistant steps  $W-C$ ,  $W-M$ ,  $W-Y$  and  $W-N$ ; PS operator  $olv^* setrgbcolor$  (only)



Picture B5w: Script and Landolt-rings  $N$ ,  $M$ ,  $C$  and  $Y$ ; PS operator  $olv^* setrgbcolor$  (only)



Picture B6w: Landolt-rings  $W-C$  and  $W-M$ ; PS operator  $olv^* setrgbcolor$  (only)




Picture B7w: Landolt-rings  $W-Y$  and  $W-N$ ; PS operator  $olv^* setrgbcolor$  (only)

input(TLS00):  $olv^* setrgbcolor$   
output(TLS00): no change compared to input


BAM registration: 20030101-LE31/10L/L31E37NP.PS/.PDF  
application for measurement of monitor ( $Y_r=2.5$ ) and printer output

BAM material: code=rha4ta


www.ps.bam.de/LE31/10L/L31E47NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture D4n: 16 equidistant steps *N-O*, *N-L*, *N-V* and *N-W*; PS operator *olv\* setrgbcolor* (only)




Picture D5n: Script and Landolt-rings *W*, *O*, *L* and *V*; PS operator *olv\* setrgbcolor* (only)




Picture D6n: Landolt-rings *N-O* and *N-L*; Use of PS operator *olv\* setrgbcolor* (only)




Picture D7n: Landolt-rings *N-V* and *N-W*; PS operator *olv\* setrgbcolor* (only)




Test chart LE31: 16 CIELAB steps of ISO/IEC 15775  
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps *W-O*, *W-L*, *W-V* and *W-N*; PS operator *olv\* setrgbcolor / w\* setgray*



Picture D5w: Script and Landolt-rings *N*, *O*, *L* and *V*; PS operator *olv\* setrgbcolor / w\* setgray*



Picture D6w: Landolt-rings *W-O* and *W-L*; PS operator *olv\* setrgbcolor / w\* setgray*



Picture D7w: Landolt-rings *W-V* and *W-N*; PS operator *olv\* setrgbcolor / w\* setgray*

input(TLS00): *olv\* setrgbcolor*  
output(TLS00): *no change compared to input*



BAM registration: 20030101-LE31/10L/L31E47NP.PS/.PDF  
application for measurement of monitor (Yr=2.5) and printer output

BAM material: code=rha4ta

See for similar files: <http://www.ps.bam.de/LE31/10L/L31E47NP.PS/.PDF>  
Information and Order: <http://www.ps.bam.de>  
Version 2.0, io=1,1