


See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.0, v3*)



(olv3* = 1, 0.0, 0)

(olv3* = 0, 0.0, 1)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.0 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input

BAM registration: 20050501-LE34/10S/S34E00NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 1/16, Serie: 1/1, Page: 1 Page count: 1

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1


BAM registration: 20050501-LE34/10S/S34E01NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 2/16, Serie: 1/1, Page: 2 Page count: 2

(olv3* = o3*, 0.066, v3*)

(olv3* = 1, 0.066, 0)

(olv3* = 0, 0.066, 1)




LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.066 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.133, v3*)



(olv3* = 1, 0.133, 0)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.133 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input

BAM registration: 20050501-LE34/10S/S34E02NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 3/16, Serie: 1/1, Page: 3 Page count: 3

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20050501-LE34/10S/S34E03NP.PS/.PDF
application for measurement of printer systems


BAM material: code=rh4ta

/LE34/ Form: 4/16, Serie: 1/1, Page: 4 Page count: 4

(olv3* = o3*, 0.2, v3*)

(olv3* = 1, 0.2, 0)

(olv3* = 0, 0.2, 1)




LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.2 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.266, v3*)



(olv3* = 1, 0.266, 0)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.266 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input


BAM registration: 20050501-LE34/10S/S34E04NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 5/16, Serie: 1/1, Page: 5 Page count: 5

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.333, v3*)

f01
f02
f03
f04
f05
f06
f07
f08
f09
f10
f11
f12
f13
f14
f15
f16



(olv3* = 1, 0.333, 0)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.333 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999


input: olv3* setrgbcolor
output: no change compared to input

BAM registration: 20050501-LE34/10S/S34E05NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 6/16, Serie: 1/1, Page: 6 Page count: 6

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.4, v3*)



(olv3* = 1, 0.4, 0)

(olv3* = 0, 0.4, 1)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.4 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input


BAM registration: 20050501-LE34/10S/S34E06NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 7/16, Serie: 1/1, Page: 7 Page count: 7

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.466, v3*)

h01
h02
h03
h04
h05
h06
h07
h08
h09
h10
h11
h12
h13
h14
h15
h16



(olv3* = 1, 0.466, 0)

(olv3* = 0, 0.466, 1)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.466 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input


BAM registration: 20050501-LE34/10S/S34E07NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 8/16, Serie: 1/1, Page: 8 Page count: 8

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.533, v3*)

i01
i02
i03
i04
i05
i06
i07
i08
i09
i10
i11
i12
i13
i14
i15
i16



(olv3* = 1, 0.533, 0)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.533 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input

BAM registration: 20050501-LE34/10S/S34E08NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 9/16, Serie: 1/1, Page: 9 Page count: 9

(olv3* = o3*, 0.6, v3*)

j01

j02

j03

j04

j05

j06

j07

j08

j09

j10

j11

j12

j13

j14

j15

j16

(olv3* = 0, 0.6, 1)

A

B

C

D

E

F

G

H

I

J

K

L

M

N


O

P

(olv3* = 1, 0.6, 0)

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.666, v3*)



(olv3* = 1, 0.666, 0)


BAM registration: 20050501-LE34/10S/S34E0ANP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 11/16; Serie: 1/1, Page: 11 Page count: 11

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.733, v3*)

101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116



(olv3* = 1, 0.733, 0)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.733 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999


input: olv3* setrgbcolor
output: no change compared to input

BAM registration: 20050501-LE34/10S/S34E0BNP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 12/16; Series: 1/1, Page: 12 Page count: 12

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.8, v3*)



(olv3* = 1, 0.8, 0)

(olv3* = 0, 0.8, 1)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.8 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input


BAM registration: 20050501-LE34/10S/S34E0CNP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 13/16; Series: 1/1, Page: 13 Page count: 13

See for similar files: <http://www.ps.bam.de/LE34/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

(olv3* = o3*, 0.866, v3*)

n01
n02
n03
n04
n05
n06
n07
n08
n09
n10
n11
n12
n13
n14
n15
n16



(olv3* = 1, 0.866, 0)

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 0.866 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999


input: olv3* setrgbcolor
output: no change compared to input

BAM registration: 20050501-LE34/10S/S34E0DNP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE34/ Form: 14/16; Series: I/1, Page: 14 Page count: 14

(olv3* = o3*, 0.933, v3*)

o01
o02
o03
o04
o05
o06
o07
o08
o09
o10
o11
o12
o13
o14
o15
o16



(olv3* = 1, 0.933, 0)

(olv3* = o3*, 1.0, v3*)

(olv3* = 1, 1.0, 0)

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
p01																
p02																
p03																
p04																
p05																
p06																
p07																
p08																
p09																
p10																
p11																
p12																
p13																
p14																
p15																
(olv3* = 0, 1.0, 1) p16																

LE340-7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; g3* = l3* = 1.0 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: olv3* setrgbcolor
output: no change compared to input