




LE510-3, Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator w^* setgray




LE510-5, Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; Use of the PS operator w^* setgray




LE510-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w^* setgray



LE511-1, Picture C4: Landolt-rings W-N; Use of the PS operator w^* setgray



LE511-3, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w^* setgray



LE511-5, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w^* setgray





Grey Page



Black Page

See for similar files: <http://www.ps.bam.de/LE51/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

White Page




See for similar files: <http://www.ps.bam.de/LE51/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1






See for similar files: <http://www.ps.bam.de/LE51/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20040501-LE51/10L/L51E06NP.PS/.PDF BAM material: code=ih4ta
application for properties of monochromatic printers
/LE51/ Form: 7/9, Serie: 1/2, Page: 13 Page count: 13





See for similar files: <http://www.ps.bam.de/LE51/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20040501-LE51/10L/L51E07NP.PS/.PDF
application for properties of monochromatic printers

LE51/ Form: 8/9, Serie: 1/2, Page: 14 Page count: 14
BAM material: code=ih4ta



This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text.

This is text. This is text.

This is text. This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

text.

s is text.

This is text.

xt. This is text.

s text. This is text.

is is text. This is text.

. This is text. This is text.

text. This is text. This is text.

s is text. This is text. This is text.

This is text. This is text. This is text.

xt. This is text. This is text. This is text.

s text. This is text. This is text. This is text.


is is text. This is text. This is text. This is text.

. This is text. This is text. This is text. This is text.

text. This is text. This is text. This is text. This is text.

s is text. This is text. This is text. This is text. This is text.


This is text. This is text. This is text. This is text. This is text.









See for similar files: <http://www.ps.bam.de/LE51/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1


BAM registration: 20040501-LE51/10L/L51E08NP.PS/.PDF
application for properties of monochromatic printers


BAM material: code=ihad4ta
/LE51/ Form: 9/9, Serie: 1/2, Page: 15 Page count: 15






























LE510-3, Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator w^* setgray




LE510-5, Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; Use of the PS operator w^* setgray




LE510-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w^* setgray



LE511-1, Picture C4: Landolt-rings W-N; Use of the PS operator w^* setgray



LE511-3, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w^* setgray



LE511-5, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w^* setgray



Grey Page

Black Page

See for similar files: <http://www.ps.bam.de/LE51/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

White Page

See for similar files: <http://www.ps.bam.de/LE51/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1



See for similar files: <http://www.ps.bam.de/LE51/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20040501-LE51/10L/L51E06NP.PS/.PDF BAM material: code=ih44ta
application for properties of monochromatic printers
/LE51/ Form: 7/9, Serie: 2/2, Page: 13 Page count: 28

