www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 1 Page count: 1

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=0, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=0, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 2 Page: count: 2

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=0, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 3 Page: count: 3

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 4 Page: count: 4

o=0, l*=0, v*=3*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.



See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=0, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=0, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 6 Page: count: 6

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 7 Page count: 7

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=0, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 8 Page count: 8

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=0, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=0, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 9 Page count: 9



See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=0, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=0, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=0, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 12 Page count: 12

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=0, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 13 Page count: 13

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=0, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 14 Page count: 14

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 15 Page count: 15

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=0, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=0, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 16 Page count: 16

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 17 Page count: 17

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=1, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 18 Page count: 18

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 19 Page count: 19

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53\ Front: 1/16, Scale: 1/1, Page: 20 Page count: 20

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=1, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 21 Page count: 21

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 22 Page count: 22

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 23 Page count: 23

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 24 Page count: 24

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=1, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=1, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 26 Page count: 26

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 27 Page count: 27

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=1, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 28 Page: count: 28

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 29 Page count: 29

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 30 Page count: 30

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 31 Page count: 31

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=1, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 32 Page count: 32

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 33 Page count: 33

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=2, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=2, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53\ Front: 1/16, Seite: 1/1, Page: 35 Page count: 35

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=2, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 36 Page count: 36

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=2, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 37 Page count: 37

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=2, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 38 Page count: 38

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=2, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=2, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 39 Page count: 39

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=2, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Frame: 1/16, Scene: 1/1, Page: 40 Page: count: 40

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=2, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 41 Page count: 41

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=2, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 42 Page count: 42

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 43 Page count: 43

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=2, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 44 Page count: 44

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=2, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53\ From: 1/16, Scale: 1/1, Page: 45 Page count: 45)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=2, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=2, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 46 Page count: 46

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=2, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 47 Page count: 47

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=2, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 48 Page count: 48

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 49 Page count: 49

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/: Front: 1/16, Seite: 1/1, Page: 50, Page: count: 50

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=3, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 51 Page: count: 51

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/: Front: 1/16, Scale: 1/1, Page: 52 Page: count: 52

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=3, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 53 Page: count: 53

o=0, l*=3, v*=4*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/: Front: 1/16, Seite: 1/1, Page: 54 Page count: 54

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=3, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 55 Page count: 55

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 56, Page: count: 56

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 57 Page count: 57

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=3, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 58 Page count: 58

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 59 Page count: 59

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 60 Page: count: 60

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 61 Page: count: 61

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 62 Page: count: 62

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 63 Page: count: 63

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=3, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 64 Page: count: 64

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=4, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 65 Page: count: 65

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=4, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 66 Page count: 66

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=4, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 67 Page count: 67

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=4, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 68 Page: count: 68

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53\ Front: 1/16, Seite: 1/1, Page: 69 Page count: 69

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=4, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 70 Page count: 70

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=4, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



*o**=0, *l**=4, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53\ Front: 1/16, Scale: 1/1, Page: 72, Page: count: 72

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=4, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=4, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 73 Page count: 73

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 74 Page count: 74

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=4, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=4, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 75 Page count: 75

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/: Front: 1/16, Seite: 1/1, Page: 76 Page count: 76

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=4, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 77 Page count: 77

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=4, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

/LE53/ Form: 1/16, Serie: 1/1, Page: 78 Page: count: 78

BAM material: code=rha4ta

o=0, l*=4, v*=13*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=4, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 79 Page count: 79

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=4, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 80 Page: count: 80

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=5, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 81 Page count: 81

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=5, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 82 Page: count: 82

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 83 Page count: 83

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 84 Page count: 84

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 85 Page count: 85

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 86, Page: count: 86

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 87 Page count: 87

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=5, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 88 Page count: 88

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Frame: 1/16, Scale: 1/1, Page: 89 Page count: 89

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 91 Page count: 91

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 92, Page: count: 92

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 93, Page count: 93

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=5, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=5, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 94 Page: count: 94

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=5, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 95, Page count: 95

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=5, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=6, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 97 Page count: 97

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=6, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 98 Page: count: 98

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 99 Page: count: 99

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=6, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=6, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 100 Page count: 109

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

*o**=0, *l**=6, *v**=4*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM material: code=rha4ta

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Frame: 1/16, Scale: 1/1, Page: 102, Page count: 102

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=6, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 103 Page: count: 103

o=0, l*=6, v*=6*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=6, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 104 Page count: 104

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 105 Page: count: 105

o=0, l*=6, v*=8*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=6, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 107 Page count: 107

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=6, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=6, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=6, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 109, Page count: 109

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=6, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 1.00 Page count: 1.00

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 111 Page count: 111

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=6, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=6, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 112 Page count: 112

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 113 Page: count: 113

o=0, l*=7, v*=0*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=7, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 134 Page count: 134

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 115 Page: count: 115

o=0, l*=7, v*=2*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 1/86, Page: count: 1/86

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=7, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 1/7 Page count: 1/7

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=7, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=7, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53\ Front: 1/16, Scale: 1/1, Page: 1.00 Page count: 1.00

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=7, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 139 Page count: 159

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53\ Front: 1/16, Scale: 1/1, Page: 1,D Page count: 1,D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=7, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 120, Page count: 121

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=7, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 122 Page count: 122

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=7, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=7, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta
/LE53/ Form: 1/16, Serie: 1/1, Page: 124 Page: count: 124

o=0, l*=7, v*=11*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53\ From: 1/16, Scale: 1/1, Page: 125, Page count: 125

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=7, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=7, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=7, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 127 Page count: 127

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=7, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 128 Page: count: 128



See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=8, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Form: 1/16, Serie: 1/1, Page: 1.00 Page count: 1.00

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=8, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=8, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 138 Page count: 139

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=8, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 132 Page count: 132

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 133 Page: count: 133

o=0, l*=8, v*=4*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 134 Page count: 134

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=8, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 135 Page: count: 135

o=0, l*=8, v*=6*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=8, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 137 Page: count: 137

o=0, l*=8, v*=8*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=8, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=8, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 139 Page count: 139

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 140, Page count: 140

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=8, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 140, Page count: 141

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=8, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=8, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 142 Page count: 142

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 140, Page count: 143

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1



*o**=0, *l**=8, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=8, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 145, Page count: 145

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=9, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=9, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 146, Page count: 146

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 147 Page count: 147

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=9, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 148, Page count: 148

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=9, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 148, Page count: 149

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=9, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=9, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 130, Page count: 150

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 150, Page count: 151

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=9, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 152 Page: count: 152

o=0, l*=9, v*=7*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=9, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 153, Page: count: 153

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=9, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 155 Page: count: 155

o=0, l*=9, v*=10*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 1/86, Page: count: 1/96

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=9, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1



*o**=0, *l**=9, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=9, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 139 Page count: 159

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=9, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=9, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 160 Page: count: 160



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Scale: 1/1, Page: 168 Page count: 169

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=10, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=10, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 162 Page count: 162

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 160 Page count: 163

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=10, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



*o**=0, *l**=10, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



*o**=0, *l**=10, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 166, Page count: 166

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=10, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 167 Page: count: 167

o=0, l*=10, v*=6*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=10, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 168 Page: count: 168

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=10, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53\ Front: 1/16, Scale: 1/1, Page: 169 Page: count: 169

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=10, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 170, Page count: 170

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=10, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 170, Page count: 171

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=10, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=10, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 173, Page count: 173

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=10, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 1/74, Page count: 1/74

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=10, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 175, Page count: 175



*o**=0, *l**=10, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



*o**=0, *l**=11, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=11, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 178, Page count: 178



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 179, Page count: 179

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=11, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



*o**=0, *l**=11, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=11, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53\ Front: 1/16, Scale: 1/1, Page: 188 Page: count: 189



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 182, Page count: 182

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=11, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=11, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 188, Page count: 193

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=11, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 184 Page count: 184

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 1/85, Page: count: 1/85

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=11, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=11, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 186, Page count: 186

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=11, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53\ Front: 1/16, Scale: 1/1, Page: 187 Page count: 187



*o**=0, *l**=11, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 189 Page count: 189

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=11, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1



*o**=0, *l**=11, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 188, Page count: 191

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=11, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=11, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=12, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Front: 1/16, Scale: 1/1, Page: 193, Page count: 193



*o**=0, *l**=12, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=12, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 195, Page count: 195



*o**=0, *l**=12, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=12, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53\ Frame: 1/16, Scale: 1/1, Page: 1/97 Page: count: 1/97

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=12, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 198 Page: count: 198



*o**=0, *l**=12, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=12, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 200 Page: count: 209


www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1
BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems
BAM material: code=rha4ta
(LE53) Front: 1/16, Scale: 1/1, Page: 208 Page count: 201
o*=0, l*=12, v*=8
Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.
BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999
input: olv* setrgbcolor
output: no change compared to input

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=12, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 2|0 Page: count: 2|2

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 203 Page count: 203

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=12, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*


www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1
BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems
BAM material: code=rha4ta
(LE53) Front: 1/16, Scale: 1/1, Page: 204 Page: count: 204
o*=0, l*=12, v*=11
Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.
BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999
input: olv* setrgbcolor
output: no change compared to input

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=12, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 205 Page count: 205

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 206 Page count: 206

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

*o**=0, *l**=12, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



*o**=0, *l**=12, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=12, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 208 Page count: 208

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 209 Page count: 209

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 2/0 Page count: 2/0



*o**=0, *l**=13, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



*o**=0, *l**=13, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 213 Page count: 213



*o**=0, *l**=13, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 2/5 Page count: 2/5

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 2/6, Page count: 2/16



*o**=0, *l**=13, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 2/8 Page count: 2/8

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 2/9 Page count: 2/9

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 220 Page count: 220



*o**=0, *l**=13, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 222 Page count: 222

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 223 Page count: 223

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=13, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 224 Page count: 224

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=14, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 225 Page count: 225

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=14, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53\ Front: 1/16, Scale: 1/1, Page: 226 Page count: 226



*o**=0, *l**=14, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



*o**=0, *l**=14, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=14, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 229, Page count: 229



*o**=0, *l**=14, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=14, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 230 Page count: 231

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=14, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 232 Page count: 232



*o**=0, *l**=14, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=14, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 234 Page count: 234



*o**=0, *l**=14, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=14, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 236 Page count: 236

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=14, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 237 Page count: 237

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=14, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 238 Page count: 238

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 239 Page: count: 239

o=0, *l*=14, *v*=14*

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*



*o**=0, *l**=14, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=0

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Frame: 1/16, Scene: 1/1, Page: 241 Page: count: 241



*o**=0, *l**=15, *v**=1

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=2

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 240 Page count: 243

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=3

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 244 Page count: 244

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=4

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 245 Page count: 245



*o**=0, *l**=15, *v**=5

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=6

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 247 Page count: 247

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=7

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 248 Page count: 248

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=8

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 248 Page count: 249

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=9

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 230 Page count: 250

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=10

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 250 Page count: 251

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=11

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 232 Page count: 252

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=12

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Scale: 1/1, Page: 253 Page count: 253

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=13

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Serie: 1/1, Page: 254 Page count: 254

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

/LE53/ Form: 1/16, Serie: 1/1, Page: 255 Page: count: 255

*o**=0, *l**=15, *v**=14

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE53/L53E00N1.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



*o**=0, *l**=15, *v**=15

Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv* of ISO/IEC 15775:1999 as input; o* = 0 = const.

BAM-test chart no. LE53; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv* setrgbcolor*
output: *no change compared to input*

BAM registration: 20050601-LE53/L53E00N1.PS/.TXT
application for measurement of printer systems

BAM material: code=rha4ta

(LE53) Front: 1/16, Seite: 1/1, Page: 256, Page: count: 256

See for similar files: http://www.ps.bam.de/LE53/
Technical information: http://www.ps.bam.de Version 2.1, io=1.1