

See for similar files: <http://www.ps.bam.de/LE63/LE63.HTM>  
 Information and Order: <http://www.ps.bam.de> Version 2.0, i=0&0;0; iORS; oORS, CIELAB

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	used coordinate	surround	center
01																		V	1m00°	1m00°
02																		M	c100°	c100°
03																		O	01y0°	01y0°
04																		Y	0m10°	0m10°
05																		L	c010°	c010°
06																		C	10y0°	10y0°
07																		Mw	xm00°	xm00°
08																		Yw	cx00°	cx00°
09																		Cw	0xy0°	0xy0°
10																		Mn	1mx0°	1mx0°
11																		Yn	c1x0°	c1x0°
12																		Cn	x1y0°	x1y0°
13																		W	cmy0°	cmy0°
14																		N	000n°	000n°

16 equidistant CIELAB steps in *cmy0\**(ORS18) 2x for colour series C-V, V-M, M-O, O-Y, Y-L, L-C, N-W, W-N, Cw-Mw, Mw-Yw, Yw-Cw, Cn-Mn, Mn-Yn, Yn-Cn and 14 CIE-test colours (left)  
 Test chart LE63: 16 CIELAB steps in *cmy0\** (2x) input,ORS18: *cmy0\** setcmykcolor (2x)  
 Maximum and half (47%) chroma, CIE-test colours output,ORS18: *cmy0\**/000n\* setcmykcolor

BAM registration: 20030101-LE63/L63E00F1.PS.TXT  
 application for measurement of monitor (Y1=2.5) and printer output  
 BAM material: code=thata4