




ME000-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator *w* setgray*




ME001-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator *w* setgray*







ME000-3, Picture C31: 32 visual equidistant *L**-grey steps; Use of the PS operator *w* setgray*, part 1





ME000-5, Picture C32: 32 visual equidistant *L**-grey steps; Use of the PS operator *w* setgray*, part 2




ME000-7, Picture C3: 16 visual equidistant *L**-grey steps; Use of the PS operator *w* setgray*





Light Grey Page




Mean Grey Page











Dark Grey Page






Black Page








White Page








See for similar files: <http://www.ps.bam.de/ME00/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1


BAM registration: 20050101-ME00/10L/L00E08NP.PS/.PDF BAM material: code=rh4ta
application for properties of monochromatic printers
/ME00 Form: 9/11, Serie: 1/2, Page: 13 Page count: 13











See for similar files: <http://www.ps.bam.de/ME00/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1
















See for similar files: <http://www.ps.bam.de/ME00/>
 Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1

BAM registration: 20050101-ME00/10L/L00E02NP.PS/.PDF
 application for properties of monochromatic printers


ME00 Form: 3/11, Serie: 2.2, Page: 7 Page count: 22

BAM material: code=rh4ta




ME000-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator *w* setgray*


ME001-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator *w* setgray*





ME000-3, Picture C31: 32 visual equidistant *L**-grey steps; Use of the PS operator *w* setgray*, part 1



ME000-5, Picture C32: 32 visual equidistant *L**-grey steps; Use of the PS operator *w* setgray*, part 2





ME000-7, Picture C3: 16 visual equidistant *L**-grey steps; Use of the PS operator *w* setgray*





Light Grey Page




Mean Grey Page





Dark Grey Page







Black Page








White Page







See for similar files: <http://www.ps.bam.de/ME00/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20050101-ME00/10L/L00E08NP.PS/.PDF BAM material: code=rh4ta
application for properties of monochromatic printers
/ME00 Form: 9/11, Serie: 2/2, Page: 13 Page count: 28





See for similar files: <http://www.ps.bam.de/ME00/>
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1

BAM registration: 20050101-ME00/10L/L00E09NP.PS/.PDF
application for properties of monochromatic printers
BAM material: code=rh4ta
/ME00 Form: 1011Serie:2,2, Page: 14 Page count: 29

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text.

This is text. This is text.

This is text. This is text.



This is text.

This is text.

This is text.

This is text.

t.
text.
s is text.
This is text.
xt. This is text.
s text. This is text.
is is text. This is text.
. This is text. This is text.
text. This is text. This is text.
s is text. This is text. This is text.
This is text. This is text. This is text.
xt. This is text. This is text. This is text.
s text. This is text. This is text. This is text.
is is text. This is text. This is text. This is text.
. This is text. This is text. This is text. This is text.
text. This is text. This is text. This is text. This is text.
s is text. This is text. This is text. This is text. This is text.
This is text. This is text. This is text. This is text. This is text.



See for similar files: <http://www.ps.bam.de/ME00/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20050101-ME00/10L/L00E0ANP.PS/.PDF BAM material: code=rh4ta
application for properties of monochromatic printers

