













































































ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray



ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
$I^*_{CIELAB}, r_{D_r}(\text{relative})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631


ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1

L^* / Y (absolute)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
No. and Hex2 code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
$I^*_{CIELAB}, r_{D_r}(\text{relative})$	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052


ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$I^*_{CIELAB}, r_{D_r}(\text{relative})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray



ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray



ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
$I^*_{CIELAB}, r_{D_r}(\text{relative})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1

L^* / Y (absolute)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
No. and Hex2 code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
$I^*_{CIELAB}, r_{D_r}(\text{relative})$	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052

ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$I^*_{CIELAB}, r_{D_r}(\text{relative})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631


ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray

Proposal editor: CEN CSH 99013-test chart no. 3C


Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999

input: x000* setcmykcolor


output: cmy0*/ 000n* setcmykcolor




ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray



ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1



ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2




ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray


Proposal editor: CEN CSH 99013-test chart no. 3M

input: 0x00* setcmykcolor


Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999 output: cmy0* / 000n* setcmykcolor




ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray



ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1



ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2



ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray

Light Page N

Light Page C

Light Page M

Light Page Y

Mean Page N

Mean Page C

Mean Page M

Mean Page Y

Dark Page N

Dark Page C

Dark Page M

Dark Page Y

Full Colour Page N

Full Colour Page C

Full Colour Page M


Full Colour Page Y


White Page W

White Page W

White Page W

White Page W






See for similar files: [http://www.ps.bam.de/ME01/](http://www.ps.bam.de/ME01/Technical information: http://www.ps.bam.de)
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1?

BAM registration: 20050101-ME01/10L/L01E08SP.PS/.PDF BAM material: code=rh4ta
application for properties of monochromatic printers


/ME01/ Form: 9/9, Serie: 1/2, Page: 51 Page count: 51




See for similar files: <http://www.ps.bam.de/ME01/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1?

BAM registration: 20050101-ME01/10L/L01E08SP.PS/PDF BAM material: code=rh4tia
application for properties of monochromatic printers

/ME01/ Form: 9/9, Serie: 1/2, Page: 52 Page count: 52






Proposal editor: CEN CSH 99013-test chart no. 10N
Text page; (x=1.00)

input: 000x* setcmykcolor
output: cmy0* / 000n* setcmykcolor






T


This is text. This is text. This is text. This is text. This is text.








T


This is text. This is text. This is text. This is text. This is text.


























































































ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray



ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
$I^*_{CIELAB, r}$ $D_r(\text{relative})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1

L^* / Y (absolute)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
No. and Hex2 code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
$I^*_{CIELAB, r}$ $D_r(\text{relative})$	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052

ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2


L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$I^*_{CIELAB, r}$ $D_r(\text{relative})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray


Proposal editor: CEN CSH 99013-test chart no. 3N

input: 000x* setcmykcolor

Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999 output: cmy0* / 000n* setcmykcolor



ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray



ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
$I^*_{CIELAB, r}$ D_p (relative)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1

L^* / Y (absolute)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
No. and Hex2 code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
$I^*_{CIELAB, r}$ D_p (relative)	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052

ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$I^*_{CIELAB, r}$ D_p (relative)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631


ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray

Proposal editor: CEN CSH 99013-test chart no. 3C


Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999

input: x000* setcmykcolor


output: cmy0*/000n* setcmykcolor




ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray



ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1



ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2



ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray




Proposal editor: CEN CSH 99013-test chart no. 3M

input: 0x00* setcmykcolor


Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999 output: cmy0* / 000n* setcmykcolor




ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray



ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1



ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2



ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray

Light Page N

Light Page C

Light Page M

Light Page Y

Mean Page N

Mean Page C

Mean Page M

Mean Page Y

Dark Page N

Dark Page C

Dark Page M

Dark Page Y

Full Colour Page N

Full Colour Page C

Full Colour Page M


Full Colour Page Y


White Page W

White Page W

White Page W

White Page W







See for similar files: [http://www.ps.bam.de/ME01/](http://www.ps.bam.de/ME01/Technical information: http://www.ps.bam.de)
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1?

BAM registration: 20050101-ME01/10L/L01E08SP.PS/.PDF BAM material: code=rh4ta
application for properties of monochromatic printers

/ME01/ Form: 9/9, Serie: 2/2, Page: 51 Page count: 111





This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

t.

text.

s is text.

This is text.

xt. This is text.

s text. This is text.

his is text. This is text.

. This is text. This is text.

text. This is text. This is text.

s is text. This is text. This is text.

This is text. This is text. This is text.

xt. This is text. This is text. This is text.

s text. This is text. This is text. This is text.


his is text. This is text. This is text. This is text.

. This is text. This is text. This is text. This is text.


text. This is text. This is text. This is text. This is text.

s is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.





This is text This is text This is text This is text This is text




T

This is text This is text This is text This is text This is text





T



The matrix visualization shows the relationship between 32 musical notes. The top row is labeled (t=top) and the bottom row is labeled (b=bottom). The columns are labeled from 0t,31 to Ft,16 and the rows from Fb,0 to 0b,15. The matrix is symmetric and shows a clear pattern of relationships between notes, with darker shades of gray indicating stronger relationships.



