








See for similar files: <http://www.ps.bam.de/ME18/>
 Technical information: <http://www.ps.bam.de/9241>

BAM registration: 20080401-ME18/10L/L18E00NA.PS/.TXT
 application for displays (Yr=2.5) and printers

BAM material: code=rh4ta






Version 2.1, io=1.1







See for similar files: <http://www.ps.bam.de/ME18/>
 Technical information: <http://www.ps.bam.de/9241>

BAM registration: 20080401-ME18/10L/L18E01NA.PS/.TXT
 application for displays (Yr=2.5) and printers
 BAM material: code=rh4ta












See for similar files: <http://www.ps.bam.de/ME18/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.1, io=1.1

BAM registration: 20080401-ME18/10L/L18E02NA.PS/.TXT
 application for displays (Yr=2.5) and printers

BAM material: code=rh4ta






See for similar files: <http://www.ps.bam.de/ME18/>
 Technical information: <http://www.ps.bam.de/9241>


BAM registration: 20080401-ME18/10L/L18E03NA.PS/.TXT
 application for displays (Yr=2.5) and printers

BAM material: code=rh4ta


Version 2.1, io=1.1





ME180-3N, Element A.N: 5 times 5 visual equidistant L^* -colour steps and Landolt-rings; Use of the PS operator 000n* setcmykcolor





ME180-5N, Element B.N: 32 visual equidistant ΔE_{ab}^* -colour steps, dark colour steps; Use of the PS operator 000n* setcmykcolor



ME180-7N, Element C.N: 32 visual equidistant ΔE_{ab}^* -colour steps, light colour steps; Use of the PS operator 000n* setcmykcolor










See for similar files: <http://www.ps.bam.de/ME18/>
 Technical information: <http://www.ps.bam.de/9241>

BAM registration: 20080401-ME18/10L/L18E04NA.PS/.TXT
 application for displays (Yr=2.5) and printers

BAM material: code=rh4ta

Version 2.1, io=1.1




See for similar files: <http://www.ps.bam.de/ME18/>
 Technical information: <http://www.ps.bam.de/9241>


Version 2.1, io=1.1

BAM registration: 20080401-ME18/10L/L18E05NA.PS/.TXT
 application for displays (Yr=2.5) and printers


BAM material: code=rh4ta





ME180-3N, Element A.L: 5 times 5 visual equidistant L^* -colour steps and Landolt-rings; Use of the PS operator $n0n0^*$ setcmkcolor



ME180-5N, Element B.L: 32 visual equidistant ΔE_{ab}^* -colour steps, dark colour steps; Use of the PS operator $n0n0^*$ setcmkcolor



ME180-7N, Element C.L: 32 visual equidistant ΔE_{ab}^* -colour steps, light colour steps; Use of the PS operator $n0n0^*$ setcmkcolor












See for similar files: <http://www.ps.bam.de/ME18/>
 Technical information: <http://www.ps.bam.de/9241>

BAM registration: 20080401-ME18/10L/L18E06NA.PS/.TXT
 application for displays (Yr=2.5) and printers

BAM material: code=rh4ta

Version 2.1, io=1.1





See for similar files: <http://www.ps.bam.de/ME18/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.1, io=1.1

BAM registration: 20080401-ME18/10L/L18E07NA.PS/.TXT
 application for displays (Yr=2.5) and printers

BAM material: code=rh4ta

