




See for similar files: <http://www.ps.bam.de/ME20/ME20.HTM>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,2; iORS; oORS, CIELAB

BAM registration: 20050101-ME20/10L/L20E00FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output





9x9x9 colour cube and colour tinted grey scales, hue circle with maximum chromaticness and W-CMY, OLV-N

Test chart ME20: 9x9x9 colour cube and grey scales
Hue circle and colour series W-CMY, OLV-N




input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *cmY0* / nnn0* setcmykcolor*






See for similar files: <http://www.ps.bam.de/ME20/ME20.HTM>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,2; iORS; oORS, CIELAB

BAM registration: 20050101-ME20/10L/L20E01FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output







Colorimetric System: lab^*tch , 9 steps scales for red-green hue




Test chart ME20: Colorimetric System lab^*tch
9 steps scales for red-green hue

input(ORS18): $cmyn^* setcmykcolor$
output(ORS18): $cmyn^* / nnn0^* setcmykcolor$



See for similar files: <http://www.ps.bam.de/ME20/ME20.HTM>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,2; iORS; oORS, CIELAB

BAM registration: 20050101-ME20/10L/L20E03FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output



Colorimetric System: lab^*tch , 9 steps scales for yellow-blue hue

Test chart ME20: Colorimetric System lab^*tch
9 steps scales for blue-yellow hue

input(ORS18): $cmyn^* setcmykcolor$
output(ORS18): $cmy0^* / nnn0^* setcmykcolor$

