


PostScript transfer and optional measurement for linearization

Input-----PostScript L2-----Output-----

Class Ia




Goal: $\Sigma (\text{cmyn}^*\text{in} - \text{cmyn}^*\text{ou}) = \text{Min.}$

ME350-3, PostScript L2 flowchart for printer driver; CMYK, RGB and GRAY input

PostScript transfer and optional measurement for linearization

Input-----PostScript L2-----Output-----

Class Ia




Goal: $\Sigma (\text{olv}^*\text{in} - \text{olv}^*\text{ou}) = \text{Min.}$

ME351-3, PostScript L2 flowchart for monitor driver; CMYK, RGB and GRAY input

Inverse PostScript transfer (*) for linearized output, optional measurement

Input-----PostScript L2-----Output-----

Class Ia




Goal: $\Sigma (\text{cmyn}^*\text{in} - \text{cmyn}^*\text{ou}) = \text{Min.}$ or $\Sigma (\text{LAB}^*\text{in} - \text{LAB}^*\text{ou}) = \text{Min.}$

ME350-7, PostScript L2 flowchart for printer driver; CMYK, RGB and GRAY input

Inverse PostScript transfer (*) for linearized output, optional measurement

Input-----PostScript L2-----Output-----

Class Ia



Goal: $\Sigma (\text{olv}^*\text{in} - \text{olv}^*\text{ou}) = \text{Min.}$ or $\Sigma (\text{LAB}^*\text{in} - \text{LAB}^*\text{ou}) = \text{Min.}$

ME351-7, PostScript L2 flowchart for monitor driver; CMYK, RGB and GRAY input

BAM-test chart no. ME35; colour transfer and workflow
Connection: input and output referred colour spaces

input: different
output: different